

**TABLE OF CONTENTS**

**18 REFERENCES ..... 18-1**

**18.1 Personal Communications ..... 18-1**

**18.2 Literature Cited ..... 18-1**

## 18 REFERENCES

### 18.1 Personal Communications

- Blackwell, S. Bioacoustician, Greenridge Sciences, Santa Barbara, CA.
- Boyd, C. Manager, Corporate Affairs, Clearwater Seafoods Limited Partnership, Bedford, NS.
- Brodie, W. Senior Science Coordinator / Advisor, NAFO, Fisheries and Oceans Canada, St. John's, NL.
- DFO St. John's, NL
- Janes, G. Team Lead, Environment, Emergency Response and Security, Suncor Energy, St. John's, NL.
- Knight, L. Area Chief, Resource Management, Fisheries and Oceans Canada, Eastern Newfoundland.
- Lang, T. Biologist, LGL Limited, St. John's, NL.
- Lawson, J. Research Scientist, Marine Mammals Section, Fisheries and Oceans Canada, St. John's, NL.
- Mactavish, B. Biologist, LGL Limited, St. John's, NL.
- Saunders, R. Petroleum Industry Liaison, FFAW, St. John's, NL.
- Sullivan, K. Biologist / Market Analyst.
- Temple, D. Nearshore Project Area Fisher, Sunnyside, NL.
- Warren, B. Nalcor Fisheries Liaison Consultant, Bull Arm Fabrication Facility, Chance Cove, NL.
- Warren, C. Nearshore Project Area Fisher, Chapel Arm, NL.
- Yetman, L. Resource Management Officer, Fisheries and Oceans Canada, Fisheries and Aquaculture Management Branch.

### 18.2 Literature Cited

- Abend, A.G. and T.D. Smith. 1999. Review of distribution of the long-finned pilot whale (*Globicephala melas*) in the North Atlantic and Mediterranean. NOAA Technical Memorandum, NMFS-NE-117: 22 pp.
- Abgrall, P., A.L. Lang, and V.D. Moulton. 2008a. Marine Mammal and Seabird Monitoring of Husky Energy's 3-D Seismic Program in the Jeanne d'Arc Basin, 2006 and 2005-2006 Combined. LGL Report SA920 by LGL Limited, St. John's, NL, for Husky Energy Inc., Calgary, AB. 98 pp. + Appendices.

- Abgrall, P., A.L. Lang and V.D. Moulton. In Preparation. Marine Mammal and Seabird Monitoring of Statoil Hydro's, Petro-Canada's and Husky Energy's 3-D Seismic Program in the Jeanne d'Arc Basin, 2008. Report by LGL Limited, St. John's, NL, for Statoil Hydro, Petro-Canada and Husky Energy.
- Abgrall, P., B.D. Mactavish and V.D. Moulton. 2008b. *Marine Mammal and Seabird Monitoring of Orphan Basin Controlled Source Electromagnetic Survey Program, 2006 – 2007*. LGL Report SA904/939 by LGL Limited, St. John's, NL, for ExxonMobil Canada Ltd., St. John's, NL. 96 pp. + Appendices.
- Aiken, D.E. and S.L. Waddy. 1986. Environmental influence on recruitment of American lobster (*Homerus americanus*): A perspective. *Canadian Journal of Fisheries and Aquatic Sciences*, 43: 2258-2270.
- Ainley, D.G., C.R. Grau, T.E. Roudybush, S.H. Morrell and J.M. Utts. 1981. Petroleum ingestion reduces reproduction in Cassin's Auklets. *Marine Pollution Bulletin*, 12: 314-317.
- Albers, P.H. 1977. Effects of external applications of fuel oil on hatchability of Mallard eggs. Pp. 158-163. In: D.A. Wolfe (ed.). *Fate and Effects of Petroleum Hydrocarbons in Marine Ecosystems and Organisms*, Pergamon Press, Oxford, UK. 478 pp.
- Albers, P.H. 1978. The effects of petroleum on different stages of incubation in bird eggs. *Bulletin of Environmental Contamination and Toxicology*, 19: 624-630.
- Albers, P.H. and M.L. Gay. 1982. Unweathered and weathered aviation kerosene: Chemical characterization and effects on hatching success of duck eggs. *Bulletin of Environmental Contamination and Toxicology*, 28: 430-434.
- Albers, P.H. and R.C. Szaro. 1978. Effects of No. 2 fuel oil on Common Eider eggs. *Marine Pollution Bulletin*, 9: 138-139.
- Alonso-Alvarez, C., I. Munilla, M. López-Alonso and A. Velando. 2007. Sublethal toxicity of the *Prestige* oil spill on yellow-legged gulls. *Environment International*, 33: 773-781.
- ALTRT (Atlantic Leatherback Turtle Recovery Team). 2006. *Recovery Strategy for Leatherback Turtle (Dermochelys coriacea) in Atlantic Canada*. Species at Risk Act Recovery Strategy Series, Fisheries and Oceans Canada, Ottawa, ON. vi + 45 pp.
- AMEC Earth & Environmental. 2003. *Hibernia Platform 2002 Environmental Report Volume I: Oceanographic Report*. AMEC Earth & Environmental report prepared for Hibernia Management and Development Company Ltd., St. John's, NL.
- AMEC Earth and Environmental, Limited. 2010. *Drill Cuttings Deposition and Produced Waters and Storage Displacement Water Dispersion for Modelling for the Hebron Project*. Prepared for Stantec Consulting Ltd., St. John's, NL. v + 59 pp. + Appendices.

- Andersen, J.M., Y.F. Wiersma, G.B. Stenson, M.O. Hammill and A. Rosing-Asvid. 2009. Movement patterns of hooded seals (*Cystophora cristata*) in the Northwest Atlantic Ocean during the post-moult and pre-breed seasons. *Journal of Northwest Atlantic Fisheries Sciences*, 42: 1-11.
- Anderson, C.M. and R.P. LaBelle. 2000. Update of comparative occurrence rates for offshore oil spills. *Spill Science and Technology Bulletin*, 6(5/6): 303-321, 2000.
- Anderson, J.T., E.L. Dalley and E. Colbourne. 1999. Recent trends in the dominant pelagic fish species and environment in the Northwest Atlantic, NAFO 2J3KLNO. *Canadian Science Advisory Secretariat Research Document*, 99/114: 17 pp.
- Andriguetto-Filho, J.M., A. Ostrensky, M.R. Pie, U.A. Silva and W.A. Boeger. 2005. Evaluating the impact of seismic prospecting on artisanal shrimp fisheries. *Continental Shelf Research*, 25: 1720-1727.
- Appleby, J.P. and D.J. Scarratt. 1989. Physical effects of suspended solids on marine and estuarine fish and shellfish with special reference to ocean dumping: A literature review. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 168: v + 33 pp.
- Archer, F.I., II. and W.F. Perrin. 1999. *Stenella coeruleoalba*. *Mammal Species*, 603: 1-9.
- Armsworthy, S.L., P.J. Cranford, K. Lee and T. King. 2005. Chronic effects of synthetic drilling mud on sea-scallops (*Placopecten magellanicus*). Pp. 243-265. In: S.L. Armsworthy, P.J. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- ASA (Applies Science Associates, Inc.). 2011a. *Results from Simulations of Fuel Oil Spills in Bull Arm, Trinity Bay, Newfoundland and Labrador*. ASA Project 2010-261 prepared by Chris Galagan, Nicholas Cohn and Rachel Shmookler for Stantec Consulting Ltd. vi + 25 pp. + Appendices.
- ASA (Applied Science Associates, Inc.). 2011b. *Results from Simulations of Oil Spills at the Hebron Well Site*. ASA Project 2010-261 prepared by Chris Galagan, Nicholas Cohn and Rachel Shmookler for Stantec Consulting Ltd. vi + 22 pp. + Appendices.
- Au, W.W.L. and W.L. Perryman. 1985. Dolphin habitats in the eastern tropical Pacific. *Fisheries Bulletin*, 83(4): 623-643.
- Au, W.W.L., A.N. Popper and R.R. Fay. 2000. *Hearing by Whales and Dolphins*. Springer-Verlag, New York, NY. 458 pp.
- Auster, P.J. 1989. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (North Atlantic and mid-Atlantic) - tautog and cunner. US Army Corp of Engineers, TR EL-82-4, *US Fish and Wildlife Service Biological Report*, 82(11.105): 13 pp.

- Austin, D., W.D. Bowen, J.I. McMillan and S.J. Iverson. 2006. Linking movement, diving, and habitat to foraging success in a large marine predator. *Ecology*, 87: 3095-3108.
- Avery, M.L., P.F. Springer and N.S. Dailey. 1978. *Avian Mortality at Man-made Structures: An Annotated Bibliography*. US Department of the Interior, Fish and Wildlife Service, Washington, FWS/OBS-78/58. 108 pp.
- Bailey, W.B. 1958. Trinity Bay, Newfoundland Survey – September 1956. Fisheries Research Board of Canada Manuscript Report Series (Oceanographic and Limnological), 10: 12 pp.
- Baillie, S.M., G.J. Robertson, F.K. Wiese and U.P. Williams. 2005. Seabird data collected by the Grand Banks offshore hydrocarbon industry 1999-2002: Results, limitations and suggestions for improvement. *Canadian Wildlife Service Technical Report Series*, 434: v + 47 pp.
- Bain, D.E. and R. Williams. 2006. *Long-range Effects of Airgun Noise on Marine Mammals: Responses as a Function of Received Sound Level and Distance*. Paper SC/58/E35 presented to the IWC Scientific Committee, IWC Annual Meeting, 1-13 June, St. Kitts and Nevis.
- Baird, R.W. 2000. The killer whale: Foraging specializations and group hunting. Pp. 127-153. In: J. Mann, R.C. Connor, P.L. Tyack and H. Whitehead (eds.). *Cetacean Societies: Field Studies of Whales and Dolphins*, University of Chicago Press. Chicago, IL. 448 pp.
- Baird, R.W. 2001. Status of harbour seals, *Phoca vitulina*, in Canada. *Canadian Field-Naturalist*, 115(4): 663-675.
- Baird, R.W. 2003. *Update COSEWIC Status Report on the Humpback Whale Megaptera novaeangliae in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. 25 pp.
- Baird, R.W. and P.J. Stacey. 1991. Status of Risso's dolphin, *Grampus griseus*, in Canada. *Canadian Field-Naturalist*, 105(2): 233-242.
- Baird, R.W., P.J. Stacey and H. Whitehead. 1993a. Status of the striped dolphin, *Stenella coeruleoalba*, in Canada. *Canadian Field-Naturalist*, 107(4): 455-465.
- Baird, R.W., E.L. Walters and P.J. Stacey. 1993b. Status of the bottlenose dolphin, *Tursiops truncatus*, with special reference to Canada. *Canadian Field-Naturalist*, 107(4): 466-480.
- Bajzak, C.E., S.D. Cote, M.O. Hammill and G.B. Stenson. 2009. Intersexual differences in the postbreeding foraging behaviour of the Northwest Atlantic hooded seal. *Marine Ecology Progress Series*, 385: 285-294.
- Baker, A.J., P.M. González, T. Piersma, L.J. Niles, I. de L.S. do Nascimento, P.W. Atkinson, N.A. Clark, C.D.T. Minton, M.K. Peck and G. Aarts. 2004. Rapid population decline in Red Knots: Fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. *Proceedings of the Royal Society of London, Series B*, 271: 875-882.

- Bakke, T., J.A. Berge, K. Nøs, F. Orelid, L.O. Reiersen and K.Byrne. 1989. Longterm recolonization and chemical changes in sediments contaminated with oil-based drill cuttings. In: F.R. Englehardt, J.P. Ray and A.H. Gillam (eds.). *Drilling Waste*, Elsevier Applied Science Publishers Ltd., New York, NY. 872 pp.
- Barlow, M.J. and P.F. Kingston. 2001. Observations on the effect of barite on gill tissues on the suspension feeder *Cerastoderma edule* (Linne) and the deposit feeder *Macoma balthica* (Linne). *Marine Pollution Bulletin*, 42: 71-76.
- Barnes, J.L., M. Stephenson and L.H. Davey. 2000. An integrated approach to cumulative environmental effects assessment, meeting requirements of the *Canadian Environmental Assessment Act*. Pp. 20-33. In: K.C. Penney, K.A. Coady, M.H. Murdoch, W.R. Parker and A.J. Niimi (eds.). *Proceedings of the 27th Annual Toxicity Workshop*, October 1-4, 2000, St. John's, NL. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2331: 139 pp.
- Barsukov, V.V. 1959. The Wolffish (Anarhichadidae). *Zoologicheskogo Institute Akademii Nauk USSR Fauna:Fishes*, 5(5):173 pp [Translated for Smithsonian Institution and National Science Foundation, Washington, DC, by Indian National Scientific Documentation, New Delhi, 1972]
- Bartol, S., J.A. Musick and M.L. Lenhardt. 1999. Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). *Copeia*, 1999(3): 836-840.
- Baumard, P., H. Budzinski, P. Garrigues, T. Burgeot, X. Michel and J. Belloq. 1999. Polycyclic aromatic hydrocarbon (PAH) burden of mussels (*Mytilus* sp.) in different marine environments in relation with sediment PAH contamination, and bioavailability. *Marine Environmental Research*, 47: 415-439.
- Baumgartner, M.F. 1997. The distribution of Risso's dolphin (*Grampus griseus*) with respect to the physiography of the northern Gulf of Mexico. *Marine Mammal Science*, 13(4): 614-638.
- Beak Consultants. 1975. Biology oil impact literature review: Final report. Baseline study program, North Puget Sound, Department of Ecology, Olympia, WA. In: N. Wright (2002). *Eelgrass Conservation for the BC Coast: A Discussion Paper*, Prepared for BC Coastal Eelgrass Stewardship Project by SeaChange Marine Conservation Society.
- Beauchamp, J., H. Bouchard, P. de Margerie, N. Otis and J.-Y. Savaria. 2009. Recovery Strategy for the blue whale (*Balaenoptera musculus*), Northwest Atlantic population, in Canada [FINAL]. Species at Risk Act Recovery Strategy Series, Fisheries and Oceans Canada, Ottawa, ON. 62 pp.
- Bell, G.D. and M. Chelliah. 2006. Leading tropical modes associated with interannual and multidecadal fluctuations in North Atlantic hurricane activity. *Journal of Climate*, 19(4): 590-612.

- Bence, A.E. and W.A. Burns. 1995. Fingerprinting hydrocarbons in the biological resources of the *Exxon Valdez* spill area. Pp. 84-140. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials, Philadelphia, PA. 965 pp.
- Benjamins, S., D.W. Kulka and J. Lawson. 2008. Incidental catch of seabirds in Newfoundland and Labrador gillnet fisheries, 2001-2003. *Endangered Species Research*, 5: 149-160.
- Berek, E.P. and W. Wang. 2009. *Update of Metocean Criteria for Hibernia OLS Rebuild*. June 1, 2009 memorandum to Lisa Snow.
- Bernanke, J. and H-R. Köhler. 2009. The impact of environmental chemicals on wildlife vertebrates. *Reviews of Environmental Contamination and Toxicology*, 198: 2-47.
- Bérubé, M., A. Aguilar, D. Dendanto, F. Larsen, G. Notarbartolo di Sciara, R. Sears, J. Sigurjónsson, J. Urbán-Ramirez and P.J. Pallsbøl. 1998. Population genetic structure of North Atlantic, Mediterranean Sea, and Sea of Cortez fin whales, *Balaenoptera physalus* (Linnaeus 1758): Analysis of mitochondrial and nuclear loci. *Molecular Ecology*, 7(5): 585-599.
- Best, P.B. 1993. Increase rates in severely depleted stocks of baleen whales. *ICES Journal of Marine Sciences*, 50: 169-186.
- Bigg, M.A. 1981. *Phoca vitulina* Linnaeus, 1758 and *Phoca largha* Pallas, 1811. Pp. 1-27. In: S.H. Ridgeway and R. Harrison (eds.). *Handbook of Marine Mammals, Volume 2: Seals*, Academic Press, San Diego, CA. 359 pp.
- Bigg, M.A., P.F. Olesiuk, G.M. Ellis, J.K.B. Ford and K.C. Balcomb. 1990. Social organization and genealogy of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington State. *Report of the International Whaling Commission*, 12: 383-405.
- Blackwell, S.B. and W.C. Burgess. 2004. *Acoustic Measurements in Cook Inlet, Alaska during August 2001*. Report by Greeneridge Sciences for US National Marine Fisheries Service. 41 pp.
- Blackwell, S.B. and C.R. Greene, Jr. 2006. Sounds from an oil production island in the Beaufort Sea in summer: Characteristics and contribution of vessels. *Journal of the Acoustical Society of America*, 119(1): 182-196.
- Blackwell, S.B., J.W. Lawson and M.T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America*, 115(5, Pt. 1): 2346-2357.
- Blaxter, J.H.S., J.A.B. Gray and E.J. Denton. 1981. Sound and startle responses in herring shoals. *Journal of the Marine Biological Association of the United Kingdom*, 61: 851-869.

- Bleck, R. 2002. An oceanic general circulation model framed in hybrid isopycnic-Cartesian coordinates. *Ocean Modeling*, 4: 55-88.
- Blenkarm, K.A. and A.E. Knapp. 1969. *Ice Conditions on the Grand Banks*. Ice Seminar, Special Volume 10. Canadian Institute of Mining and Metallurgy, Calgary, AB.
- Blumer, M., R.R.L. Guillard and Y. Chase. 1971. Hydrocarbons of marine phytoplankton. *Marine Biology*, 8: 183-189.
- Boehlert, G. and M. Yoklavich. 1984. Carbon assimilation as function of ingestion rate in larval Pacific herring, *Clupea harengus pallasii* Valenciennes. *Journal of Experimental Marine Biology and Ecology*, 79(3): 251-262.
- Boersma, P.D., J.K. Parrish and A.B. Kettle. 1995. Common Murre abundance, phenology, and productivity on the Barren Islands, Alaska: The *Exxon Valdez* oil spill and long-term environmental change. Pp. 820-853. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials, Philadelphia, PA. 965 pp.
- Bokn, F.E., F.E. Moy and S.N. Murray. 1993. Long-term effects of water-accommodated fraction of diesel on rocky shore populations maintained in experimental mesocosms. *Botanica Marina*, 36: 313-320.
- Born, E.W., F.F. Riget, R. Dietz and D. Andriashek. 1999. Escape responses of hauled out ringed seals (*Phoca hispida*) to aircraft disturbances. *Polar Biology*, 21(3): 171-178.
- Bossart, G.D., M. Lutcavage, B. Mealey and P. Lutz. 1995. The dermatopathologic effects of oil on loggerhead sea turtles (*Caretta caretta*). Pp. 180-181. In: L. Frink, K. Ball-Weir and C. Smith (eds.). *Wildlife and Oil Spills: Response, Research, and Contingency Plan*, Tri-State Bird Rescue and Research, DE. 182 pp.
- Boulva, J. and I.A. McLaren. 1979. Biology of the harbour seal, *Phoca vitulina*, in Eastern Canada. *Bulletin of the Fisheries Research Board of Canada*, 200: 24 pp.
- Bowen, B.W., S.L. Elis, S.J. Iverson and D.J. Boness. 2001. Maternal effects on offspring growth rate and weaning mass in harbour seals. *Canadian Journal of Zoology*, 79: 1088-1101.
- Bowering, W.R. 1990. Spawning of witch flounder (*Glyptochephalus cynoglossus* L.) in the Newfoundland-Labrador area of the Northwest Atlantic as a function of depth and water temperature. *Fisheries Research*, 9: 23-39.
- Bowering, W.R. 2000. Trends in distribution, biomass and abundance of Greenland halibut (*Reinhardtius hippoglossoides*) in NAFO Subarea 2 and Divisions 3KLMNO from Canadian research vessel surveys during 1978-99. *NAFO Science Council Research Document*, 00/12: 42 pp.



- Bowering, W.R. and W.B. Brodie. 1991. Distribution of commercial flatfishes in the Newfoundland-Labrador region of the Canadian Northwest Atlantic and changes in certain biological parameters since exploitation. *Netherlands Journal of Sea Research*, 27: 407-422.
- Bowering, W.R. and G.R. Lilly. 1992. Greenland halibut (*Reinhardtius hippoglossoides*) off southern Labrador and northeastern Newfoundland (northwest Atlantic) feed primarily on capelin (*Mallotus villosus*). *Netherlands Journal of Sea Research*, 23: 211-222.
- Bradford, J.D. 1972. A Preliminary Report of the Observation of Sea Ice Pressure and its Effects on Merchant Vessels under Icebreaker Escort. Sea Ice Conference, Reykjavik, Iceland. Pp: 154-158.
- Brander-Smith, D., D. Therrien and S. Tobin. 1990. *Public Review Panel on Tanker Safety and Marine Spills Response Capability*. Final Report. 263 pp.
- Brazner, J.C., and J. McMillan. 2008. Loggerhead turtle (*Caretta caretta*) bycatch in Canadian pelagic longline fisheries: relative importance in the western north Atlantic and opportunities for mitigation. *Fisheries Research*, 91: 310-324.
- Brodie, W. 2005. A description of the fall multispecies surveys in SA2 + Divisions 3KLMNO from 1995-2004. *NAFO Science Council Research Document*, 05/8: 21 pp.
- Brown, M.W., D. Fenton, K. Smedbol, C. Merriman, K. Robichaud-Leblanc and J.D. Conway. 2009. *Recovery Strategy for the North Atlantic Right Whale (Eubalaena glacialis) in Atlantic Canadian Waters [Final]*. Species at Risk Act Recovery Strategy Series. Fisheries and Oceans Canada. vi + 66 pp.
- Brown, R.G.B. 1986. *Revised Atlas of Eastern Canadian Seabirds. 1. Shipboard Surveys*. Bedford Institute of Oceanography, Dartmouth, NS, and Canadian Wildlife Service, Ottawa, ON. 111 pp.
- Brown, R.G.B., D.I. Gillespie, A.R. Lock, P.A. Pearce and G.H. Watson. 1973. Bird mortality from oil slicks off Eastern Canada, February-April 1970. *Canadian Field-Naturalist*, 87: 225-234.
- Brusca, R.C. and G.J. Brusca. 1990. *Invertebrates*. Sinauer Associates, Inc. Publishers, Sunderland, MA. 922 pp.
- Bryant, P.J., C.M. Lafferty and S.K. Lafferty. 1984. Reoccupation of Laguna Guerrero Negro, Baja California, Mexico, by gray whales. Pp. 375-387. In: M.L. Jones, S.L. Swartz and S. Leatherwood (eds.). *The Gray Whale Eschrichtius robustus*, Academic Press, Orlando, FL. 600 pp.
- Buchanan, R.A., J.A. Cook and A. Mathieu. 2003. *Environmental Effects Monitoring for Exploration Drilling*. LGL Report SA735 by LGL Ltd., CEF Consultants Ltd., and Oceans Ltd. for Environmental Studies Research Funds (report 146), Calgary, AB. ix + 73 pp. + Appendices.

- Bulleri F. and L. Benedetti-Cecchi. 2006. Mechanisms of recovery and resilience of different components of mosaics of habitats on shallow rocky reefs. *Oecologia*, 149(3): 482-92.
- Bulleri, F., I. Bertocci and F. Micheli. 2002. Interplay of encrusting coralline algae and sea urchins in maintaining alternative habitats. *Marine Ecology Progress Series*, 243: 101-109.
- Bundy, A., G.R. Lilly and P.A. Shelton. 2000. A mass balance model of the Newfoundland-Labrador Shelf. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2310: xiv + 157 pp.
- Burger, A.E. 1993. Estimating the mortality of seabirds following oil spills: Effects of spill volume. *Marine Pollution Bulletin*, 26: 40-143.
- Burger, J. 1988. Effects of demolition and beach clean-up operations on birds on a coastal mudflat in New Jersey. *Estuarine, Coastal, and Shelf Science*, 27: 95-108.
- Burger, J., S.A. Carlucci, C.W. Jeitner and L. Niles. 2007. Habitat choice, disturbance, and management of foraging shorebirds and gulls at a migratory stopover. *Journal of Coastal Research*, 23: 1159-1166.
- Burger, J. and N. Tsipoura. 1998. Experimental oiling of Sanderlings (*Calidris alba*): Behaviour and weight changes. *Environmental Toxicology and Chemistry*, 17: 1154-1158.
- Burke, C.M., G.K. Davoren, W.A. Montevecchi and F.K. Wiese. 2005. Seasonal and spatial trends of marine birds along support vessel transects and at oil platforms on the Grand Banks. Pp. 587-614. In: P.J. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Burton, N.H.K., M.J.S. Armitage, A.J. Musgrove and M.M. Rehfisch. 2002. Impacts of man-made landscape features on numbers of estuarine waterbirds at low tide. *Environmental Management*, 30: 857-864.
- Butler, R.G. A. Harfenist, F.A. Leighton and D.B. Peakall. 1988. Impact of sublethal oil and emulsion exposure on the reproductive success of Leach's storm-petrels: Short and long-term effects. *Journal of Applied Ecology*, 25: 125-143.
- Cabanac, A. and J.H. Himmelman. 1996. Population structure of the sand dollar *Echinarachnius parma* in the subtidal zone of the northern Gulf of St. Lawrence, eastern Canada. *Canadian Journal of Zoology*, 74: 698-709.
- Cairns, D.K. and R.D. Elliot. 1987. Oil spill impact assessment for seabirds: The role of refugia and growth centres. *Biological Conservation*, 40: 1-9.

- Cairns, D.K., W.A. Montevecchi and W. Threlfall. 1989. Researcher's Guide to Newfoundland Seabird Colonies. Second Edition. Memorial University of Newfoundland Occasional Papers in Biology, No. 14: 43 pp.
- Campana S.E., W. Joyce, L. Marks, L.J. Natanson, N.E. Kohler, C.F. Jensen, J.J. Mello, H.L. Pratt, Jr. and S. Myklevoll. 2002. Population dynamics of the porbeagle shark in the Northwest Atlantic. *North American Journal of Fisheries Management*, 22: 106-121.
- Campbell, J.S. and Simms, J.M. 2009. Status Report on Coral and Sponge Conservation in Canada. Fisheries and Oceans Canada, St. John's, NL. pp. vii + 87 p.
- CAPP (Canadian Association of Petroleum Producers). 2001a. *Offshore Drilling Waste Management Review*. Technical Report, 2001-0007: 268 pp.
- CAPP (Canadian Association of Petroleum Producers). 2001b. *Drilling an Offshore Well*. Canadian Association of Petroleum Producers, Calgary, AB. 6 pp.
- CAPP (Canadian Association of Petroleum Producers). 2009. Marine Hydrocarbon Spill Response Capability Assessment, Jeanne d'Arc Basin Production Operations. Prepared by Cormorant Ltd. and Lorax Environmental for CAPP on behalf of Suncor Energy, Husky Energy and Hibernia Management and Development Company, St. John's, NL.
- Carlson, J.K., T.A. Randall and M.E. Mroczka. 1997. Feeding habits of winter flounder (*Pleuronectes americanus*) in a habitat exposed to anthropogenic disturbance. *Journal of Northwest Atlantic Fisheries Science*, 21: 65-73.
- Carscadden, J.E., K.T. Frank and W.C. Leggett. 2001. Ecosystem changes and the effects on capelin (*Mallotus villosus*), a major forage species. *Canadian Journal of Fisheries and Aquatic Science*, 58(1): 73-85.
- Carscadden, J.E., K.T. Frank and D.S. Miller. 1989. Capelin (*Mallotus villosus*) spawning on the Southwest Shoal: Influence of physical factors past and present. *Canadian Journal of Fisheries and Aquatic Sciences*, 46(10): 1743-1754.
- Carstensen, J., O.D. Henriksen and J. Teilmann. 2006. Impacts of offshore wind farm construction on harbour porpoises: Acoustic monitoring of echolocation activity using porpoise detectors (T-PODS). *Marine Ecology Progress Series*, 321: 295-308.
- Carter, H.R., V.A. Lee, G.W. Page, M.W. Parker, R.G. Ford, G. Swartzman, S.W. Kress, B.R. Siskin, S.W. Singer and D.M. Fry. 2003. The 1986 *Apex Houston* oil spill in central California: Seabird injury assessments and litigation process. *Marine Ornithology*, 31: 9-19.
- Castro, G. and J.P. Myers. 1993. Shorebird predation on eggs of horseshoe crabs during spring stopover on Delaware Bay. *Auk*, 110: 927-930.

- CCME (Canadian Council of Ministers of the Environment). 1999. *Canadian Environmental Quality Guidelines*. Canadian Council of Ministers of the Environment, Winnipeg, MB.
- C-CORE. 2001. *Iceberg Load Design Basis for Hebron*. Report R01-05-607. Report to Chevron Canada Resources, St. John's, NL.
- C-CORE. 2004. *Ice Management JIP Year 2003*. C-CORE Report Number R-03-059-226 v2.
- CEA Agency (Canadian Environmental Assessment Agency). 1994a. *A Reference Guide for the Canadian Environmental Assessment Act, Addressing Cumulative Environmental Effects*. Prepared by the Federal Environmental Assessment Review Office. 23 pp.
- CEA Agency (Canadian Environmental Assessment Agency). 1994b. *A Reference Guide for the Canadian Environmental Assessment Act: Determining Whether a Project is Likely to Cause Significant Adverse Environmental Effects*. Prepared by the Federal Environmental Assessment Review Office.
- CEA Agency (Canadian Environmental Assessment Agency). 2003. *Incorporating Climate Change Considerations in Environmental Assessment: General Guidance for Practitioners*. Published by the Federal-Provincial-Territorial Committee on Climate Change and Environmental Assessment, chaired by the Canadian Environmental Assessment Agency. 44 pp.
- CEA Agency (Canadian Environmental Assessment Agency). 2007a. *Operational Policy Statement on Follow-up Programs under the Canadian Environmental Assessment Act*. 7 pp. Available at URL: <http://www.ceaa.gc.ca/default.asp?lang=En&n=499F0D58-1>
- CEA Agency (Canadian Environmental Assessment Agency). 2007b. *Addressing Cumulative Environmental Effects under the Canadian Environmental Assessment Act: Operational Policy Statement*. 4 pp.
- CEF Consultants Limited. 1998. *Exploring for Offshore Oil and Gas*. Number 2 in a Series of Papers on Energy and the Offshore. Halifax, NS. 8 pp.
- Chapman, B.R. 1981. Effects of *Ixtoc 1* oil spill on Texas shorebird populations. Pp. 461-465. In: *Proceedings of the 1981 Oil Spill Conference, 2-5 March 1981*, American Petroleum Institute, Environmental Protection Agency, and United States Coast Guard, Atlanta, GA.
- Chardine, J.W. 1995. The distribution and abundance of aquatic birds in Canada in relation to the threat of oil pollution. Pp. 23-36. In: L. Frink, K. Ball-Weir and C. Smith (eds.). *Wildlife and Oil Spills: Response, Research, and Contingency Plan*, Tri-State Bird Rescue and Research, DE.
- Chardine, J.W. 2000. Census of Northern Gannet colonies in the Atlantic Region in 1999. *Canadian Wildlife Service, Atlantic Region, Technical Report Series*, No. 361: 1-16.

- Chardine, J.W. and G. Pelly. 1994. Operation Clean Feather: Reducing oil pollution in Newfoundland waters. *Canadian Wildlife Service, Atlantic Region, Technical Report Series*, No. 198: 43 pp.
- Chardine, J.W., G.J. Robertson, P.C. Ryan and B. Turner. 2003. Abundance and distribution of Common Murres breeding at Funk Island, Newfoundland 1972 and 2000. *Canadian Wildlife Service, Atlantic Region, Technical Report Series*, No. 404.
- Chevron (Chevron Canada Resources). 2001a. *Hebron Site Meteorological and Oceanographic Design Criteria V.1.9*. Prepared by J.D. Stear and C.K. Cooper for Chevron Petroleum Technology Company. 136 pp.
- Chevron (Chevron Canada Resources). 2001b. *Final Report 2001 Hebron Offshore Geotechnical Investigation Grand Bank Newfoundland*. Prepared by Fugro Jacques GeoSurveys Inc., St. John's, NL. 40 pp.
- Chevron (Chevron Canada Resources). 2002. *Hebron Field Sediment Characterization Survey*. Confidential Report prepared by Jacques Whitford Environment Limited for Chevron Canada Resources, St. John's, NL. ii + 33 pp. + Appendices.
- Chevron (Chevron Canada Resources). 2003. *Hebron Field Biological Characterization Survey*. Confidential Report prepared by Jacques Whitford Environment Limited for Chevron Canada Resources, St. John's, NL. vi + 72 pp. + Appendices.
- Christian, J.R. 2008. *Environmental Assessment of Petro-Canada Jeanne d'Arc Basin Exploration Drilling Program, 2009-2017*. LGL Report SA993 by LGL, St. John's, NL, prepared for Petro-Canada, St. John's, NL. 258 pp. + Appendix.
- Christian, J.R. and R.A. Buchanan. 1998. *The Hibernia GBS Platform Construction Site Marine Environmental Effects Monitoring Program, August 1991 to November 1997*. A report to Hibernia Management Development Corporation Limited, St. John's, NL. 125 pp.
- Christian, J.R., A. Mathieu, D.H. Thomson, D. White and R.A. Buchanan. 2004. Effect of seismic energy on snow crab (*Chionoecetes opilio*). *Environmental Studies Research Funds Report*, 144: 106 pp.
- CHS (Canadian Hydrographic Service). 1995. Nautical Chart #404901: Newfoundland, the Grand Banks, Grand Bank, Northern Portion, to Flemish Pass, Scale 1:400,000. Canadian Hydrographic Service, QC.
- CHS (Canadian Hydrographic Service). 1997. Nautical Chart #485101: Newfoundland, Southeast Coast, Trinity Bay Southern Portion, Scale 1:60,000. Canadian Hydrographic Service, QC.
- CHS (Canadian Hydrographic Service). 2008. *Tides, Currents and Water Level Website*. Canadian Hydrographic Service, Ottawa, ON. Available at URL: <http://www.tides.gc.ca/cgi-bin/tide-shc.cgi?queryType=showZone&language=english&region=5&zone=25>

- CIS (Environmental Canada Canadian Ice Service). No Date. Weekly composite ice charts.
- CIS (Environment Canada Canadian Ice Service). No Date. *Archive On-line Data, 1968 to 2010*. Available at URL: <http://iceglaces.ec.gc.ca/App/WsvPageDsp.cfm?Lang=eng&lnid=3&ScndLvl=no&ID=11715>
- CIS (Environment Canada Canadian Ice Service). 2001. *Sea Ice Climatic Atlas: East Coast Canada, 1971-2000*. Ottawa, ON.
- CIS (Environment Canada Canadian Ice Service). 2009. *Ice Archive. Latest, Past & Future Ice Conditions – East Coast*. Available at URL: <http://iceglaces.ec.gc.ca/App/WsvPageDsp.cfm?Lang=eng&lnid=35&ScndLvl=no&ID=11889>
- CIS (Environment Canada Canadian Ice Service). 2010. *Seasonal Summary for Eastern Canada, Winter 2009-2010*. Produced by the Canadian Ice Service.
- Clapham, P.J. 2000. The humpback whale: Seasonal feeding and breeding in a baleen whale. Pp. 173-196. In: J. Mann, R. Connor, P.L. Tyack and H. Whitehead (eds.). *Cetacean Societies: Field Studies of Dolphins and Whales*, University of Chicago Press, Chicago, IL. 448 pp.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Canadian Journal of Zoology*, 71: 440-443.
- Clapham, P.J. and J. Mead. 1999. *Megaptera novaeangliae*. *Mammal Species*, 604: 1-9.
- Clark, C.W. and W.T. Ellison. 2004. Potential use of low-frequency sounds by baleen whales for probing the environment: Evidence from models and empirical measurements. Pp. 564-589. In: J.A. Thomas, C.F. Moss and M. Vater (eds.). *Echolocation in Bats and Dolphins*, University of Chicago Press, Chicago, IL. 604 pp.
- Clark, R.B. 1984. Impact of oil pollution on seabirds. *Environmental Pollution*, 33: 1-22.
- Clark, R.C. and J.S. Finley. 1982. Occurrence and impact of petroleum on Arctic environments. Pp. 295-314. In: L. Rey (ed.). *The Arctic Ocean: The Hydrographic Environment and the Fate of Pollutants*, J. Wiley and Sons, New York, NY. 433 pp.
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2006. *Development Plan Guidelines*. ii + 60 pp.
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2009. *Hebron Development Project, Canadian Environmental Assessment Act, Scoping Document*. 19 pp.

- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2010a. *Schedule of Wells Summary* – Updated February 2010. Available at URL: [http://www.cnlopb.nl.ca/pdfs/wells/wells\\_summary.pdf](http://www.cnlopb.nl.ca/pdfs/wells/wells_summary.pdf)
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2010b. *Legal and Land – Information Tables*. Available at URL: [http://www.cnlopb.nl.ca/land\\_infotables.shtml](http://www.cnlopb.nl.ca/land_infotables.shtml).
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2010c. ExxonMobil Canada Properties – Hebron 2010 Geohazard Survey: Environmental Assessment Report Review Comments. 10 pp.
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2010d. *Spill Statistics and Well Statistics*. URL: [www.cnlopb.nl.ca/env\\_stat.shtml](http://www.cnlopb.nl.ca/env_stat.shtml), [/well\\_chrono.shtml](http://www.cnlopb.nl.ca/well_chrono.shtml).
- C-NLOPB (Canada-Newfoundland and Labrador Offshore Petroleum Board). 2011. *Geophysical, Geological, Environmental and Geotechnical Program Guidelines*. iii + 30 pp. Available at URL: <http://www.cnlopb.nl.ca/pdfs/guidelines/ggegpg.pdf>.
- CNSOPB (Canada-Nova Scotia Offshore Petroleum Board). 2005. Investigation Report: Discharge of Synthetic-based Drilling Mud during Abandonment of the Crimson F-81 Exploration Well by Marathon Canada Petroleum ULC. 19 pp.
- Colbourne, E.B. and D.W. Kulka. 2004. A preliminary investigation of the effects of ocean climate variations on the spring distribution of thorny skate (*Amblyraja radiata*) in NAFO Divisions 3LNO and Subdivision 3Ps. *NAFO Science Council Research Document*, 04/29: 21 pp.
- Colbourne, E.B. and D.C Orr. 2004. The distribution and abundance of northern shrimp (*Pandalus borealis*) in relation to bottom temperatures in NAFO Divisions 3LNO based on multi-species surveys from 1995-2004. *NAFO Science Council Research Document*, 04/85: 22 pp.
- Comeau, M., M. Starr, G.Y. Conan, G. Robichaud and J.-C. Therriault. 1999. Fecundity and duration of egg incubation for multiparous female snow crabs (*Chionoecetes opilio*) in the fjord of Bonne Bay, Newfoundland. *Canadian Journal of Fisheries and Aquatic Sciences*, 56(6): 1088-1095.
- Coniglio, M. 1996. *Examination of Sample 98-081-2, O-90 Glory Hole, NE Grand Bank*. Contract report submitted to the Geological Survey of Canada. 16 pp. + tables.
- Connor, R.C., R.S. Wells, J. Mann and A.J. Read. 2000. The bottlenose dolphin: Social relationships in a fission-fusion society. Pp. 91-126. In: J. Mann, R.C. Connor, P.L. Tyack and H. Whitehead (eds.). *Cetacean Societies: Field Studies of Dolphins and Whales*, University of Chicago Press. Chicago, IL. 448 pp.

- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2002a. *COSEWIC Assessment and Update Status Report on the Northern Bottlenose Whale Hyperoodon ampullatus (Scotian shelf population) in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vi + 22 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2002b. *COSEWIC Assessment and Update Status Report on the Blue Whale Balaenoptera musculus in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vi + 32 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2003. *COSEWIC Assessment and Update Status Report on the Humpback Whale Megaptera novaeangliae in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. viii + 25 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2004. *COSEWIC Assessment and Status Report on the Porbeagle Shark Lamna nasus in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. viii + 43 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2005. *COSEWIC Assessment and Update Status Report on the Fin Whale Balaenoptera physalus in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. ix + 37 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2006a. *COSEWIC Assessment and Update Status Report on the Harbour Porpoise Phocoena phocoena (Northwest Atlantic population) in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vii + 32 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2006b. *COSEWIC Assessment and Status Report on the American Eel (Anguilla rostrata) in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. x + 71 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2006c. *COSEWIC assessment and status report on the blue shark Prionace glauca (Atlantic and Pacific populations) in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vii + 46 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2006d. *COSEWIC Assessment and Update Status Report on the Sowerby's Beaked Whale Mesoplodon bidens in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vi + 20 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2006e. *COSEWIC Assessment and Update Status Report on the Ivory Gull Pagophila eburnea in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vi + 42 pp.



- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2007a. COSEWIC Assessment and Update Status Report on the Harbour Seal Atlantic and Eastern Arctic Subspecies *Phoca vitulina concolor* and Lacs de Loups Marins Subspecies *Phoca vitulina mellonae* in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vii + 40 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2007b. *COSEWIC Assessment and Status Report on the Red Knot *Calidris canutus* in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. vii + 58 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2008. COSEWIC Assessment and Update Status Report on the Killer Whale *Orcinus orca*, Southern Resident Population, Northern Resident Population, West Coast Transient Population, Offshore Population and Northwest Atlantic / Eastern Arctic Population, in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. viii + 65 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2009. Committee on the Status of Endangered Wildlife in Canada Assessment and Status report on the American Plaice *Hippoglossoides platessoides*, Maritime Population, Newfoundland and Labrador Population and Arctic Population, in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. x + 74 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2010a. *Canadian Wildlife Species at Risk*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. Available at URL: [http://www.cosewic.gc.ca/eng/sct5/index\\_e.cfm](http://www.cosewic.gc.ca/eng/sct5/index_e.cfm)
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2010b. Wildlife Species Search: Basking Shark, Available at URL: [http://www.cosewic.gc.ca/eng/sct1/searchdetail\\_e.cfm?id=9768StartRow=All&change=All&board=All&CommonName=Basking%20shark&scienceName=&returnFlag=D&Page=1](http://www.cosewic.gc.ca/eng/sct1/searchdetail_e.cfm?id=9768StartRow=All&change=All&board=All&CommonName=Basking%20shark&scienceName=&returnFlag=D&Page=1)
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2010c. COSEWIC Assessment and Status Report on the Deepwater Redfish / Acadian Redfish complex (*Sebastes mentella* and *Sebastes fasciatus*) in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. x + 80 pp.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2010d. *COSEWIC Assessment and Status Report on the Loggerhead Sea Turtle *Caretta caretta* in Canada*. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. viii + 75 pp.

- Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, J. Barlow, J. Caldwell, T. Cranford, L. Crum, A. D'amico, G. D'spain, A. Fernández, J. Finneran, R. Gentry, W. Gerth, F. Gulland, J. Hildebrand, D. Houserp, R. Hullar, P.D. Jepson, D. Ketten, C.D. Macleod, P. Miller, S. Moore, D.C. Mountain, D. Palka, P. Ponganis, S. Rommel, T. Rowles, B. Taylor, P. Tyack, D. Wartzok, R. Gisiner, J. Meads and L. Benner. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management*, 7: 177-187.
- CPAWS (Canadian Parks and Wilderness Society). 2009. *Special Marine Areas in Newfoundland and Labrador: Areas of Interest in Our Marine Backyards*. Prepared for CPAWS-Newfoundland and Labrador Chapter by A. Rao, L.-A. Outhouse and D. Gregory. 179 pp.
- Cranford, P.J. S.L. Armsworthy, S. McGee, T. King, K. Lee and G.H. Tremblay. 2005. Scallops as sentinel organisms for offshore environmental effects monitoring. Pp. 267-296. In: S.L. Armsworthy, P.J. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Cripps, G.C. and J.R. Shears. 1997. The fate in the marine environment of a minor diesel fuel spill from an Antarctic research station. *Environmental Monitoring and Assessment*, 46: 221-232.
- Croasdale K.R. & Associates Ltd. 2000. *Study of Iceberg Scour and Risk in the Grand Banks Region*. Contract Report for National Research Council of Canada, *PERD/CHC Report*, 31: 179 pp.
- CSA International Inc. 2004. *Gulf of Mexico Comprehensive Synthetic Based Muds Monitoring Program*. Three volumes, prepared for the US Minerals Management Service.
- Curran, M.C. 1992. *The Behavioral Physiology of Labroid Fishes*. Ph.D Dissertation, Massachusetts Institute of Technology / Woods Hole Oceanographic Institution, Woods Hole, MA. 124 pp.
- Curren, K. and J. Lien. 1998. Observations of white whales, *Delphinapterus leucas*, in waters off Newfoundland and Labrador and in the Gulf of St. Lawrence, 1979-1991. *Canadian Field-Naturalist*, 112(1): 28-31.
- CWS (Canadian Wildlife Service). Unpublished Data.
- Dahlheim, M.E. and C.O. Matkin. 1994. Assessment of injuries to Prince William Sound killer whales. Pp. 163-171. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- Dal-Santo, R. 1986. *Development of a Continuous Five-Year Time-Series of Winds, Waves and Currents at Hibernia*. Seaconsult Report prepared for Mobil Oil Canada Ltd.

- Dalen, J., E. Dragsund and A. Næss. 2007. Effects of seismic surveys on fish, fish catches and sea mammals. Report for Cooperation group - Fishery Industry and Petroleum Industry, Norway. *DNV Energy Report, 2007-0512 rev 01*: 33 pp.
- Dalley, E.L., J.T. Anderson and D.J. Davis. 2000. Short term fluctuations in the pelagic ecosystem of the Northwest Atlantic. *Canadian Stock Assessment Secretariat Research Document, 2000/101*: 36 pp.
- Dalley, E.L., J.T. Anderson and B. deYoung. 2002. Atmospheric forcing, larval drift, and recruitment of capelin (*Mallotus villosus*). *ICES Journal of Marine Science, 59*: 929-941.
- Dauvin, J.C. and F. Gentil. 1990. Conditions of the pericarid populations of sub-tidal communities in northern Brittany ten years after the *Amoco Cadiz* oil spill. *Marine Pollution Bulletin, 21*: 123-130.
- Davidson, L.W., 1985. *The Ice Climatology of Newfoundland Bays*. Prepared for Newfoundland and Labrador Department of Development and Tourism by Seaconsult Limited, St. John's, NL.
- Dawe, E.G., and E.B. Colbourne. 2002. Distribution and demography of snow crab (*Chionoecetes opilio*) males on the Newfoundland and Labrador Shelf. Pp. 577–594. In: A.J. Paul, E.G. Dawe, R. Elner, G.S. Jamieson, G.H. Kruse, R.S. Otto, B. Sainte-Marie, T.C. Shirley and D. Woodby (eds.). *Crabs in Cold Water Regions: Biology, Management, and Economics*, Proceedings of the 19th Lowell Wakefield Symposium, Ed. University of Alaska Sea Grant AK-SG-02-01, Fairbanks, AK. 866 pp.
- Dawe, E.G. and L.C. Hendrickson. 1998. A review of the biology, population dynamics and exploitations of shortfinned squid in the Northwest Atlantic Ocean, in relation to assessment and management of the resource. *NAFO Science Council Research Document, 98/59*: 33 pp.
- Dawe, E.G., D. Mullowney, D. Stansbury, E. Hynick, P. Veitch, J. Drew, E. Colbourne, P. O'Keefe, D. Fiander, K. Skanes, R. Stead, D. Maddock-Parsons, P. Higdon, T. Paddle, B. Noseworthy and S. Kelland. 2010. An assessment of Newfoundland and Labrador snow crab (*Chionoecetes opilio*) in 2008. *Canadian Science Advisory Secretariat Research Document, 2010/016*: iv + 183 pp.
- Dawe, E.G. and D.M. Taylor. 2003. Newfoundland and Labrador snow crab. *DFO Science Stock Status Report, 2003/021*: 15 pp.
- Dawe, E.G., D.M. Taylor and E.B. Colbourne. 1997. Factors affecting snow crab yearclass strength in the Newfoundland Region. *Canadian Stock Assessment Secretariat Research document, 97/58*: 23 pp.
- Day, R.H., S.M. Murphy, J.A. Wiens, G.D. Hayward, E.J. Harner and L.N. Smith. 1995. Use of oil-affected habitats by birds after the *Exxon Valdez* oil spill. Pp. 726-761. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials, Philadelphia, PA. 965 pp.

- Day, R.H., S.M. Murphy, J.A. Wiens, G.D. Hayward, E.J. Harner and L.N. Smith. 1997. Effects of the *Exxon Valdez* oil spill on habitat use by birds in Prince William Sound, Alaska. *Ecological Applications*, 7: 593-613.
- Dean, T.A. and S.C. Jewett. 2001. Habitat-specific recovery of shallow subtidal communities following the Exxon Valdez oil spill. *Ecological Applications*, 11(5): 1456-1471.
- Dean, T.A., M.S. Stekoll, S.C. Jewett, R.O. Smith and J.E. Hose. 1998. Eelgrass (*Zostera marina* L.) in Prince William Sound, Alaska: Effects of the *Exxon Valdez* oil spill. *Marine Pollution Bulletin*, 36(3): 201-210.
- DeBlois, E.M., C. Leeder, K.C. Penney, M. Murdoch, M.D. Paine, F. Power and U.P. Williams. 2005. Terra Nova environmental effects monitoring program: From Environmental Impact Statement onward. Pp. 475-491. In: S.L. Armsworthy, P.J. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Deloitte Petroleum Services. 2010. *List of Offshore Petroleum Wells to May 31, 2010*. Report generated on request from Deloitte LLP. London, England.
- Den Hartog, C. and R.P.W.M. Jacobs. 1980. Effects of the "Amoco Cadiz" oil spill on an eelgrass community at Roscoff (France) with special reference to the mobile benthic fauna. *Helgolander Meeresuntersuchungen*, 33: 182-191.
- Department of Development. 1981. *Site Locations for Onshore Petroleum-related Developments: Preliminary Analysis of Sites*. 390 pp.
- Desprez, M. 2000. Physical and biological impact of marine aggregate extraction along the French coast of the eastern English Channel: Short- and long-term post-dredging restoration. *ICES Journal of Marine Science*, 57: 1428-1438.
- deYoung, B., T. Otterson and R.J. Greatbach. 1993. The local and non-local response of Conception Bay to wind forcing. *Journal of Physical Oceanography*, 23: 2636-2649.
- deYoung, B. and B. Sanderson. 1995. The circulation and hydrography of Conception Bay, Newfoundland. *Atmosphere-Ocean*, 33: 135-162.
- DFO (Fisheries and Oceans Canada). 1984. *Underwater World Factsheet - Atlantic Herring*. UW/16.
- DFO (Fisheries and Oceans Canada). 1986. *Policy for the Management of Fish Habitat*. iii + 28 pp.
- DFO (Fisheries and Oceans Canada). 1998. *Offshore Surf Clam Integrated Fishery Management Plan, Maritimes and Newfoundland Regions 1998-2002*. 24 pp. Available at: <http://www2.mar.dfo-mpo.gc.ca/fisheries/res/imp/98srfclm.htm>

- DFO (Fisheries and Oceans Canada). 2000. Northwest Atlantic harp seals. *DFO Science Stock Status Report*, E1-01: 7 pp.
- DFO (Fisheries and Oceans Canada). 2001. Update on the status of redfish stocks in the Northwest Atlantic: Redfish in Units 1 and 2 and Division 3O. *DFO Science Stock Status Report*, A1-01 (2001): 22 pp.
- DFO (Fisheries and Oceans Canada). 2003. Thorny skate in Divisions 3L, 3N, 3O, and Subdivision 3Ps. *DFO Stock Status Report*, 2003/023: 7 pp.
- DFO (Fisheries and Oceans Canada). 2004a. Potential impacts of seismic energy on snow crab. *Canadian Scientific Advisory Secretariat Habitat Status Report*, 2004/003: 5 pp.
- DFO (Fisheries and Oceans Canada). 2004b. Allowable harm assessment for spotted and northern wolffish. *Canadian Scientific Advisory Secretariat Stock Status Report*, 2004/031: 5 pp.
- DFO (Fisheries and Oceans Canada). 2004c. Unit 1 redfish – 2003 Update. *Canadian Science Advisory Secretariat Stock Status Report*, 2004/015: 6 pp.
- DFO (Fisheries and Oceans Canada). 2004d. Identification of Ecologically and Biologically Significant Areas. *Canadian Scientific Advisory Secretariat Ecosystem Status Report*, 2004/006: 15 pp.
- DFO (Fisheries and Oceans Canada). 2005a. West coast of Newfoundland Atlantic herring (Division 4R) in 2004. *Canadian Scientific Advisory Section Habitat Status Report*, 2005/016: 9 pp.
- DFO (Fisheries and Oceans Canada). 2005b. Stock assessment report on Newfoundland and Labrador snow crab. *Canadian Science Advisory Secretariat Science Advisory Report*, 2005/017: 27 pp.
- DFO (Fisheries and Oceans Canada). 2006. Assessment of American lobster in Newfoundland. *Canadian Scientific Advisory Secretariat Science Advisory Report*, 2006/009: 9 pp.
- DFO (Fisheries and Oceans Canada). 2007a. *Ocean and Ecosystem Science, the Newfoundland Shelf Climatology Website*. Fisheries and Oceans Canada, Ottawa, ON. Available at URL: [http://www.mar.dfo-mpo.gc.ca/science/ocean/nfld/nfld\\_hydro.html](http://www.mar.dfo-mpo.gc.ca/science/ocean/nfld/nfld_hydro.html).
- DFO (Fisheries and Oceans Canada). 2007b. A review of ice conditions and potential impact on harp seal neonatal mortality in March 2007. *Canadian Science Advisory Secretariat Science Response*, 2007/008: 8 pp.
- DFO (Fisheries and Oceans Canada). 2007c. *Cetacean Sighting Database*. Marine Mammal Section, DFO, St. John's, NL.
- DFO (Fisheries and Oceans Canada), 2007d. *Placentia Bay-Grand Banks Large Ocean Management Area conservation objectives*. Canadian Science Advisory Secretariat Science Advisory Report 2007/042: 19 pp.

- DFO (Fisheries and Oceans Canada). 2008a. *Tsunami Physics Website*. Fisheries and Oceans Canada, Ottawa, ON. Available at URL: [http://www-sci.pac.dfo-mpo.gc.ca/osap/projects/tsunami/tsunamiphysics\\_e.htm](http://www-sci.pac.dfo-mpo.gc.ca/osap/projects/tsunami/tsunamiphysics_e.htm).
- DFO (Fisheries and Oceans Canada). 2008b. Stock assessment of northern (2J3KL) cod in 2008. *Canadian Science Advisory Secretariat Science Advisory Report*, 2008/034: 22 pp.
- DFO (Fisheries and Oceans Canada). 2008c. Assessment of capelin in SA2 + Division 3KL in 2008. *Canadian Science Advisory Secretariat Science Advisory Report*, 2008/054: 13 pp.
- DFO (Fisheries and Oceans Canada). 2009a. *Oceanographic Databases Website*. Fisheries and Oceans Canada, Ottawa, ON. Available at URL: [http://www.mar.dfo-mpo.gc.ca/science/ocean/database/data\\_query\\_f.html](http://www.mar.dfo-mpo.gc.ca/science/ocean/database/data_query_f.html).
- DFO (Fisheries and Oceans Canada). 2009b. *Canadian Tides and Water Levels Data Archive Website*. Fisheries and Oceans Canada, Ottawa, ON. Available at URL: Station 962 (Long Cove) – Available at URL: <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/twl-mne/inventory-inventaire/sd-ds-eng.asp?no=962&user=isdm-gdsi&region=ATL>. Station 40891 (Hibernia Drill Site 1) – Available at URL: <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/twl-mne/inventory-inventaire/sd-ds-eng.asp?no=40891&user=isdm-gdsi&region=ATL>. Station 40889 (Hibernia Drill Site 2) – Available at URL: <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/twl-mne/inventory-inventaire/sd-ds-eng.asp?no=40889&user=isdm-gdsi&region=ATL>
- DFO (Fisheries and Oceans Canada). 2009c. *Community-based Coastal Resource Inventory Website* (accessed October and December 2009). Available at URL: <http://geoportail-geoportal.gc.ca/publicGeoBrowser/public/GeoPortalBrowser.jsp>
- DFO (Fisheries and Oceans Canada). 2009d. Assessment of Newfoundland and Labrador snow crab. *Canadian Science Advisory Secretariat Research Document*, 2009/045: 43 pp.
- DFO (Fisheries and Oceans Canada) 2009e. *Integrated Fisheries Management Plan. Snow Crab (Chionoecetes opilio) Newfoundland and Labrador Region 2009-2011*. Available at: <http://www.dfo-mpo.gc.ca/fm-gp/peches-fisheries/ifmp-gmp/snow-crab-neige/snow-crab-neiges2009-eng.htm>
- DFO (Fisheries and Oceans Canada). 2009f. DFO Licensing Branch. Available at URL: <http://www.dfo-mpo.gc.ca/stats/commercial/licences-permis-eng.htm>
- DFO (Fisheries and Oceans Canada). 2009g. *Newfoundland and Labrador Region and Maritimes Region Catch and Effort Database (digital version)*. Georeferenced harvest data, to 2008 (accessed March 2009).

- DFO (Fisheries and Oceans Canada). 2009h. *Fishing for Data: The Multi-Species Survey*. Available at URL: <http://www.dfo-mpo.gc.ca/science/Publications/article/2008/02-07-2008-eng.htm>
- DFO (Fisheries and Oceans Canada). 2009i. Does eelgrass (*Zostera marina*) meet the criteria as an ecologically significant species *Canadian Science Advisory Secretariat Science Advisory Report*, 2009/018: 11 pp.
- DFO (Fisheries and Oceans Canada). 2010a. Webtide Stidal Prediction Model. Available at URL: <http://www.pac.dfo-mpo.gc.ca/science/oceans/data-donnees/webtide/index-eng.htm>
- DFO (Fisheries and Oceans Canada, Integrated Science Data Management (ISDM)). 2010b. *Waves: CSV Format Description*. Available at: <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/waves-vagues/formats/csv-eng.htm>
- DFO (Fisheries and Oceans Canada, Integrated Science Data Management (ISDM)). 2010c. *Waves: Search For Wave Data*. Available at (user may search by data ID, (e.g., WEL) or with a map at URL): <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/waves-vagues/search-recherche/index-eng.asp>
- DFO (Fisheries and Oceans Canada). 2010d. Recovery potential assessment for loggerhead sea turtles (*Caretta caretta*) in Atlantic Canada. *Canadian Science Advisory Secretariat Science Advisory Report*, 2010/042: 11 pp.
- Dick, M.H. and W. Donaldson. 1978. Fishing vessel endangered by Crested Auklet landings. *Condor*, 80: 235-236.
- Dobrocky Seatech. 1985. Field Data Report: Sea Ice Documentation in the Vicinity of the Hibernia Drilling Area. Mobil Oil Canada Ltd, Calgary, AB.
- Doniol-Valcroze, T., D. Berteaux, P. Larouche and R. Sears. 2007. Influence of thermal fronts on habitat selection by four rorqual whale species in the Gulf of St. Lawrence. *Marine Ecology Progress Series*, 335: 207-216.
- Dufault, S. 2005. *Draft COSEWIC Status Report on Common Minke Whale *Balaenoptera acutorostrata* in Canada*. Committee on the Status of Endangered Wildlife in Canada. Ottawa, ON. 32 pp.
- Duinker, P.N. 1985. Ecological effects monitoring in an environmental assessment: What can it accomplish? *Environmental Management*, 13(6): 797-805.
- Dupont, F, C.G. Hannah, D.A. Greenberg, J.Y. Cherniawsky and C.E. Naimie. 2002. Modelling system for tides for the Northwest Atlantic coastal Ocean. *Canadian Technical Report of Hydrograph and Ocean Sciences*, 221: 70 pp.

- Dutton, P.H., B.W. Bowen, D.W. Owens, A. Barragan and S.K. Davis. 1999. Global phylogeography of the leatherback turtle (*Dermochelys coriacea*). *Journal of Zoology*, 248: 397-409.
- Dwyer, K.S., W.B. Brodie and M.J. Morgan. 2003. An assessment of the American plaice stock in NAFO Subarea 2 and Division 3K. *Canadian Science Advisory Secretariat Research Document*, 2003/95: 41 pp.
- E&P Forum. 1992. *Hydrocarbon Leak and Ignition Database*. Report by Technica a.s. for E&P Forum, (the Oil Industry International Exploration and Production Forum), London, UK.
- E&P Forum. 1996. *Quantitative Risk Assessment (QRA) Data Sheet Directory*. The Oil Industry International Exploration and Production Forum, London, UK.
- Eckert, S.A. 2006. High-use oceanic areas for Atlantic leatherback sea turtles (*Dermochelys coriacea*) as identified using satellite telemetered location and dive information. *Marine Biology*, 149: 1257-1267.
- Edinger, E, K. Baker, R. Devillers and V. Wareham. 2007. *Coldwater Corals off Newfoundland and Labrador: Distributions and Fisheries Impacts*. World Wildlife Foundation, Toronto, ON. 31 pp.
- Edrén, S.M.C., J. Teilmann, R. Dietz and J. Carstensen. 2004. *Effect of the Construction of Nysted Offshore Wind Farm on Seals in Rødsand Seal Sanctuary based on Remote Video Monitoring*. Technical report to Energi E2 A/S for the Ministry of the Environment, Denmark. 31 pp.
- Ellers, O. and M. Telford. 1984. Collection of food by oral surface podia in the sand dollar, *Echinarachnius parma* (Lamarck). *Biological Bulletin*, 166: 574-582.
- Ellis, J.L. and D.C. Schneider. 1997. Evaluation of a gradient design for environmental impact assessment. *Journal Environmental Monitoring and Assessment*, 48(2): 157-172.
- Elmgren, R., S. Hanson, U. Larson, B. Sundelin and P.D. Boehm. 1983. The *Tsesis*: Acute and long-term impact on the benthos. *Marine Biology*, 73: 51-65.
- Elmgren, R., G.A. Vargo, J.F. Grassle, J.P. Grassle, D.R. Heinle, G. Longelis and S.L. Vargo. 1980. Trophic interactions in experimental marine ecosystems perturbed by oil. Pp. 779-800. In: J.P. Giesy (ed.). *Microcosms in Ecological Research*, United States Department of Energy, Washington, DC. Symposium Series 52 (CONF-781101). 1139 pp.
- EMCP (ExxonMobil Canada Properties). 2009. *Hebron Project Description*. Submitted to the Canada-Newfoundland Offshore Petroleum Board, St. John's, NL. ii + 46 pp.



- EMCP (ExxonMobil Canada Properties). 2010. Physical Environment Setting for the Hebron Nearshore and Offshore Project Areas. Prepared by Oceans Ltd. (Physical Environment Setting for the Hebron Nearshore and Offshore Project Areas) and AMEC Earth and Environmental Ltd. (Physical Oceanography Setting for the Hebron Nearshore and Offshore Project Areas) in support of the Hebron Project Comprehensive Study Report.
- EMCP (ExxonMobil Canada Properties). 2011. Marine Habitat Survey, Great Mosquito Cove, Trinity Bay – Location of Hebron GBS Construction. 115 pp.
- Engås, A, S. Løkkeborg, E. Ona and A.V. Soldal. 1996. Effects of seismic shooting on local abundance and catch rates of cod (*G. morhua*) and haddock (*M. aeglefinus*). *Canadian Journal of Fisheries and Aquatic Sciences*, 53(10): 2238-2249.
- Engel, M.H., M.C.C. Marcondes, C.C.A. Martins, F.O. Luna, R.P. Lima and A. Campos. 2004. Are Seismic Surveys Responsible for Cetacean Strandings? An Unusual Mortality of Adult Humpback Whales in Abrolhos Bank, Northeastern Coast of Brazil. Paper SC/56/E28 presented to the International Whaling Commission Scientific Committee, International Whaling Commission Annual Meeting, 19-22 July, Sorrento, Italy.
- Engelhardt, F.R. 1978. Petroleum hydrocarbons in Arctic ringed seals, *Phoca hispida*, following experimental oil exposure. Pp. 614-628. In: *Proceedings of the Conference on the Assessment of the Ecological Impacts of Oil Spills*, 14-17 June 1978, Keystone, CO. American Institute of Biological Science.
- Engelhardt, F.R. 1982. Hydrocarbon metabolism and cortisol balance in oil-exposed ringed seals, *Phoca hispida*. *Comparative Biochemistry and Physiology*, 72C: 133-136.
- England, G., O. Chang and S. Wien. 2002. *Development of Fine Particulate Emission Factors and Speciation Profiles for Oil- and Gas-Fired Combustion Systems*. Annual Technical Progress Report No. 2, Prepared for National Petroleum Technology Office, Gas Research Institute, National Energy Technology Laboratory, US DOE, California Energy Commission, New York State Energy Research and Development Authority and American Petroleum Institutes by GE Energy and Environmental Research Corporation.
- Ennis, G.P., R.G. Hooper and D.M. Taylor. 1988. Changes in size composition of male crabs (*Chionoecetes opilio*) participating in the annual breeding migration in Bonne Bay, Newfoundland. *Canadian Science Advisory Secretariat Research Document*, 88(2): 14 pp.
- Ennis, P.E. 1995. Larval and postlarval ecology. Pp. 23-46. In: J.R. Factor (ed.). *Biology of the Lobster Homarus americanus*. Academic Press Inc. 528 pp.

- Environment Canada. 1997. The Canada Country Study: Climate Impacts and Adaptation, Atlantic Canada Summary.
- Environment Canada. 2002. Biological Test Method: Reference Method for Determining the Toxicity of Sediment Using Luminescent Bacteria in a Solid-Phase Test. Report EPS 1/RM/42. xxii + 60 pp.
- Environment Canada. 2005. Compendium of Monitoring Activities at Disposal at Sea Sites in 2004 – 2005: Client Edition – Atlantic Edition: Great Mosquito Cove, Newfoundland. Environment Canada's Disposal at Sea Program. Available at URL: <http://www.ec.gc.ca/iem-das/default.asp?lang=En&xml=50C9AEB3-D3BF-68B3-9B70-A03EC59CFF40>
- Environment Canada. 2007. Environment Canada Background Document on the Management of Incidental Take of Migratory Birds: Towards a Regulatory Approach. Last Updated October 25, 2007. Available at URL: [www.ec.gc.ca/paom-itmb/default.asp?lang=En&n=F8C0333F-1](http://www.ec.gc.ca/paom-itmb/default.asp?lang=En&n=F8C0333F-1).
- Environment Canada. 2009a. *National Pollutant Release Inventors, 2008 Data*. Available at URL: <http://www.ec.gc.ca/inrp-npri/default.asp?lang=En&n=4A577BB9-1>
- Environment Canada. 2009b. *Facility Greenhouse Gas Emissions Reporting Program: Overview of the Reported 2008 Greenhouse Gas Emissions*. Available at URL: [http://www.ec.gc.ca/pdb/ghg/onlineData/dataAndReports\\_e.cfm](http://www.ec.gc.ca/pdb/ghg/onlineData/dataAndReports_e.cfm)
- Eppley, Z.A. 1992. Assessing indirect effects of oil in the presence of natural variation: The problem of reproductive failure in South Polar Skuas during the *Bahia Paraiso* oil spill. *Marine Pollution Bulletin*, 25: 307-312.
- Eppley, Z.A. and M.A. Rubega. 1990. Indirect effects of an oil spill: Reproductive failure in a population of South Polar Skuas following the '*Bahia Paraiso*' oil spill in Antarctica. *Marine Ecology Progress Series*, 67: 1-6.
- Erasmus, T. and E.D. Wessels. 1985. Heat production studies on normal and oil-covered Jackass Penguins (*Spheniscus demersus*) in air and water. *South African Journal of Zoology*, 20: 209-212.
- Erikson, D.E. 1995. Surveys of Murre colony attendance in the Northern Gulf of Alaska following the *Exxon Valdez* oil spill. Pp. 780-819. In: P.G. Wells, J.N. Butler, and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials. Philadelphia, PA. 965 pp.
- Erin Consulting Ltd. and OCL Services Ltd. 2003. Sheens associated with produced water effluents - Review of causes and mitigation options. *Environmental Studies Research Funds Report*, No. 142: 46 pp.
- Ernst, C.H., R.W. Barbour and J.E. Lovich. 1994. *Turtles of the United States and Canada*. Smithsonian Institution Press, Washington, DC. 578 pp.

- Esler, D., T.D. Bowman, K.A. Trust, B.E. Ballachey, T.A. Dean, S.C. Jewett and C.E. O'Clair. 2002. Harlequin Duck population recovery following the *Exxon Valdez* oil spill: Progress, process and constraints. *Marine Ecology Progress*, 241: 271-286.
- Esler, D., K.A. Trust, B.E. Ballachey, S.A. Iverson, T.L. Lewis, D.J. Rizzolo, D.M. Mulcahy, A.K. Miles, B.R. Woodin, J.J. Stegeman, J.D. Henderson and B.W. Wilson. 2010. Cytochrome P4501A biomarker indication of oil exposure in harlequin ducks up to 20 years after the *Exxon Valdez* oil spill. *Environmental Toxicology and Chemistry*, 29(5): 1138-1145.
- ExxonMobil Upstream Research Company. 2009. *Hebron Project Metocean Design Criteria*. Memo dated 2 September 2009. 91 pp.
- Fader, G.B.J. and L.H. King. 1981. A reconnaissance survey of the surficial geology of the Grand Banks of Newfoundland. Pp. 45-56. In: *Current Research, Part A. Geological Survey of Canada Paper*, 81-1A.
- Fader, G.B.J. and R.O. Miller. 1986. A reconnaissance study of the surficial and shallow bedrock geology of the southeastern Grand Banks of Newfoundland. Pp. 591-604. In: *Current Research, Part B. Geological Survey of Canada Paper*, 86-1B.
- Fahay, M.P. 1983. Guide to the early stages of marine fishes occurring in the western North Atlantic Ocean, Cape Hatteras to the southern Scotian Shelf. *Journal of the Northwest Atlantic Fisheries Sciences*, 4: 1-423.
- Fay, R.R. 1988. *Hearing in Vertebrates: Psychophysics Databook*. Hill-Fay Associates, Winnetka, IL. 621 pp.
- Fifield, D.A., K.P. Lewis, C. Gjerdrum, G.J. Robertson and R. Wells. 2009. Offshore seabird monitoring program. *Environment Studies Research Funds Report*, No. 183: v + 68 pp. + Appendices.
- Fingas, M. 2001. *The Basics of Oil Spill Cleanup*. Second Edition. CRC Press LLC. 256 pp.
- Finneran, J.J., D.A. Carder, C.E. Schlundt and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America*, 118: 2696-2705.
- Finneran, J.J., C.E. Schlundt, D.A. Carder, J.A. Clark, J.A. Young, J.B. Gaspin and S.H. Ridgway. 2000. Auditory and behavioural responses of bottlenose dolphins (*Tursiops truncatus*) and beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America*, 108: 417-31.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of American*, 111(6): 2929-2940.

- Fissel, D.B., G.R. Wilton and J.R. Marko. 1985. *Study of Grand Banks Ice Pack Dynamics*. Report by Arctic Sciences Ltd. for Petro-Canada Resources Inc., Calgary, AB.
- Fitch, J.E. and P.H. Young. 1948. Use and effect of explosives in California coastal waters. *California Fish and Game*, 34(2): 53-70.
- Flinn, R.D., A.W. Trites and E.J. Gregr. 2002. Diets of fin, sei, and sperm whales in British Columbia: An analysis of commercial whaling records, 1963-1967. *Marine Mammal Science*, 18(3): 663-679.
- Ford, J. 1977. *White Whale-Offshore Exploration Acoustic Study*. Prepared for Imperial Oil Ltd., Calgary, AB, by F.F. Slaney & Co. Ltd., Vancouver, BC. 19 pp.
- Ford, J.K.B., G.M. Ellis and K.C. Balcomb. 2000. *Killer Whales*. Second Edition. UBC Press, Vancouver, BC. 104 pp.
- Ford, R.G., G.W. Page and H.R. Carter. 1987. *Estimating Mortality of Seabirds from Oil Spills*. Pp. 547-551. In: *Proceedings of the 1987 Oil Spill Conference, 6-9 April 1987*. American Petroleum Institute, Environmental Protection Agency and United States Coast Guard, Baltimore, MD.
- Fraker, M.A. 1977. *The 1976 White Whale Monitoring Program, Mackenzie Estuary, N.W.T.* Prepared for Imperial Oil Ltd., Calgary, AB, by F.F. Slaney & Co. Ltd., Vancouver, BC. 73 pp.
- Frank, K.T., J.W. Loder, J.E. Carscadden, W.C. Leggett and C.T. Taggart. 1992. Larval flatfish distributions and drift on the southern Grand Bank. *Canadian Journal of Fisheries and Aquatic Sciences*, 49: 467-483.
- Fraser, G.S., J. Russell and W.M. von Zahren. 2006. Produced water from offshore oil and gas installations on the Grand Banks, Newfoundland and Labrador: Are the potential effects to seabirds sufficiently known? *Marine Ornithology*, 34: 147-156.
- FRCC (Fisheries Resources Conservation Council). 2005. *Strategic Conservation Framework for Atlantic Snow Crab*. Report to the Minister of Fisheries of Oceans. FRCC.05.R1
- Fredette, T.J. and G.T. French. 2004. Understanding the physical and environmental consequences of dredged material disposal: History in New England and current perspectives. *Marine Pollution Bulletin*, 49: 93-102.
- Frink, L. and J. White. 1990. A perspective on the effects of oil on birds. Pp. 13-16. In: *The Effects of Oil on Wildlife: Research, Rehabilitation and General Concerns*, Proceedings from the Oil Symposium, Herndon, VA, Volume 2, October 16-18, 1990, presented by International Wildlife Research, Tri-State Bird Rescue and Research, Inc., and International Bird Rescue Research Center.

- Frost, K.J., L.F. Lowry, E. Sinclair, J. Ver Hoef and D.C. McAllister. 1994. Impacts on distribution, abundance, and productivity of harbor seals. Pp. 97-118. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- Fry, D.M. 1990. Oil exposure and stress effects on avian reproduction. In: *The Effects of Oil on Wildlife: Research, Rehabilitation and General Concerns*, Proceedings from The Oil Symposium, Herndon, VA, Volume 2, October 16-18, 1990. Presented by International Wildlife Research, Tri-State Bird Rescue and Research, Inc., and International Bird Rescue Research Center.
- Fugro Jacques GeoSurveys. 2001a. *Final Report on 2001 Hebron Offshore Geotechnical Investigation*. Report to Chevron Canada Resources, FJG Project No. 1031ST.
- Fugro Jacques GeoSurveys. 2001b. *Geotechnical Desk Study, Hebron Site*. Report to Chevron Canada Resources, FJG Project No. 1021ST.
- Fugro Jacques GeoSurveys. 2001c. *Field Report on 2001 Hebron Offshore Geotechnical Investigation*. Report to Chevron Canada Resources, FJG Project No. 1031ST.
- Fugro Jacques GeoSurveys. 2005. *Field Report on 2005 Hebron Offshore Geotechnical Investigation*. Report to Chevron Canada Resources, FJG Project No. 5033ST.
- Fugro Jacques GeoSurveys. 2010. *Geophysical and Bathymetric Survey, Bull Arm Fabrication Site, Reconnaissance Report*. FJGI Report No. 10026SG-001-RPT-001 Rev 1, Contract Report to ExxonMobil Mobil Canada - Hebron Project and SNC-Lavalin Inc.
- Gaskin, D.E. 1992. Status of the common dolphin, *Delphinus delphis*, in Canada. *Canadian Field-Naturalist*, 106(1): 55-63.
- Gaston, A.J. and I.L. Jones. 1998. *Bird Families of the World: The Auks (Alcidae)*. Oxford University Press, Oxford. 349 pp.
- Gentry, R.L., N.E. Bin, E.C. Gentry and J.F. Gilman. 1990. Responses of northern fur seals to quarrying operations. *Marine Mammal Science*, 6(2): 151-155.
- Geraci, J.R. 1990. Cetaceans and oil: Physiologic and toxic effects. Pp. 167-197. In: J.R. Geraci and D.J. St. Aubin (eds.). *Sea Mammals and Oil: Confronting the Risks*. Academic Press, San Diego, CA. 282 pp.
- Geraci, J.R. and T.G. Smith. 1976. Direct and indirect effects of oil on ringed seals (*Phoca hispida*) of the Beaufort Sea. *Journal of the Fisheries Research Board of Canada*, 33: 1976-1984.
- Geraci, J.R. and D.J. St. Aubin. 1980. Offshore petroleum resource development and marine mammals: A review and research recommendations. *Marine Fisheries Review*, 42: 1-12.

- Geraci, J.R. and D.J. St. Aubin. 1982. *Study of the Effects of Oil on Cetaceans*. Final report. Report from University of Guelph for US Bureau of Land Management, Washington, DC. NTIS PB83-152991. 274 pp.
- Getliff, J., A. Roach, J. Toyo and J. Carpenter. 1997. *An Overview of the Environmental Benefits of LAO Based Drilling Fluids for Offshore Drilling*. Report from Schlumberger Dowell. 10 pp.
- Gilkinson, K., and Edinger, E. (Editors). 2009. The ecology of deep-sea corals of Newfoundland and Labrador waters: Biogeography, life history, biogeochemistry, and relation to fishes. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2830: vi + 136 pp.
- Gitschlag, G.R. and B.A. Herczeg. 1994. Sea turtle observations at explosive removals of energy structures. *Marine Fisheries Review*, 56(2): 1-8.
- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtles, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. *Canadian Field-Naturalist*, 102(1): 1-5.
- González, F.I., E. Bernard, P. Dunbar, E. Geist, B. Jaffe, U. Kânoğlu, J. Locat, H. Mofjeld, A. Moore, C. Synolakis, V. Titov and R. Weiss (Science Review Working Group). 2007. Scientific and technical issues in tsunami hazard assessment of nuclear power plant sites. Pacific Marine Environmental Laboratory, Seattle, WA, *NOAA Technical Memorandum*, OAR PMEL-136, NTIS: PB2008-101460: 125 pp. + Appendices.
- Gordon, D.C. and D.G. Fenton (Editors). 2002. Advances in understanding the Gully ecosystem: A summary of research projects conducted at the Bedford Institute of Oceanography (1999-2001). *Canadian Technical Report on Fisheries and Aquatic Sciences*, 2377: vi + 84 pp.
- Gorman, M.L. and H. Milne. 1970. Seasonal changes in the adrenal steroid tissue of the Common Eider *Somateria mollissima* and its relation to organic metabolism in normal and oil polluted birds. *Ibis*, 113: 218-228.
- Gorsline, J., W.N. Holmes and J. Cronshaw. 1981. The effects of ingested petroleum on the naphthalene-metabolizing properties of liver tissue in seawater-adapted Mallard Ducks (*Anas platyrhynchos*). *Environmental Research*, 24: 377-390.
- Gosner, K.L. 1978. *Peterson Field Guides: Atlantic Seashore*. Houghton Mifflin. 336 pp.
- Government of Canada. 2009. *Species at Risk Act Public Registry*. Available at URL: <http://www.sararegistry.gc.ca>.
- Gowans, S., H. Whitehead and S.K. Hooker. 2001. Social organization in northern bottlenose whales, *Hyperoodon ampullatus*: Not driven by deep-water foraging? *Animal Behavior*, 62: 369-377.

- Gramentz, D. 1988. Involvement of loggerhead turtle with the plastic, metal and hydrocarbon pollution in the central Mediterranean. *Marine Pollution Bulletin*, 19: 11-13.
- Grant, S.M. and J.A. Brown. 1998. Diel foraging cycles and interactions among juvenile cod (*Gadus morhua*) at a nearshore site in Newfoundland. *Canada Journal of Fisheries and Aquatic Sciences*, 55(6): 1307-1316.
- Gray, J.S., K.R. Clarke, R.M. Warwick and G. Hobbs. 1990. Detection of initial effects of pollution on marine benthos: An example from the Ekofisk and Eldfisk oilfields, North Sea. *Marine Ecology Progress Series*, 66: 285-299.
- Green, J.M. 1975. Restricted movements and homing of the cunner, *Tautoglabrus adspersus* (Walbaum) (Pisces: Labridae). *Canadian Journal of Zoology*, 53: 1427-1431.
- Green, J.M. and M. Farwell. 1971. Winter habits of the cunner (*Tautoglabrus adspersus*) (Walbaum 1792) in Newfoundland. *Canadian Journal of Zoology*, 49: 1497-1499.
- Green, R.H. 2003. Marine coastal monitoring: Designing an effective offshore oil and gas environmental effects monitoring program. Pp. 373-397. In: S.L. Armsworthy, P. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Greene, C.R., Jr. 1985. Characteristics of waterborne industrial noise, 1980-84. Pp. 197-253. In: W.J. Richardson (ed.). *Behavior, Disturbance Responses and Distribution of Bowhead Whales Balaena mysticetus in the Eastern Beaufort Sea, 1980-84*, OCS Study MMS 85-0034. Report from LGL Ecological Research Associates Inc., Bryan, TX, for US Minerals Management Service, Reston, VA. 306 pp.
- Greene, C.R., Jr. 1987. Characteristics of oil industry dredge and drilling sounds in the Beaufort Sea. *Journal of the Acoustical Society of America*, 82: 1315-1324.
- Greene, C.R., Jr. 1999. Piledriving and Vessel Sound Measurements during Installation of a Gas Production Platform near Sable Island, Nova Scotia, during March and April, 1998. Report 205-2, Greeneridge Sciences Inc., Santa Barbara, CA and LGL Ltd., Environmental Research Associates, King City, ON., for Sable Offshore Energy Project, Halifax, NS.
- Greene, C.R., Jr., M.W. McLennan, R.G. Norman, T.L. McDonald, R.S. Jakubczak and W.J. Richardson. 2004. Directional Frequency and Recording (DIFAR) sensors in seafloor recorders to locate calling bowhead whales during their fall migration. *Journal of the Acoustical Society of America*, 116(2): 799-813.

- Gregory, D.N., C. Bussard and S. Narayanan. 1996. Current statistics for the Grand Banks and Labrador Shelf. *Canadian Data Report of Hydrography and Ocean Sciences*, 145: 143 pp.
- Gregg, E.J. and A.W. Trites. 2001. Predictions of critical habitat of five whale species in the waters of coastal British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*, 58: 1265-1285.
- Griffin, R.B. 1999. Sperm whale distributions and community ecology associated with a warm-core ring off Georges Bank. *Marine Mammal Science*, 15: 33-51.
- Gulf Canada. 1981. *Analysis of Accidents in Offshore Operations where Hydrocarbons were Lost*. A report by the Houston Technical Services Center of Gulf Research and Development Company for Gulf Canada Resources, Inc., Calgary, AB.
- Gustafsson, Ö., F. Haghseta, C. Chan, J. MacFarlane and P.M. Gschwend. 1997. Quantification of the dilute sedimentary soot phase: implications for PAH speciation and bioavailability. *Environmental Science and Technology*, 31: 203-209.
- Hall, A.J., J. Watkins and L. Hiby. 1996. The impact of the 1993 *Braer* oil spill on grey seals in Shetland. *The Science of the Total Environment*, 186: 119-125.
- Hall, R.J., A.A. Belisle and L. Sileo. 1983. Residues of petroleum hydrocarbons in tissues of sea turtles exposed to the *Ixtoc 1* oil spill. *Journal of Wildlife Diseases*, 19: 106-109.
- Halliwell, G.R., Jr., R. Bleck and E. Chassignet. 1998. Atlantic Ocean simulations performed using a new hybrid-coordinate ocean model. *EOS*, Fall 1998 AGU Meeting.
- Halliwell, G.R., Jr., R. Bleck, E.P. Chassignet and L.T. Smith. 2000. Mixed layer model validation in Atlantic Ocean simulations using the Hybrid Coordinate Ocean Model (HYCOM). *EOS*, 80, OS304.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science*, 18: 920-939.
- Hammill, M.O. 1993. Seasonal movements of hooded seals tagged in the Gulf of St. Lawrence, Canada. *Polar Biology*, 13: 307-310.
- Hammill, M.O. and G.B. Stenson. 2000. Estimated prey consumption by harp seals (*Phoca groenlandica*), hooded seals (*Cystophora cristata*), grey seals (*Halichoerus grypus*) and harbour seals (*Phoca vitulina*) in Atlantic Canada. *Journal of Northwest Atlantic Fisheries Sciences*, 26: 1-23.
- Hammill, M.O. and G.B. Stenson. 2006a. Abundance of Northwest Atlantic hooded seals (1960-2005). *Canadian Science Advisory Secretariat Research Document*, 2006/068: 23 pp.



- Hammill, M.O. and G.B. Stenson. 2006b. Timing and whelping among northwest hooded seals. *Canadian Science Advisory Secretariat Research Document*, 2006/069. 11 pp.
- Hampton, S., P.R. Kelly and H.R. Carter. 2003. Tank vessel operations, seabirds and chronic oil pollution in California. *Marine Ornithology*, 31: 29-34.
- Haney, J.C. and S.D. MacDonald. 1995. Ivory Gull (*Pagophila eburnea*). In: A. Poole and F. Gill (eds.). *The Birds of North America*, No. 175, The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC.
- Harding, G.C. 1992. American lobster (*Homarus americanus* Milne Edwards): A discussion paper on their environmental requirements and the known anthropogenic effects on their populations. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 1887: vi + 17 pp.
- Harfenist, A., A.P. Gilman and K.L. Maus. 1990. The effects of exposure of incubating adult and young Herring Gulls to a simulated No. 2 fuel oil slick. *Archives of Environment Contamination and Toxicology*, 19: 902-906.
- Harrington, B.A. 2001. Red Knot (*Calidris canutus*). In: A. Poole (ed.). *The Birds of North America Online*, Cornell Lab of Ornithology, Ithaca, NY; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu.bnaproxy.birds.cornell.edu/bna/species/563>
- Harris, R.E., G.W. Miller and W.J. Richardson. 2001. Seal responses to airgun sounds during summer seismic surveys in the Alaskan Beaufort Sea. *Marine Mammal Science*, 17(4): 795-812.
- Hart, D.R. and A.S. Chute. 2004. Essential fish habitat source document: Sea scallop, *Placopecein magellanicus*, life history and habitat characteristics. Second Edition. *NOAA Technical Memorandum*, NMFS-NE-189L vi + 21 pp.
- Hart, R.E. and J.L. Evans. 2001. A climatology of extratropical transition of Atlantic tropical cyclones. *Journal of Climate*, 14: 546-564.
- Hartung, R. 1965. Some effects of oiling on reproduction of ducks. *Journal of Wildlife Management*, 29: 872-874.
- Hartung, R. 1967. Energy metabolism in oil-covered ducks. *Journal of Wildlife Management*, 31: 798-804.
- Hartung, R. 1995. Assessment of the potential for long-term toxicological effects of the *Exxon Valdez* oil spill on birds and mammals. Pp. 693-725. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219. American Society for Testing and Materials, Philadelphia, PA. 965 pp.
- Hartung, R. and G.S. Hunt. 1966. Toxicity of some oils to waterfowl. *Journal of Wildlife Management*, 30: 564-570.

- Harvey, J.T. and M.E. Dahlheim. 1994. Cetaceans in oil. Pp. 257-264. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- Harwell, M.A. and J.H. Gentile. 2006. Ecological significance of residual exposures and effects from the *Exxon Valdez* oil spill. *Integrated Environmental Assessment and Management*, 2(3): 204-246.
- Hassel, A., T. Knutsen, J. Dalen, S. Løkkeborg, K. Skaar, Ø. Østensen, E.K. Haugland, M. Fonn, Å. Høines and O.A. Misund. 2003. *Reaction of Sandeel to Seismic Shooting: A Field Experiment and Fishery Statistics Study*. Institute of Marine Research, Bergen, Norway. 62 pp.
- Hatcher, A.I. and A.W.D. Larkum. 1982. The effects of short term exposure to Bass Strait Crude Oil and Corexit 8667 on benthic community metabolism in *Posidonia australis* Hook.f. dominated microcosms. *Aquatic Botany*, 12: 219-227.
- Hawkes, L.A., A.C. Broderick, M.S. Coyne, M.H. Godfrey and B.J. Godley. 2007. Only some like it hot - Quantifying the environmental niche of the loggerhead sea turtle. *Diversity Distributions*, 13: 447-457.
- Hay, K. 1982. Aerial line-transect estimates of abundance of humpback, fin, and long-finned pilot whales in the Newfoundland-Labrador area. *Report of the International Whaling Commission*, 32: 475-486.
- Hays, G.C., J.D.R. Houghton and A.E. Myers. 2004. Pan-Atlantic leatherback turtle movements. *Nature*, 429: 522.
- Hazel, J., I.R. Lawler, H. Marsh and S. Robson. 2007. Vessel speed increases collision risk for the green sea turtle *Chelonia mydas*. *Endangered Species Research*, 3: 105-113.
- HDR Alaska, LGL Alaska and Greeneridge Sciences. 2006. Knik Arm Crossing: Underwater Measurements of Pile-driving Sounds during the Port MacKenzie Dock Modifications, 13-16 August 2004. Draft report prepared by HDR Alaska, Inc., LGL Alaska Research Associates, Inc. and Greeneridge Sciences, Inc. for Knik Arm Bridge and Toll Authority, Alaska Department of Transportation and Public Facilities and Federal Highway Administration.
- Healey, B.P., J.C. Mahe and M.J. Morgan. 2010. An assessment of Greenland halibut (*Reinhardtius hippoglossoides*) in NAFO Subarea 2 and Divisions 3KLMNO. *NAFO Science Council Research Document*, 10/40: 108 pp.
- Hegmann, G., C. Cocklin, R. Creasey, S. Dupuis, A. Kennedy, L. Kingsley, W. Ross, H. Spaling, D. Stalker and Axy's Environmental Consulting. 1999. *Cumulative Effects Assessment Practitioners Guide*. Canadian Environmental Assessment Agency, Hull, QC. xii + 71 pp. + Appendices.
- Hemre, G..I., G.L. Taranger and T. Hansen. 2002. Gonadal development influences nutrient utilisation in cod (*Gadus morhua*). *Aquaculture*, 214: 201-209.

- Hendrickson, L.C., E.G. Dawe and M.A. Showell. 2002. Assessment of northern shortfin squid (*Illex illecebrosus*) in Subareas 3+4 for 2001. *NAFO Science Council Research Document*, 02/56: 17 pp.
- Hewitt, K.J. 1999. *Terra Nova Glory Holes, Site Specific Ground Conditions*. Report submitted to Terra Nova Alliance partners, St. John's, NL.
- Hildebrand, J.A. 2005. Impacts of anthropogenic sound. Pp. 101-124. In: J.E. Reynolds, W.F. Perrin, R.R. Reeves, S. Montgomery and T. Ragen (eds.). *Marine Mammal Research: Conservation Beyond Crisis*, Johns Hopkins University Press, Baltimore, MD. 223 pp.
- Hinwood, J.B., A.E. Potts, L.R. Dennis, J.M. Carey, H. Houridis, R.J. Bell, J.R. Thomson, P. Boudreau and A.M. Ayling. 1994. Drilling activities. Pp. 123-207. In: J.M. Swan, J.M. Neff and P.C. Young (eds.). *Environmental Implications of Offshore Oil and Gas Development in Australia - the Findings of an Independent Scientific Review*, Australian Petroleum Exploration Society, Sydney, Australia. xiv + 696 pp.
- Hitchcock, D.R., R.C. Newell and L.J. Seiderer. 1999. *Investigation of Benthic and Surface Plumes Associated with Marine Aggregate Mining in the United Kingdom – Final Report*. Contract report for the US Department of the Interior, Minerals Management Service. Contract Number 14-35-0001-30763, Coastline Surveys Ltd Ref. 98-555-03 (Final). 142 pp.
- HMDC (Hibernia Management Development Company Limited). 2005. *Hibernia Development Project Increased Production and Discharge of Produced Water Environmental Assessment Report*. Prepared by Jacques Whitford Limited for Hibernia Management and Development Company Limited, St. John's, NL. iii + 84 pp. + Appendices.
- Hoelzel, A.R., C.W. Potter and P.B. Best. 1998. Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of bottlenose dolphin. *Proceedings of the Royal Society of London, Biological Sciences*, 265: 1177-1183.
- Hoffman, D.J. 1978. Embryotoxic effects of crude oil in Mallard Ducks and chicks. *Toxicology and Applied Pharmacology*, 46: 183-190.
- Hoffman, D.J. 1979a. Embryotoxic and teratogenic effects of crude oil on Mallard embryos on day one of development. *Bulletin of Environmental Contamination and Toxicology*, 22: 632-637.
- Hoffman, D.J. 1979b. Embryotoxic effects of crude oil containing nickel and vanadium in Mallards. *Bulletin of Environmental Contamination and Toxicology*, 23: 203-206.
- Hogarth, W.T. 2002. Declaration of William T. Hogarth in Opposition to Plaintiff's Motion for Temporary Restraining Order, 23 Oct. Civ. No. 02-05065-JL. U.S. District Court, Northern District of California, San Francisco Division.
- Holdway, D. and D.T. Heggie. 2000. Direct hydrocarbon detection of produced formation water discharge on the Northwest Shelf, Australia. *Estuarine, Coastal and Shelf Science*, 50: 387-402.

- Holmes, W.N., J. Cronshaw and K.P. Cavanaugh. 1978. The effects of ingested petroleum on laying in Mallard Ducks (*Anas platyrhynchos*). Pp. 301-309. In: J. Lindstedt-Siva (ed.), *Proceedings of Energy / Environment '78*, Los Angeles, Society of Petroleum Industry Biologists. 321 pp.
- Holmes, W.N., J. Gorsline and J. Cronshaw. 1979. Effects of mild cold stress on the survival of seawater-adapted Mallard Ducks (*Anas platyrhynchos*) maintained on food contaminated with petroleum. *Environmental Research*, 20: 425-444.
- Holst, M., W.J. Richardson, W.R. Koski, M.A. Smultea, B. Haley, M.W. Fitzgerald and M. Rawson. 2006. *Effects of Large and Small-source Seismic Surveys on Marine Mammals and Sea Turtles*. Abstract. Presented at American Geophysical Union-Society of Exploration Geophysicists Joint Assembly on Environmental Impacts from Marine Geophysical and Geological Studies - Recent Advances from Academic and Industry Research Programs, Baltimore, MD. Abstract available at: <http://adsabs.harvard.edu/abs/2006AGUSMOS42A..01H>
- Hooker, S.K. and R.W. Baird. 1999a. Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea: Ziphiidae). *Proceedings of the Royal Society of London, Biological Sciences*, 266: 671-676.
- Hooker, S.K. and R.W. Baird. 1999b. Observations of Sowerby's beaked whales, *Mesoplodon bidens*, in the Gully, Nova Scotia. *Canadian Field-Naturalist*, 113(2): 273-277.
- Hooper, R.G. and C.L. Morgan. 1999. *Impact of the Diesel Oil Spill at Rocky Barachois, Bonne Bay*. Report to Gros Morne National Park.
- Hoover-Miller, A., K.R. Parker and J.J. Burns. 2001. A reassessment of the impact of *Exxon Valdez* oil spill on harbor seals (*Phoca vitulina richardsi*) in Prince William Sound, Alaska. *Marine Mammal Science*, 17(1): 111-135.
- Hose, J.E., M.D. McGurk, G.D. Marty, D.E. Hinton, E.D. Brown and T.T. Baker. 1996. Sublethal effects of the *Exxon Valdez* oil spill on herring embryos and larvae: Morphological, cytogenetic and histopathological assessments, 1989-1991. *Canadian Journal of Fisheries and Aquatic Sciences*, 53: 2355-2365.
- Hu, A., G.A. Meehl, W. Han and J. Yin. 2009. Transient response of the MOC and climate to potential melting of the Greenland Ice Sheet in the 21st century. *Geophysical Research Letters*, 36, L10707, doi:10.1029/2009GL037998.
- Hughes, M.R., C. Kasserra and B.R. Thomas. 1990. Effect of externally applied bunker fuel on body mass and temperature, plasma concentration, and water flux of Glaucous-winged Gulls, *Larus glaucescens*. *Canadian Journal of Zoology*, 68: 716-721.

- Hurley, G. and J. Ellis. 2004. Environmental Effects of Exploratory Drilling Offshore Canada: Environmental Effects Monitoring Data and Literature Review - Final Report. Prepared for the Canadian Environmental Assessment Agency - Regulatory Advisory Committee. 114 pp.
- Husky Oil Operations Limited. 2000. *White Rose Oilfield Comprehensive Study - Part One: Environmental Impact Statement*. Submitted to the Canada-Newfoundland Offshore Petroleum Board, St. John's, NL. 639 pp + Appendices.
- Husky Oil Operations Limited. 2001. *White Rose Oilfield Comprehensive Study Supplemental Report*. Responses by Husky Oil Operations Limited to comments from Canada-Newfoundland Offshore Petroleum Board, Dept. Fisheries and Oceans, Environment Canada, Natural Resources Canada, and Canadian Environmental Assessment Agency. 265 pp. + Appendices.
- Husky Energy. 2007. *White Rose Environmental Effects Monitoring Program 2006*. A report by Jacques Whitford Environment Limited to Husky Energy, St. John's, NL. 221 pp.
- Husky Energy 2008. *Environmental Assessment Review for 2008*. Report. No. WR-HSE-RP-0655 to the Canada-Newfoundland and Labrador Offshore Petroleum Board. 15 pp.
- Husky Energy. 2010. Commercial Fisheries Risk Assessment for White Rose Field Area Assets.
- Husky Energy and Norsk Hydro. 2006. *SDL 1040 Delineation Drilling Screening*. Report prepared by Jacques Whitford Limited for Husky Energy and Norsk Hydro Canada Oil and Gas, Inc., St. John's, NL. viii + 154 pp. + Appendices.
- IAGC (International Association of Geophysical Contractors). 2004. *Further Analysis of 2002 Abrolhos Bank, Brazil, Humpback Whale Strandings Coincident with Seismic Surveys*. International Association of Geophysical Contractors, Houston, TX. 12 pp.
- IAOGP (International Association of Oil & Gas Producers). 2010. *Blowout Frequencies*. Report No. 434-2.
- Iliffe, T.M. and A.H. Knap. 1979. The fate of stranded pelagic tar on Bermuda beaches. *Marine Pollution Bulletin*, 10: 203-205.
- Integrated Science Data Management. 2010. *Argo Canadian Tracked Data, 2002 - 2010*. Available at URL: <http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/argo/canada/data-donne-eng.html>
- Irons, D.B., S.J. Kendall, W.P. Erickson, L.L. McDonald and B.K. Lance. 2000. Nine years after the *Exxon Valdez* oil spill: Effects on marine bird populations in Prince William Sound, Alaska. *Condor*, 102: 723-737.

- Irons, D.B., S.J. Kendall, W.P. Erickson, L.L. McDonald and B.K. Lance. 2001. A brief response to Wiens *et al.*, twelve years after the *Exxon Valdez* oil spill. *Condor*, 103: 892-894.
- Irwin, R.J. 1997. *Environmental Contaminants Encyclopedia Crude Oil Entry*. National Park Service, Water Resources Divisions, Water Operations Branch, CO. 78 pp.
- IUCN (International Union for Conservation of Nature). 2009. *2009 IUCN Red List of Threatened Species*. Available at URL: <http://www.iucnredlist.org>.
- Iverson, S.A. and D. Esler. 2010. Harlequin Duck population injury and recovery dynamics following the 1989 *Exxon Valdez* oil spill. *Ecological Applications*, 20(7): 1993-2006.
- IWC (International Whaling Commission). 2007. *Whale Population Estimates: Population Table*. Last updated 09/01/09. Accessed on February 25, 2009 at: <http://www.iwcoffice.org/conservation/estimate.htm#table>.
- Jacques McClelland Geosciences Inc. 1997a. *Final Report on Anchor Pile Sites, 1997 TNA Offshore Geotechnical Investigation*. Report to Petro-Canada, St. John's, NL.
- Jacques McClelland Geosciences Inc. 1997b. *Final Report on Glory Hole Sites, 1997 TNA Offshore Geotechnical Investigation*. Report to Petro-Canada, St. John's, NL.
- Jacques Whitford Limited. 2009. *Hibernia Drill Centres Construction and Operations Program Screening Report*. Prepared for Hibernia Management and Development Company, St. John's, NL. xix + 310 pp. + Appendices.
- Jacques Whitford Stantec Limited. 2009. *Cuttings Treatment Technology Evaluation*. Environmental Studies Research Funds Report (ESRF), No. 166. St. John's, NL. 100 pp.
- James, M.C., C.A. Ottensmeyer and R.A. Myers. 2005. Identification of high-use habitat and threats to leatherback sea turtles in northern waters: New directions for conservation. *Ecology Letters*, 8: 195-201.
- James, M.C., S.A. Sherrill-Mix and R.A. Myers. 2007. Population characteristics and seasonal migrations of leatherback sea turtles at high latitudes. *Marine Ecology Progress Series*, 337: 245-254.
- Jaquet, N. and D. Gendron. 2002. Distribution and relative abundance of sperm whales in relation to key environmental features, squid landings and the distribution of other cetacean species in the Gulf of California, Mexico. *Marine Biology*, 141: 591-601.
- Jaquet, N., D. Gendron and A. Coakes. 2003. Sperm whales in the Gulf of California: Residency, movements, behavior, and the possible influence of variation in food supply. *Marine Mammal Science*, 19: 545-562.

- Jaquet, N. and H. Whitehead. 1996. Scale-dependent correlation of sperm whale distribution with environmental features and productivity in the South Pacific. *Marine Ecology Progress Series*, 135(1-3): 1-9.
- JASCO Applied Sciences. 2010. Hebron Project: Modelling Of Underwater Noise at the Bull Arm Construction Site. Prepared for Stantec Consulting Ltd. 32 pp.
- Jefferson, T.A., D. Fertl, J. Bolanos-Jimenez and A.N. Zerbin. 2009. Distribution of common dolphins (*Delphinus* spp.) in the western Atlantic Ocean: A critical re-examination. *Marine Biology*, 156: 1109-1124.
- Jefferson, T.A., M.A. Webber and R. Pitman. 2008. *Marine Mammals of the World: A Comprehensive Guide to their Identification*. Academic Press, London. 573 pp.
- Jensen, A.S. and G.K. Silber. 2003. Large whale ship strike database. US Department of Commerce, *NOAA Technical Memorandum*, NMFS-OPR-25. 37 pp.
- Jenssen, B.M. 1996. An overview of exposure to, and effects of, petroleum oil and organochlorine pollution in grey seals (*Halichoerus grypus*). *Science of the Total Environment*, 186: 109-118.
- Jewett, S.C. and T.A. Dean. 1997. *The Effects of the Exxon Valdez Oil Spill on Eelgrass Communities in Prince William Sound, Alaska 1990-95*. Exxon Valdez Oil Spill Restoration Project (95106) Final Report prepared for Alaska Department of Fish and Game, Habitat and Restoration Division, Anchorage, AK. Xi + 92 pp. + Appendices.
- Jewett, S.C., T.A. Dean, R.O. Smith and A. Blanchard. 1999. Exxon Valdez oil spill: Impacts and recovery in the soft-bottom benthic community in and adjacent to eelgrass beds. *Marine Ecology Progress Series*, 185: 59-83.
- Joensen, A.H. 1972. Studies on oil pollution and seabirds in Denmark, 1968-1971. *Danish Review of Game Biology*, 6: 1-32.
- Johansson, S., U. Larsson and P. Boehm. 1980. The Tsesis oil spill-Impact on the pelagic ecosystem. *Marine Pollution Bulletin*, 11: 284-293.
- Johnsen, S., T.I.R. Utvik, E. Garland, B. de Vals and J. Campbell. 2004. *Environmental Fate and Effect of Contaminants in Produced Water*. Presented at the Seventh SPE International Conference on Health, Safety and Environment in Oil and Gas Exploration and Production, Calgary, AB, 29-31 March, 2004. SPE 86708.
- Johnson, S.R., C.R. Greene, R.A. Davis and W.J. Richardson. 1986. *Bowhead Whales and Underwater Noise near the Sandpiper Island Drillsite, Alaskan Beaufort Sea, Autumn 1985*. Report from LGL Ltd., King City, ON., for Shell Western E & P Inc., Anchorage, AK. 130 pp.

- Joyce, W.N., S.E. Campana, L.J. Natanson, N.E. Kohler, H.L. Pratt, Jr. and C.F. Jensen. 2002. Analysis of stomach contents of the porbeagle shark (*Lamna nasus* Bonnaterre) in the northwest Atlantic. *ICES Journal of Marine Science*, 59: 1263-1269.
- Kammerer, M., O. Mastain, S. Le Dréan-Quenech'du, H. Pouliquen and M. Larhantec. 2004. Liver and kidney concentrations of vanadium in oiled seabirds after the *Erika* wreck. *Science of the Total Environment*, 333: 295-301.
- Kapel, F.O. 1979. Exploitation of large whales in West Greenland in the twentieth century. *Report of the International Whaling Commission*, 29: 197-214.
- Kastak, D. and R.J. Schusterman. 1998. Low-frequency amphibious hearing in pinnipeds: Methods, measurements, noise and ecology. *Journal of the Acoustical Society of America*, 103(4): 2216-2228.
- Kastak, D. and R.J. Schusterman. 1999. In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology*, 77: 1751-1758.
- Kastak, D., R.J. Schusterman, B.L. Southall, and C.J. Reichmuth. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinnipeds. *Journal of the Acoustical Society of America*, 106(2): 1142-1148.
- Kastak, D., B.L. Southall, R.J. Schusterman, and C. Reichmuth-Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America*, 118: 3154-3163.
- Kastelein, R.A., P. Mosterd, B. van Santen, M. Hagedoorn and D. de Haan. 2002. Underwater audiogram of a Pacific walrus (*Odobenus rosmarus divergens*) measured with narrow-band frequency-modulated signals. *Journal of the Acoustical Society of America*, 112(5): 2173-2182.
- Katona, S.K. and J.A. Beard. 1990. Population size, migration and feeding aggregation of the humpback whale (*Megaptera novaeangliae*) in the Western North Atlantic Ocean. *Report of the International Whaling Commission*, 12: 295-305.
- Katz, C.H., J.S. Cobb and M. Spaulding. 1994. Larval behaviour, hydrodynamic transport and potential offshore-to-inshore recruitment in the American lobster *Homarus americanus*. *Marine Ecological Progress Series*, 103: 265-273.
- Keats, D.W. 1990. Food of winter flounder (*Pseudopleuronectes americanus*), in a sea urchin-dominated community in eastern Newfoundland. *Marine Ecological Progress Series*, 60: 13-22.
- Keats, D.W., G.R. South and D.H. Steele. 1985. Reproduction and egg guarding by Atlantic wolffish (*Anarhichas lupus*: Anarhichidae) and ocean pout (*Macrozoarces americanus*: Zoarcidae) in Newfoundland waters. *Canadian Journal of Zoology*, 63: 2565-2568.



- Kenchington, E.L.R., J. Prena, K. Gilkinson, D.C. Gordon, K. MacIsaac, C. Bourbonnais, P. Schwinghamer, T.W. Rowell, D.L. McKeown and W.P. Vass. 2001. Effects of experimental otter trawling on the macrofauna of a sandy bottom ecosystem on the Grand Banks of Newfoundland. *Canadian Journal of Fisheries and Aquatic Sciences*, 58: 1043-1057.
- Kenney, R.D. and H.E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf / slope areas. *Continental Shelf Research*, 7: 107-114.
- Kennicutt, M.C., S.T. Sweet, W.R. Fraser, W.L. Stockton and M. Culver. 1991. The fate of diesel fuel spilled by the *Bahia Paraiso* in Authur Harbour, Antarctica. Pp. 493-500. In: *Proceedings of the 1991 Oil Spill Conference*, American Petroleum Institute, Washington, DC.
- Kenny, A.J., H.L. Rees, J. Greening and S. Campbell. 1998. The effects of marine gravel extraction on the macrobenthos at an experimental dredge site off North Norfolk, UK (results 3 years post-dredging). *ICES CM*, 1998/V: 14 pp.
- Ketten, D.R. 1995. Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. Pp. 391-407. In: R.A. Kastelein, J.A. Thomas and P.E. Nachtigall (eds.). *Sensory Systems of Aquatic Mammals*, De Spil Publications, Woerden, Netherlands. 588 pp.
- Ketten, D.R. 2000. Cetacean ears. Pp. 43-108. In: W.W.L. Au, A.N. Popper and R.R. Fay (eds.). *Hearing by Whales and Dolphins*, Springer-Verlag, New York, NY. 485 pp.
- Ketten, D.R., J. Lien and S. Todd. 1993. Blast injury in humpback whale ears: Evidence and implications. *Journal of the Acoustical Society of America*, 94(3, Pt. 2): 1849-1850.
- Ketten, D.R., J. O'Malley, P.W.B. Moore, S. Ridgway and C. Merigo. 2001. Aging, injury, disease, and noise in marine mammal ears. *Journal of the Acoustical Society of America*, 110(5, Pt. 2): 2721.
- Khan, R.A. and P. Ryan. 1991. Long term effects of crude oil on Common Murre (*Uria aalge*) following rehabilitation. *Bulletin of Environment Contamination and Toxicology*, 46: 216-222.
- King, E.H. and G.V. Sonnichsen. 2000. *New Insights into Glaciation and Sea-level Fluctuation on Northern Grand Bank, Offshore Newfoundland*. Geological Survey of Canada, Current Research, Open File 2000-D6. 8 pp.
- King, E.H., G.V. Sonnichsen, and G.B. Fader. 2001. *Surficial Geology, Avalon Peninsula to Flemish Pass*. Geological Survey of Canada – Atlantic, PERD / CHC Report 31-27.
- Kingston, P.F. 1987. Field Effects of Platform Discharges on Benthic Macrofauna. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 316(1181) 545-563.

- Klima, E.F., G.R. Gitschlag and M.L. Renaud. 1988. Impacts of the explosive removal of offshore petroleum platforms on sea turtles and dolphins. *Marine Fisheries Review*, 50(3): 33-42.
- Kolker, A.S. and S. Hameed. 2007. Meteorologically driven trends in sea level rise. *Geophysical Research Letters*, 34, L23616, doi:10.1029/2007GL031814.
- Kühnhold, W.W. 1974. Investigations on the toxicity of seawater-extracts of three crude oils on eggs of cod (*Gadus morhua* L.). *Ber. Dtsch. Wiss. Kommn. Meeresforsch*, 23: 165-180.
- Kühnhold, W.W. 1978. Effects of the water-soluble fraction of a Venezuelan heavy fuel oil (No. 6) on cod eggs and larvae. Pp. 126-130. In: M.P. Wilson, J.G. Quinn and K. Sherman (eds.). *In the Wake of the Argo Merchant: Proceedings of a Conference and Workshop*, Center for Ocean Management, University of Rhode Island, Kingston, RI.
- Kulka, D.W., N.C. Antle and J.M. Simms. 2003. Spatial Analysis of 18 Demersal Species in Relation to Petroleum License Areas on the Grand Banks (1980-2000). *Canadian Technical Report on Fisheries and Aquatic Sciences*, 2473: xix + 182 pp.
- Kulka, D.W. and E.M. DeBlois. 1996. Non-traditional groundfish species on the Labrador Shelf and Grand Banks - Wolffish, monkfish, white hake and winter (blackback) flounder. *DFO Atlantic Fisheries Research Document*, 96/97: 49 pp.
- Kulka, D.W., E.M. DeBlois and D.B. Atkinson. 1996. Non-traditional groundfish species on Labrador Shelf and Grand Bank – Skate. *DFO Atlantic Fisheries Research Document*, 96/98: 9 pp.
- Kulka, D.W., D.C. Hood and J. Huntington. 2007. Recovery Strategy for Northern Wolffish (*Anarhichas denticulatus*) and Spotted Wolffish (*Anarhichas minor*), and Management Plan for Atlantic Wolffish (*Anarhichas lupus*) in Canada. Fisheries and Oceans Canada, Newfoundland and Labrador Region. St. John's, NL. x + 103 pp.
- Kulka, D.W. and C.M. Miri. 2003. The status of thorny skate (*Amblyraja radiata* Donovan, 1808) in NAFO Division 3L, 3N, 3O and subdivision 3Ps. *NAFO Science Council Research Document*, 03/57: 86 pp.
- Kulka, D.W., M.R. Simpson and R.G. Hooper. 2004a. Changes in distribution and habitat associations of wolffish (*Anarchichidae*) in the Grand Banks and Labrador Shelf. *Canadian Science Advisory Secretariat Research Document*, 2004/113: ii + 44 pp.
- Kulka, D.W., C.M. Miri, M.R. Simpson and K.A. Sosebee. 2004b. Thorny skate (*Amblyraja radiata* Donovan, 1808) on the Grand Banks of Newfoundland. *NAFO Science Council Research Document*, 04/35: 108 pp.

- Kulka, D.W., M.R. Simpson and C.M. Miri. 2006. An assessment of thorny skate (*Amblyraja radiata* Donovan, 1808) on the Grand Banks of Newfoundland. *NAFO Science Council Research Document*, 06/44: 66 pp.
- Lacoste, K.N. and G.B. Stenson. 2000. Winter distribution of harp seals (*Phoca groenlandica*) off eastern Newfoundland and southern Labrador. *Polar Biology*, 23: 805-811.
- Lacroix, D.L., R.B. Lancot, J.A. Reed and T.L. McDonald. 2003. Effect of underwater seismic surveys on molting male Long-tailed Ducks in the Beaufort Sea, Alaska. *Canadian Journal of Zoology*, 81: 1862-1875.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science*, 17(1): 35-75.
- Lambert, S.J. 2004. Changes in winter cyclone frequencies and strengths in transient enhanced greenhouse warming simulations using two coupled climate models. *Atmosphere-Ocean*, 42(3), 173-181.
- Lang, A.L. 2007. *Seabird Abundance near Terra Nova Offshore Oil Development during Late Spring 2006*. Report No. SA919 by LGL Limited, St. John's, NL, for Petro-Canada, St. John's, NL. 11 pp.
- Lang, A.L. and V.D. Moulton. 2004. *Marine Mammal and Seabird Monitoring during the CCGS Hudson Research Expedition, June-July 2004*. LGL Report SA818 by LGL Ltd., King City, ON, and St. John's, NL, for ExxonMobil Canada Ltd., St. John's, NL, and Chevron Canada Resources, Calgary, AB. 22 pp.
- Lang, A.L. and V.D. Moulton. 2008. *Marine Mammal and Seabird Monitoring of Petro-Canada's 3-D Seismic Program in the Jeanne d'Arc Basin, 2007*. LGL Report SA938 by LGL Limited, St. John's, NL, for Petro-Canada, St. John's, NL. 32 pp. + Appendices.
- Lang, A.L., V.D. Moulton and R.A. Buchanan. 2006. *Marine Mammal and Seabird Monitoring of Husky Energy's 3-D Seismic Program in the Jeanne d'Arc Basin, 2005*. Report No. 887 by LGL Limited, St. John's, NL, for Husky Energy Inc., Calgary, AB. 63 pp. + Appendices.
- Larsen, E.M. and S.A. Richardson. 1990. Some effects of a major oil spill on wintering shorebirds at Grays Harbor, Washington. *Northwestern Naturalist*, 71: 88-92.
- Laurel, B.J., R.S. Gregory and J.A. Brown. 2003. Settlement and distribution of Age-0 juvenile cod, *Gadus morhua* and *G. ogac*, following a large-scale habitat manipulation. *Marine Ecology Progress Series*, 262: 241-252.
- Lavigne, D.M. and K.M. Kovacs. 1988. *Harps and Hoods: Ice Breeding Seals of the Northwest Atlantic*. University of Waterloo Press, Waterloo, ON. 174 pp.

- Lawler, G.C., W. Loong and J.L. Laseter. 1978. Accumulation of aromatic hydrocarbons in tissues of petroleum-exposed Mallard Ducks (*Anas platyrhynchos*). *ES & T Research*, 12: 51-54.
- Lawson, J.W., S. Benjamins and G.B. Stenson. 2004. Harbour porpoise bycatch estimates for Newfoundland's 2002 nearshore cod fishery. *Canadian Science Advisory Secretariat Research Document*, 2004/066: 33 pp.
- Lawson, J.W. and J.-F. Gosselin. 2009. Distribution and preliminary abundance estimates for cetaceans seen during Canada's marine megafauna survey – A component of the 2007 TNASS. *Canadian Science Advisory Secretariat Research Document*, 2009/031: iv + 29 pp.
- Lawson, J.W., T. Stevens and D. Snow. 2007. Killer whales of Atlantic Canada, with particular reference to the Newfoundland and Labrador region. *Canadian Science Advisory Secretariat Research Document*, 2007/062: 16 pp.
- Lear, W.H. and T.K. Pitt. 1971. Distribution of Greenland halibut in the Newfoundland Labrador area in relation to depth and temperature. *Technical Report of the Fisheries Research Board of Canada*, 274: 34 pp.
- LeDrew, Fudge and Associates. 1990. Fish Habitat Assessment in Great Mosquito Cove, Trinity Bay: An Overview of Available Fish Habitat and Resources in the Vicinity of the GBS Construction Site Location.
- LeDrew, Fudge and Associates. 1991. Water Quality Monitoring in Bull Arm during Till Placement and Drydock Dewatering. A report to NODECO. 15 pp.
- LeDrew, B.R. and S.T. Culshaw. 1977. *Ship-in-the-Ice Data Report: Report 77. C-CORE*, St. John's, NL.
- Ledwell, W. and J. Huntington. 2003. Whale Entrapments in Fishing Gear Reported during 2003 and a Summary of the Whale Release and Strandings Program in Newfoundland and Labrador. Report to Fisheries and Oceans Canada, St. John's, NL. 9 pp.
- Ledwell, W. and J. Huntington. 2004. Marine Animal Entrapments in Fishing Gear in Newfoundland and Labrador and a Summary of the Whale Release and Strandings Program during 2004. Report to Fisheries and Oceans Canada, St. John's, NL. 22 pp.
- Ledwell, W. and J. Huntington. 2006. Whale, Leatherback Sea Turtles and Basking Shark Entrapments in Fishing Gear in Newfoundland and Labrador and a Summary of the Whale Release and Strandings Program during 2005. Report to Fisheries and Oceans Canada, St. John's, NL. 19 pp.

- Ledwell, W. and J. Huntington. 2007. Whale and Leatherback Sea Turtles Incidental Entrapment in Fishing Gear in Newfoundland and Labrador and a Summary of the Whale Release and Strandings Program during 2006. Report to Fisheries and Oceans Canada, St. John's, NL. 17 pp.
- Ledwell, W. and J. Huntington. 2008. Incidental Entrapments in Fishing Gear Reported in 2007 in Newfoundland and Labrador and a Summary of the Whale Release and Strandings Program. Report to Fisheries and Oceans Canada, St. John's, NL. 19 pp.
- Ledwell, W. and J. Huntington. 2009. Incidental Entrapments in Fishing Gear and Strandings Reported to the Whale Release and Strandings Group in Newfoundland and Labrador and a Summary of the Whale Release and Strandings Program during 2008. Report to Fisheries and Oceans Canada, St. John's, NL. 24 pp.
- Ledwell, W., J. Huntington and J. Lien. 2000. *Whale Entrapments in Fishing Gear and Other Marine Animal Incidental Entrapments during 2000*. Report to Fisheries and Oceans Canada – Newfoundland and Labrador Region. 7 pp.
- Ledwell, W., J. Huntington and J. Lien. 2001. Whale Entrapments in Fishing Gear, Strandings and Sightings of Marine Animals and Summary of the Entrapment Program during 2001 - Newfoundland Region. Report to the Habitat Stewardship Program of Environment Canada. 9 pp.
- Ledwell, W., J. Huntington and J. Lien. 2002. Whale Entrapments in Fishing Gear and a Summary of the Marine Animal Disentanglement Assistance Program in Newfoundland and Labrador during 2002. Report to the Habitat Stewardship Program of Environment Canada. 11 pp.
- Lee, E. 2005. *Monitoring Of A Dredged Disposal Site Great Mosquito Cove, Newfoundland*. Final Report, AMEC Earth & Environmental Limited, St. John's, NL.
- Leggett, W.C., K.T. Frank and J.E. Carscadden. 1983. Estimating year-class strength in capelin (*Mallotus villosus*) from abiotic variables. *NAFO Science Council Research Document*, 83/6/52.
- Leighton, F.A., R.G. Butler and D.B. Peakall. 1985. Oil and Arctic marine birds: An assessment of risk. Pp. 183-215. In: F.R. Engelhardt (ed.). *Petroleum Effects in the Arctic Environment*, Elsevier Applied Science Publishers, London. 281 pp.
- Leonardi, M. and A. Klempau. 2003. Artificial photoperiod influence on the immune system of juvenile rainbow trout (*Oncorhynchus mykiss*) in the Southern Hemisphere. *Aquaculture*, 221: 581-591.
- Lesage, V. and M.O. Hammill. 2001. The status of the grey seal, *Halichoerus grypus*, in the Northwest Atlantic. *Canadian Field-Naturalist*, 115(4): 653-662.

- Lesage, V., M.O. Hammill and K.M. Kovacs. 2004. Long-distance movements of harbour seals (*Phoca vitulina*) from a seasonally ice-covered area, the St. Lawrence River estuary, Canada. *Canadian Journal of Zoology*, 82: 1070-1081.
- Levin, P.S. 1994. Small-scale recruitment variation in a temperate fish: The roles of macrophytes and food supply. *Environmental Biology of Fishes*, 40: 271-281.
- Levy, E.M. 1980. Oil pollution and seabirds: Atlantic Canada 1976-77 and some implications for northern environments. *Marine Pollution Bulletin*, 11: 51-56.
- Lewis, C.F.M. and S.M. Blasco. 1990. Character and distribution of sea-ice and iceberg scours. Pp. 56-101. In: J.I. Clarke (ed.). *Proceedings of Workshop on Ice Scouring and Design of Offshore Pipelines*, April 18-19, Calgary, AB.
- Lewis, C.F.M. and D.R. Parrott. 1987. Iceberg scouring rate studies, Grand Banks of Newfoundland. *Geological Survey of Canada Paper*, 87-1A: 825-833.
- LGL Limited. No Date. Unpublished Data.
- LGL Limited. 2005a. *Husky Delineation / Exploration Drilling Program for Jeanne d'Arc Basin Area Environmental Assessment*. LGL Report SA845 by LGL Limited, Canning and Pitt Associates, Inc., and PAL Environmental Services, St. John's, NL, for Husky Oil Operations Limited, St. John's, NL. 340 pp. + Appendix.
- LGL Limited. 2005b. *Northern Jeanne d'Arc Basin Seismic Program Environmental Assessment*. LGL Report SA836 by LGL Limited, St. John's, NL, for Husky Energy Inc., Calgary, AB. 241 pp.
- LGL Limited. 2005c. *Wellsite Geohazard Survey, 2005 Environmental Assessment Terra Nova Development*. Report by LGL Limited, St. John's, NL, for Petro-Canada, St. John's, NL.
- LGL Limited. 2005d. *Wellsite Geohazard Survey, 2005 Environmental Assessment, Hibernia Development*. LGL Report SA850 by LGL Limited for Hibernia Management and Development Co. Ltd., St. John's, NL. 100 pp. + Appendix.
- LGL Limited. 2005e. *Western Newfoundland and Labrador Offshore Area Strategic Environmental Assessment*. Prepared for the Canada-Newfoundland and Labrador Offshore Petroleum Board, St. John's, NL. xii + 333 pp. + Appendices.
- LGL Limited. 2006a. *Husky White Rose Development Project: New Drill Centre Construction and Operations Program Environmental Assessment*. LGL Report SA883 by LGL Limited, St. John's, NL, for Husky Energy Inc., Calgary, AB. 299 pp. + Appendices.

- LGL Limited. 2006b. *Husky Delineation / Exploration Drilling Program for Jeanne d'Arc Basin Area Environmental Assessment Update*. LGL Report SA886 by LGL Limited, St. John's, NL, Oceans Limited, St. John's, NL, Canning & Pitt Associates, Inc., St. John's, NL, and PAL Environmental Services, St. John's, NL, for Services, St. John's, NL, for Husky Oil Operations Limited, St. John's, NL. 67 pp. + Appendix.
- LGL Limited. 2007a. *Environmental Assessment of Petro-Canada's Jeanne d'Arc Basin 3-D Seismic Program*. LGL Report SA882 by LGL Limited, St. John's, NL, Oceans Limited, St. John's, NL, Canning & Pitt Associates, Inc., St. John's, NL, and PAL Environmental Services, St. John's, NL, for Services, St. John's, NL, for Petro-Canada, St. John's, NL. 264 pp. + Appendices.
- LGL Limited. 2007b. *Husky Delineation / Exploration Drilling Program for Jeanne d'Arc Basin Area, 2008-2017, Environmental Assessment*. LGL Report SA935 by LGL, St. John's, NL, in association with Canning & Pitt Associates, Inc., Oceans Ltd. and PAL Environmental Services. Prepared for Husky Energy Inc., Calgary, AB. 231 pp. + Appendices.
- LGL Limited. 2007c. *Western Newfoundland and Labrador Offshore Area Strategic Environmental Assessment Amendment*. Prepared for the Canada-Newfoundland and Labrador Offshore Petroleum Board, St. John's, NL. v + 62 pp. + Appendix.
- LGL Limited. 2007d. *Addendum to the Environmental Assessment of Petro-Canada's Jeanne d'Arc Basin 3-D Seismic Program*. LGL Report SA940-2 by LGL Limited, St. John's, NL, for Petro-Canada, St. John's, NL. 42 pp. + Appendices.
- LGL Limited. 2008a. *Environmental Assessment of StatoilHydro's Jeanne d'Arc Basin Area Seismic and Geohazard Program, 2008-2016*. LGL Report SA947a by LGL limited, Canning & Pitt Associates Inc., and Oceans Ltd., St. John's NL, for StatoilHydro Canada Ltd., St. John's, NL. 174 pp. + Appendices.
- LGL Limited. 2008b. *Environmental Assessment of StatoilHydro Canada Ltd. Exploration and Appraisal / Delineation Drilling Program of Offshore Newfoundland, 2008-2016*. LGL Report SA947b by LGL Limited, Canning & Pitt Associated inc., and Oceans Ltd, St. John's, NL, for StatoilHydro Canada Ltd., St. John's, NL. 292 pp. + Appendices.
- Lien, J. 1994. Entrapments of large cetaceans in passive inshore fishing gear in Newfoundland and Labrador (1979-1990). *Report of the International Whaling Commission Special Issue*, 15: 149-157.
- Lien, J. and F. Barry. 1990. Status of Sowerby's beaked whale, *Mesoplodon bidens*, in Canada. *Canadian Field-Naturalist*, 104(1): 125-130.
- Lien, J., D. Nelson and D.J. Hai. 2001. Status of the white-beaked dolphin, *Lagenorhynchus albirostris*, in Canada. *Canadian Field-Naturalist*, 115: 118-126.

- Lilly, G.R. 1987. Interactions between Atlantic cod (*Gadus morhua*) and capelin (*Mallotus villosus*) off Labrador and eastern Newfoundland: A review. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 1567: 37 pp.
- Lilly, G.R. and M. Simpson. 2000. Distribution and biomass of capelin, Arctic cod and sand lance on the Northeast Newfoundland Shelf and Grand Bank as deduced from bottom-trawl surveys. *Canadian Stock Assessment Secretariat Research Document*, 2000/091: 40 pp.
- Link, J.S., K. Bolles and G.C. Milliken. 2002. The Feeding ecology of flatfish in the Northwest Atlantic. *Journal of the Northwest Atlantic Fisheries Science*, 30: 1-17.
- Lock, A.R., R.G.B. Brown and S.H. Gerriets. 1994. *Gazetteer of Marine Birds in Atlantic Canada: An Atlas of Seabird Vulnerability to Oil Pollution*. Canadian Wildlife Service, Environmental Conservation Branch, Environment Canada, Atlantic Region. 137 pp.
- Løkkeborg, S. 1991. Effects of geophysical survey on catching success in longline fishing. *ICES CM*, B40: 9 pp.
- Løkkeborg, S., E. Ona, A. Vold, H. Pena, A. Salthaug, B. Totland, J.T. Øvredale, J. Dalen and N.O. Handegard. 2010. Effects of seismic surveys on fish distribution and catch rate of gillnets and longlines in Vesterålen in summer 2009. *Havforskningsinstituttet Prosjektrapport Fisken og Havet, 2-2010*: 74 pp.
- Lowry, L.F., K.J. Frost and K.W. Pitcher. 1994. Observations of oiling of harbor seals in Prince William Sound. Pp. 209-225. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experience from whalewatching impact assessment. *International Journal of Comparative Psychology*, 20(2-3): 228-236.
- Lutz, P.L., M. Lutcavage and C.W. Caillouet. 1989. The effects of petroleum on sea turtles: Applicability to Kemp's ridley. Pp. 52-54. In: A.M. Landry (ed.). *Proceedings of the First International symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, October 1-4, 1985, Galveston, TX*, Texas A&M University Sea Grant Program.
- MacDonald, B.A. 1984. *The Partitioning of Energy between Growth and Reproduction in the Giant Scallop, Plaeopecten magellanicus (Gmelin)*. Ph.D. thesis. Department of Biology, Memorial University of Newfoundland, St. John's, NL. 202 pp.
- MacDonald, B.A. and R. Thompson. 1985a. Influence of temperature and food availability on the ecological energetic of the giant scallop (*Placopecten magellanicus*). I. Growth rates of shell and somatic tissue. *Marine Ecology Progress Series*, 25: 279-294.



- MacDonald, B.A. and R. Thompson. 1985b. Influence of temperature and food availability on the ecological energetic of the giant scallop (*Placopecten magellanicus*). II. Reproduction output and total production. *Marine Ecology Progress Series*, 25: 295-303.
- Macko, S.A. and S.M. King. 1980. Weathered oil: Effect on hatchability of heron and gull eggs. *Bulletin of Environment Contamination and Toxicology*, 25: 316-320.
- MacLeod, C.D., W.F. Perrin, R. Pitman, J. Barlow, L.T. Ballance, A. D'Amico, T. Gerrodette, G. Joyce, K.D. Mullin, D. Palka and G.T. Waring. 2006. Known and inferred distributions of beaked whale species (Cetacea: Ziphiidae). *Journal of Cetacean Research and Management*, 7(3): 271-286.
- MacLeod, D. 2000. Review of the distribution of *Mesoplodon* species (order Cetacea, family Ziphiidae) in the North Atlantic. *Mammal Revue*, 30(1): 1-8.
- Macleod, K., R. Fairbairns, A. Gill, B. Fairbairns, J. Gordon, C. Blair-Myers and E.C.M. Parsons. 2004. Seasonal distribution of minke whales *Balaenoptera acutorostrata* in relation to physiography and prey off the Isle of Mull, Scotland. *Marine Ecology Progress Series*, 277: 263-274.
- Maddock-Parsons, M. 2005a. Stock assessment on subdivision 3Ps witch flounder. *Canadian Science Advisory Secretariat Science Advisory Report*, 2005/050: 6 pp.
- Maddock-Parsons. 2005b. Witch flounder in NAFO Subdivision 3Ps. *Canadian Science Advisory Secretariat Research Document*, 2005/086: ii + 23 pp.
- Maillet, G.L. and P. Pepin. 2005. Timing of plankton cycles on the Newfoundland Grand Bank: Potential influence of climate change. *NAFO Science Council Research Document*, 05/12: 12 pp.
- Makkonen, L., R.D. Brown and P.T. Mitten. 1991. Comments on "Prediction of Vessel Icing for Near-Freezing Sea Temperatures". *Weather Forecasting*, 6: 565-567.
- Malakoff, D. 2002. Suit ties whale deaths to research cruise. *Science*, 298(5594): 722-723.
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack and J.E. Bird. 1983. *Investigations of the Potential Effects of Underwater Noise from Petroleum Industry Activities on Migrating Gray Whale Behavior*. BBN Report 5366 by Bolt, Beranek and Newman for Minerals Management Service, US Department of the Interior, Washington, DC. Various pages.

- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack and J.E. Bird. 1984. Investigations of the Potential Effects of Underwater Noise from Petroleum Industry Activities on Migrating Gray Whale Behavior / Phase II: January 1984 Migration. BBN Report 5586 from Bolt Beranek & Newman Inc., Cambridge, MA, for US Minerals Management Service, Anchorage, AK. Various pages.
- Malme, C.I., P.R. Miles, P. Tyack, C.W. Clark and J.E. Bird. 1985. Investigation of the Potential Effects of Underwater Noise from Petroleum Industry Activities on Feeding Humpback Whale Behavior. BBN Report 5851 from BBN Labs Inc., Cambridge, MA, for US Minerals Management Service, Anchorage, AK. OCS Study MMS 85-0019. Various pages.
- Maneveldt, G, D. Wilby, M. Potgieter and M. Hendricks. 2006. The role of encrusting coralline algae in the diets of selected intertidal herbivores. *Journal of Applied Phycology*, 9: 619-627.
- Mann, D.A., R.A. Varela, J.D. Goldstein, S.D. McCulloch, G.D. Bossart, J.J. Finneran, D. Houser and M.L.H. Cook. 2005. Gervais' beaked whale auditory evoked potential hearing measurements. Pp. 178-179. In: *Abstracts of the 16th Biennial Conference on the Biology of Marine Mammals*, 12-16 December 2005, San Diego, CA.
- Marex. 1992. Summary Of Mean And Extreme Water Levels, Including Meteorological Effects, In Bull Arm.
- Matkin, C.O., G.M. Ellis, M.E. Dahlheim and J. Zeh. 1994. Status of killer whales in Prince William Sound, 1985-1992. Pp. 141-162. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- Matkin, C.O., E.L. Saulitis, G.M. Ellis, P. Olesiuk and S.D. Rice. 2008. Ongoing population-level impacts on killer whales *Orcinus orca* following the 'Exxon Valdez' oil spill in Prince William Sound, Alaska. *Marine Ecology Progress Series*, 356: 269-281.
- Maurer, D., R.T. Keck, J.C. Tinsman and W.A. Leathem. 1980. Vertical migration and mortality of benthos in dredged material – Part 1: Mollusca. *Marine Environmental Research*, 4: 299-319.
- McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M.-N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhitya, J. Murdoch and K. McCabe. 2000. Marine seismic surveys - A study of environmental implications. *Australian Petroleum Production and Exploration Association Journal*, 40: 692-708.
- McClintock, J. 1993. *Time-Series Extension and Wave Persistence Analysis of a Continuous Hibernia Wind and Wave Time-Series*. Seaconsult Report prepared for Hibernia Management and Development Company Ltd., St. John's, NL.

- McClintock, J., R. McKenna and C. Woodworth-Lynas. 2007. *Grand Banks Iceberg Management*. PERD / CHC Report 20-84. Report prepared by AMEC Earth & Environmental, St. John's, NL, R.F. McKenna & Associates, Wakefield, QC, and PETRA International Ltd., Cupids, NL, for PERD / CHC, National Research Council Canada, Ottawa, ON. vi + 84 pp.
- McEwan, E.H. and F.C. Koelink. 1973. The heat production of oiled Mallards and Scaup. *Canadian Journal of Zoology*, 51: 27-31.
- McEwan, E.H. and P.M. Whitehead. 1980. Uptake and clearance of petroleum hydrocarbons by the Glaucous-winged Gull (*Larus glaucescens*) and the Mallard Duck (*Anas platyrhynchos*). *Canadian Journal of Zoology*, 58: 723-726.
- McGregor Geoscience. 1997. *Wellsite Report, Hebron, Grand Banks, Newfoundland*. Contract report submitted to Chevron Canada Resources.
- McGregor Geoscience and Fugro Jacques GeoSurveys. 1998. *Wellsite Report, Hebron-Brent's Cove Area, Grand Banks, Newfoundland*. Contract report submitted to Chevron Canada Resources.
- Meteorological Service of Canada Canadian Ice Service. 2005. *MANICE: Manual of Standard Procedures for Observing and Reporting Ice Conditions*. Meteorological Service of Canada, Ottawa, ON.
- Methven, D. 1999. Annotated bibliography of demersal fish feeding with emphasis on selected studies from the Scotian Shelf and Grand Bank of the Northwestern Atlantic. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2267: iv + 106 pp.
- Miller, A.A.L. 1999. The Quaternary Sediments and Seismostratigraphy of the Grand Banks of Newfoundland and the Northeast Newfoundland Shelf: Foraminiferal Refinements and Constraints. PhD Thesis, George Washington University, Washington, DC. 972 pp.
- Miller, G.W., V.D. Moulton, R.A. Davis, M. Holst, P. Millman, A. MacGillivray and D. Hannay. 2005a. Monitoring seismic effects on marine mammals-Southeastern Beaufort Sea, 2001-2002. Pp. 511-542. In: S.L. Armsworthy, P.J. Cranford and K. Lee (eds.). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Miller, J.H., A.E. Bowles, B.L. Southall, R.L. Gentry, W.T. Ellison, J.J. Finneran, C.R. Greene, Jr., D. Kastak, D.R. Ketten, P.L. Tyack, P.E. Nachtigall, W.J. Richardson and J.A. Thomas. 2005b. Strategies for weighting exposure in the development of acoustic criteria for marine mammals. *Journal of the Acoustical Society of America*, 118: 2019 (Abstract). Presentation available at URL: [http://www.oce.uri.edu/faculty\\_pages/miller/Noise\\_Weighting\\_10\\_18\\_2005.ppt](http://www.oce.uri.edu/faculty_pages/miller/Noise_Weighting_10_18_2005.ppt).

- Miller, P.J.O., M.P. Johnson, P.T. Madsen, N. Biassoni, M. Quero and P.L. Tyack. 2009. Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep Sea Research Part I: Oceanographic Research Papers*, 56(7): 1168-1181.
- Minsk, L.D. 1977. Ice accumulation on ocean structures. Cold Regions Research and Engineering Laboratory, Hanover, NH. *CRREL Report*, 77-17: 42 pp.
- Mitchell, E. and D.G. Chapman. 1977. Preliminary assessment of stocks of northwest Atlantic sei whales (*Balaenoptera borealis*). *Report of the International Whaling Commission Special Issue*, 1: 117-120.
- Mitchell, E. and V.M. Kozicki. 1975. Supplementary information on minke whale (*Balaenoptera acutorostrata*) from Newfoundland fishery. *Journal of the Fisheries Research Board of Canada*, 32: 985-994.
- Mitchell, E. and R.R. Reeves. 1988. Records of killer whales in the western North Atlantic, with emphasis on eastern Canadian waters. *Rit Fiskideildar*, 9: 161-193.
- MMS (Minerals Management Service). 1997. Federal offshore statistics: 1995 - Leasing, exploration, production and revenues to December 31, 1995. US Department of the Interior, Mineral Management Service, Operations and Safety Management, *OCS Report MMS*, 97-0007: xii + 103 pp.
- MMS (Minerals Management Service). 2000. Environmental impacts of synthetic-based drilling fluids. US Department of the Interior, Minerals Management Service, Gulf of Mexico Outer Continental Shelf Region. *OCS Study MMS*, 2000-164: 121 pp.
- MMS (Minerals Management Service). 2004. Geological and Geophysical Exploration for Mineral Resources on the Gulf of Mexico Outer Continental Shelf: Final Programmatic Environmental Assessment. US Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. *OCS EIS / EA MMS 2004-054*. 350 pp.
- Mobil Oil Canada, Ltd. 1985. *Hibernia Development Project - Environmental Impact Statement: Volumes IIIa and IIIb – Biophysical Assessment*. Prepared by Mobil Oil Canada, Ltd. as Operator, on behalf of the joint venture participants (Gulf Canada Resources Inc., Petro-Canada Inc., Chevron Canada Resources Limited and Columbia Gas Development of Canada Ltd.).
- Mobil Oil Canada Ltd. 1990. *Hibernia Development Project Platform Construction Site Environmental Overview: Volume I*. Draft Report by Mobil Oil Canada Properties for Canadian Oil and Gas Lands Administration. 154 pp.

- Moein, S.E., J.A. Musick, J.A. Keinath, D.E. Barnard, M. Lenhardt and R. George. 1994. *Evaluation of Seismic Sources for Repelling Sea Turtles from Hopper Dredges*. Report from Virginia Institute of Marine Science, [Gloucester Point], VA, for US Army Corps of Engineers. 33 pp.
- Montevecchi, W.A. 2006. Influences of artificial light on marine birds. Pp. 94-113. In: C. Rich and T. Longcore (eds.). *Ecological Consequences of Artificial Night Lighting*, Island Press, Washington, DC. 478 pp.
- Moore, S.E. and R.P. Angliss. 2006. *Overview of Planned Seismic Surveys Offshore Northern Alaska, July-October 2006*. Paper SC/58/E6 presented to IWC Scientific Committee, IWC Annual Meeting, 1-13 June, St Kitts.
- Moore, S.E. and J.T. Clarke. 2002. Potential impact of offshore human activities on gray whales (*Eschrichtius robustus*). *Journal of Cetacean Research and Management*, 4(1): 19-25.
- Moore, S.E., K.W. Sheldon, D.J. Rugh, B.A. Mahoney and L.K. Litzky. 2000. Beluga, *Delphinapterus leucas*, habitat associations in Cook Inlet, Alaska. *Marine Fisheries Review*, 62(3): 60-80.
- Morgan, M.J. 2000. A stock status update of American plaice in NAFO Divisions 3LNO. *NAFO Science Council Research Document*, 00/41: 15 pp.
- Morgan, M.J. 2001. Time and location of spawning of American plaice in NAFO Divisions 3LNO. *Journal of Northwest Atlantic Fishery Science*, 29: 41-49.
- Morgan, M.J., W.R. Bowering, A.C. Gundersen, A. Hoines, B. Morin, O. Smirnov and E. Hjørleiffson. 2003a. A comparison of the maturation of Greenland halibut (*Reinhardtius hippoglossoides*) from populations throughout the North Atlantic. *Journal of the Northwest Atlantic Fisheries Science*, 31: 99-112.
- Morgan, M.J. and W.B. Brodie. 1991. Seasonal distribution of American plaice on the northern Grand Bank. *Marine Ecology Progress Series*, 75(1): 101-107.
- Morgan, M.J., W.B. Brodie, D. Maddock-Parsons and B.P. Healey. 2003b. An assessment of American plaice in NAFO Divisions 3LNO. *NAFO Science Council Research Document*, 03/56: 70 pp.
- Moring, J. 1989. Food habitats and algal associations of juvenile lumpfish, *Cyclopterus lumpus* L., in intertidal waters. *Fisheries Bulletin US*, 87: 233-237.
- Moriyasu, M. and C. Lanteigne. 1998. Embryo development and reproductive cycle in the snow crab, *Chionoecetes opilio* (Crustacea: Majidae), in the southern Gulf of St. Lawrence, Canada. *Canadian Journal of Zoology*, 76(11): 2040-2048.

- Moulton, V.D. and J.W. Lawson. 2002. Seals, 2001. Pp. 3-1 to 3-48. In: W.J. Richardson (ed.). *Marine Mammal and Acoustical Monitoring of WesternGeco's Open-water Seismic Program in the Alaskan Beaufort Sea, 2001*. Report TA2564-3 from LGL Limited, King City, ON, and Greeneridge Sciences Inc., Santa Barbara, CA, for Western Geophysical, Houston, TX, and National Marine Fisheries Service, Anchorage, AK, and Silver Spring, MD.
- Moulton, V.D. and B.D. Mactavish. 2004. Recommended seabird and marine mammal observational protocols for Atlantic Canada. Report SA775-1 by LGL Limited, St. John's, NL, for Environmental Studies Research Funds, Calgary, AB. *Environmental Studies Research Funds*, No. 156: 71 pp.
- Moulton, V.D., B.D. Mactavish and R.A. Buchanan. 2005. *Marine Mammal and Seabird Monitoring of Chevron Canada Resources' 3-D Seismic Program on the Orphan Basin, 2004*. LGL Report SA817 by LGL Limited, St. John's, NL, for Chevron Canada Resources, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, and Imperial Oil Resources Ventures Ltd., Calgary, AB. 90 pp. + Appendices.
- Moulton, V.D., B.D. Mactavish, R.E. Harris and R.A. Buchanan. 2006a. *Marine Mammal and Seabird Monitoring of Chevron Canada Limited's 3-D Seismic Program on the Orphan Basin, 2005*. LGL Report SA843 by LGL Limited, St. John's, NL, for Chevron Canada Limited, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, and Imperial Oil Resources Ventures Ltd., Calgary, AB. 109 pp. + Appendices.
- Moulton, V.D., B.D. Mactavish and R.A. Buchanan. 2006b. *Marine Mammal and Seabird Monitoring of ConocoPhillips' 3-D Seismic Program, Laurentian Sub-basin, 2005*. LGL Report SA849 by LGL Limited, St. John's, NL, for ConocoPhillips Canada Resources Corporation, Calgary, AB. 97 pp.
- Murphy, S.M., R.H. Day, J.A. Wiens and K.R. Parker. 1997. Effects of the *Exxon Valdez* oil spill on birds: Comparisons of pre- and post-spill surveys in Prince William Sound, Alaska. *Condor*, 99: 299-313.
- Musick, J.A., D.E. Barnard and J.A. Keinath. 1994. Aerial estimates of seasonal distribution and abundance of sea turtles near the Cape Hatteras faunal barrier. In: B.A. Schroeder and B.E. Witherington (eds.). Proceedings of the 13th Annual Symposium on Sea Turtle Biology and Conservation, *NOAA Technical Memorandum*, NMFS-SEFSC-341: 281 pp.
- Myers, R.A., N.J. Barrowman, G. Mertz, J. Gamble and H.G. Hunt. 1994. Analysis of continuous plankton recorder data in the Northwest Atlantic, 1959-1992. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 1966: iii + 246 pp.

- NAFO (Northwest Atlantic Fisheries Organization). 2008. Scientific Council Meeting, Report of the NAFO Scientific Council. Working Group on Ecosystem Approach to Fisheries Management (WGEAFM). NAFO Headquarters, Dartmouth, Canada, 26-30 May 2008. *NAFO Science Council Secretariat Document*, 08/10: 70 pp.
- NAFO (Northwest Atlantic Fisheries Organization). 2009. *STATLANT 21A datasets for 1985 – 2004*. Accessed September 2009. Available at URL: <http://www.nafo.int/publications/frames/fisheries.html>
- Nakashima, B.S. and J.P. Wheeler. 2002. Capelin (*Mallotus villosus*) spawning behaviour in Newfoundland waters – The interaction between beach and demersal spawning. *ICES Journal of Marine Science*, 59: 909-916.
- Narayanan, S., S. Prinsenbergh and P.C. Smith. 1996. Current meter observations from the Labrador and Newfoundland Shelves and comparisons with barotropic model predictions and IIP surface currents. *Atmosphere-Ocean*, 34(1): 227-25.
- NAS (National Academy of Sciences). 1985. *Oil in the Sea: Impacts, Fates and Effects*. National Academy Press, Washington, DC. xx + 602 pp.
- National Centers for Environmental Prediction. 2010. Daily Mean Composites - Re-analysis Data on the Earth System Research Laboratory. Available at: <http://www.esrl.noaa.gov/psd/data/composites/day/>,
- Natural Resources Canada. 2007. *Earthquakes in or near Canada, 1627-2007*. Via Natural Resources Canada website, Available at URL: [http://earthquakescanada.nrcan.gc.ca/historic\\_eq/images/caneqmap\\_e.pdf](http://earthquakescanada.nrcan.gc.ca/historic_eq/images/caneqmap_e.pdf)
- Natural Resources Canada. 2008. *Earthquakes Canada Website*. Earth Sciences Sector, Ottawa, On. Available at URL: <http://earthquakescanada.nrcan.gc.ca/histor/20th-eme/1929/1929-eng.php>.
- NEB (National Energy Board, Canada-Newfoundland and Labrador Offshore Petroleum Board and Canada-Nova Scotia Offshore Petroleum Board). 2008. *Offshore Physical Environment Guidelines*. vii + 28 pp. + Appendices.
- NEB (National Energy Board, Canada-Newfoundland Offshore Petroleum Board and Canada-Nova Scotia Offshore Petroleum Board). 2009. *Offshore Chemical Selection Guidelines for Drilling and Production Activities on Frontier Lands*. iii + 13 pp.
- NEB (National Energy Board, Canada-Newfoundland Offshore Petroleum Board, and Canada-Nova Scotia Offshore Petroleum Board). 2010. *Offshore Waste Treatment Guidelines*. vi + 28 pp.
- NEB (National Energy Board, Canada-Newfoundland and Labrador Offshore Petroleum Board and Canada-Nova Scotia Offshore Petroleum Board). 2011. *Environmental Protection Plan Guidelines*. viii + 20 pp.

- Neff, J.M. 2002. Bioaccumulation in Marine Organisms: Effect of Contaminants from Oil Well Produced Water. Elsevier Science Ltd., Oxford, UK. xv + 452 pp.
- Neff, J.M. 2005. Composition, Environmental Fates, and Biological Effects of Water-based Drilling Muds and Cuttings Discharged to the Marine Environment: A Synthesis and Annotated Bibliography. Prepared for Petroleum Environmental Research Forum (PERF) and American Petroleum Institute, MA. Vi + 73 pp.
- Nelson, D. and J. Lien. 1996. The status of the long-finned pilot whale, *Globicephala melas*, in Canada. *Canadian Field-Naturalist*, 110: 511-524.
- Nettleship, D.N. 1980. *A Guide to the Major Seabird Colonies of Eastern Canada*. Canadian Wildlife Service MS Report. 133 pp.
- Newcombe, C.P. and J.O. Jensen. 1996. Channel suspended sediments and fisheries: A synthesis for quantitative assessment of risk and impact. *North American Journal of Fisheries Management*, 16(4): 693-727.
- Newfoundland Geosciences Limited. 1988. Field Report on Geotechnical Investigation, GBS Site. 1988 Offshore Site Surveys, Hibernia Development Project. Report to Mobil Oil Canada Properties Ltd.
- Newfoundland Geosciences Limited. 1989a. *Near-shore Site, Great Mosquito Cove, Bull Arm, Trinity Bay, Geotechnical Report*. Report to Mobil Oil Canada Properties Ltd.
- Newfoundland Geosciences Limited. 1989b. *Preliminary Study Bull Arm. Final Report*.
- Newfoundland Geosciences Limited. 1990. Water and Sediment Parameter Data: Analysis of Environmental Parameters from Proposed GBS Construction Area, Great Mosquito Cove and Bull Arm, Trinity Bay, Newfoundland. St. John's, NL.
- Newfoundland Geosciences Limited. 1991. Supplementary Geotechnical Investigation, Great Mosquito Cove, Bull Arm, Newfoundland. Report to NODECO.
- Newfoundland and Labrador Heritage. 2000. *Natural Environment, Landscape, Geological Hazards Website*. Available at URL: <http://www.heritage.nf.ca/environment/tablemap4.html>
- Nightingale, B. and C. Simenstad. 2002. *Artificial Night-lighting Effects on Salmon and Other Fishes in the Northwest*. Ecological Consequences of Artificial Night Lighting Conference, February 23-24, 2002, sponsored by The Urban Wildlands Group and the UCLA Institute of the Environment.
- NLDEC (Newfoundland and Labrador Department of Environment and Conservation). 2010. *2009 Ambient Air Quality Report*. Available at: [http://www.env.gov.nl.ca/env/publications/env\\_protection/2009\\_air\\_quality\\_annual\\_report.pdf](http://www.env.gov.nl.ca/env/publications/env_protection/2009_air_quality_annual_report.pdf)



- NMFS (US National Marine Fisheries Service). 1995. Small takes of marine mammals incidental to specified activities: Offshore seismic activities in southern California. *Federal Registry*, 60(200): 53753-53760.
- NMFS (US National Marine Fisheries Service). 1998. *Recovery Plan for the Blue Whale (Balaenoptera musculus)*. Prepared by R.R. Reeves, P.J. Clapham, R.L. Brownell, Jr. and G.K. Silber for the National Marine Fisheries Service, Silver Spring, MD. 42 pp.
- NMFS (US National Marine Fisheries Service). 2000a. Small takes of marine mammals incidental to specified activities; Marine seismic-reflection data collection in southern California. *Federal Registry*, 65(20): 16374-16379.
- NMFS (US National Marine Fisheries Service). 2000b. Taking and importing marine mammals; Taking marine mammals incidental to Naval activities / proposed rule. *Federal Registry*, 65(239 12 December): 77546-77553.
- NOAA (National Oceanic and Atmospheric Administration) Coastal Services Center Archive. No Date. *Storm Tracks of Tropical Systems*.
- NOAA (National Oceanic and Atmospheric Administration). 2006. *Small Diesel Spills (500-5000 gallons)*. Available at URL: [http://response.restoration.noaa.gov/book\\_shelf/974\\_diesel.pdf](http://response.restoration.noaa.gov/book_shelf/974_diesel.pdf)
- NOAA (National Oceanic and Atmospheric Administration). 2009. *National Geophysical Data Center Coastline Extractor Website*. Available at URL: <http://www.ngdc.noaa.gov/mgg/shorelines/>.
- Nolte, K.G. and M.E. Trethart. 1971. *North Atlantic Sea Ice Survey*. AMOCO Canada Petroleum Co. Ltd., Calgary, AB.
- NORDCO Ltd. 1977. *Analysis of Laser Profilometry of Sea Ice*. NORDCO Ltd., St. John's, NL.
- Nowacek, D.P., L.H. Thorne, D.W. Johnston and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2): 81-115.
- NRC (National Research Council) 2002. National Research Council (NRC) Committee on oil in the sea: Inputs, fates, and effects. US National Academy of Sciences, *Spill Science and Technology Bulletin*, 7(5-6): 197-199.
- NRC (National Research Council). 2003. *Oil in the Sea III: Inputs, Fates, and Effects*. Committee on Oil in the Sea: Inputs, Fates, and Effects, Ocean Studies Board and Marine Board, Divisions of Earth and Life Studies and Transportation Research Board. National Academies Press. Washington, DC. 265 pp.

- NSF (National Science Foundation) and L-DEO (Lamont-Doherty Earth Observatory). 2006a. Draft Environmental Assessment of the Batholiths Marine Seismic Survey, Inland Waterways and Near-offshore, Central Coast of British Columbia. LGL Report TA2822-32 prepared by LGL Limited, environmental research associates, Sidney, BC.
- NSF (National Science Foundation) and L-DEO (Lamont-Doherty Earth Observatory). 2006b. Request by Lamont-Doherty Earth Observatory for an Incidental Harassment Authorization to Allow the Incidental Take of Marine Mammals during Seismic Testing in the Northern Gulf of Mexico, Fall 2006. LGL Report TA4295-1.
- Oceans Ltd. 1999. *Currents at Hebron D-94 January 06 – April 23, 1999*. Prepared for Jeanne d'Arc Basin Operations.
- O'Driscoll, R.L. G.A. Rose, J.T. Anderson and F. Mowbray. 2000. Spatial association between cod and capelin: A perspective on the inshore-offshore dichotomy. *Canadian Science Advisory Secretariat Research Document*, 2000/083: 23 pp.
- O'Hara, J. and J.R. Wilcox. 1990. Avoidance responses of loggerhead turtles, *Caretta caretta*, to low frequency sound. *Copeia*, 1990(2): 564-567.
- O'Hara, P.D. and L.A. Morandin. 2010. Effects of sheens associated with offshore oil and gas development on the feather microstructure of pelagic seabirds. *Marine Pollution Bulletin*, 60: 672-278.
- Ollerhead, L.M.N., M.J. Morgan, D.A. Scruton and B. Marrie. 2004. Mapping spawning times and locations for 10 commercially important fish species found on the Grand Banks of Newfoundland. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2522: iv + 45 pp.
- Olsgård, F. and J.S. Gray. 1995. A comprehensive analysis of the effects of offshore oil and gas exploration and production on the benthic communities of the Norwegian Continental Shelf. *Marine Ecology Progress Series*, 122: 388-306.
- Oropesa, A-L., M. Pérez-López, D. Hernández, J-Pablo García, L-Eusebio Fidalgo, A. López-Beceiro and F. Soler. 2007. Acetylcholinesterase activity in seabirds affected by the Prestige oil spill on the Galician coast (NW Spain). *Science of the Total Environment*, 372: 532-538.
- Osborne, J. and J. Roberts. 1983. *Identification of Shellfish Harvesting Areas of Coastal Newfoundland*. Prepared for Environmental Protection Service, Environment Canada.
- Ottensmeyer, C.A. and H. Whitehead. 2003. Behavioural evidence for social units in long-finned pilot whales. *Canadian Journal of Zoology*, 81: 1327-1338.
- Overland, J.E. 1990. Prediction of vessel icing for near-freezing sea temperatures. *Weather and Climate*, 5: 62-77.

- Overland, J.E., C.H. Pease, R.W. Preisendorfer and A.L. Comiskey. 1986. Prediction of vessel icing. *Journal of Climate and Applied Meteorology*, 25: 1793-1806.
- PAL (Provincial Aerospace Limited) Environmental Services. No Date. *Iceberg Sighting Database 1989 to 2008*.
- PAL (Provincial Aerospace Limited Environmental Services). 2000. *The 2000 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2001. *The 2001 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2002. *The 2002 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2003. *The 2003 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2004. *The 2004 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2005. *The 2005 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2006. *The 2006 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited Environmental Services). 2007. *The 2007 Ice Season Report for the Grand Banks of Newfoundland*. St. John's, Newfoundland and Labrador: The Grand Banks Joint Operators.
- PAL (Provincial Aerospace Limited) Environmental Services. 2008. *The 2008 Ice Season Report for the Grand Banks of Newfoundland*. The Grand Banks Joint Operators, St. John's, NL.
- Palka, D., A.J. Read and C.W. Potter. 1997. Summary of knowledge of white-sided dolphins (*Lagenorhynchus acutus*) from US and Canadian Atlantic waters. *Report of the International Whaling Commission*, 47: 729-734.
- Palka, D., A.J. Read, A.J. Westgate and D.W. Johnston. 1996. Summary of current knowledge of harbour porpoises in US and Canadian Atlantic waters. *Report of the International Whaling Commission*, 46: 559-565.
- Parnell, J.F., M.A. Shield and D. Frierson, Jr. 1984. Hatching success of Brown Pelican eggs after contamination with oil. *Colonial Waterbirds*, 7: 22-24.

- Parrott, D.R., C.F.M. Lewis, E. Banke, G.B.J. Fader and G.V. Sonnichsen. 1990. Seabed disturbance by a recent (1989) iceberg grounding on the Grand Banks of Newfoundland. *Geological Survey of Canada Paper*, 90-1B: 43-48.
- Parry, G.D. and A. Gason. 2006. The effect of seismic surveys on catch rates of rock lobsters in western Victoria, Australia. *Fisheries Research*, 79: 272-284.
- Parsons, J.L. and J.E. Brownlie. 1981. Distribution and abundance of marine mammals of the Grand Banks, 1980-1981. In: MacLaren Plansearch. *Grand Banks Wildlife Study, Final Report: Chapter 4*, Report for Mobil Oil Canada Ltd.
- Patenaude, N.J., W.J. Richardson, M.A. Smultea, W.R. Koski, G.W. Miller, B. Würsig and C.R. Greene, Jr. 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. *Marine Mammal Science*, 18(2): 309-335.
- Payne, J.F. 2004. Potential effect of seismic surveys on fish eggs, larvae and zooplankton. *Canadian Science Advisory Secretariat Research Document*, 2004/125: ii + 12 pp.
- Payne, J.F., C.A. Andrews, L.L. Fancey, A.L. Cook and J.R. Christian. 2007. Pilot study on the effect of seismic air gun noise on lobster (*Homarus americanus*). *Environmental Studies Research Fund Report*, No. 171: 34 pp.
- Payne, J.F., J. Coady and D. White. 2009. Potential effects of seismic airgun discharges on monkfish eggs (*Lophius americanus*) and larvae. *Environmental Studies Research Funds Report*, No. 170, 32 pp.
- Peakall, D.B., D.J. Hallet, J.R. Bend, G.L. Foureman and D.S. Miller. 1982. Toxicity of Prudhoe Bay crude oil and its aromatic fractions to nestling Herring Gulls. *Environmental Research*, 27: 206-215.
- Peakall, D.B., D.J. Hallet, D.S. Miller, R.G. Butler and W.B. Kinter. 1980. Effects of ingested crude oil on Black Guillemots: A combined field and laboratory study. *Ambio*, 9: 28-30.
- Peakall, D.B., J. Tremblay, W.B. Kinter and D.S. Miller. 1981. Endocrine dysfunction in seabirds caused by ingested oil. *Environmental Research*, 24: 6-14.
- Pearce, C.M., J.L. Manuel, S.M. Gallagher, D.A. Manning, R.K. O'Dor and E. Bourget. 2004. Depth and timing of settlement of veligers from different populations of giant scallop, *Placopectin magellanicus* (Gmelin), in thermally stratified mesocosms. *Journal of Experimental Marine Biology*, 312: 187-214.
- Pearson, W.H., J.R. Skalski and C.I. Malme. 1992. Effects of sound from a geophysical survey device on behaviour of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49: 1343-1356.

- Peddicord, R.K. 1980. Direct effects of suspended sediments on aquatic organisms. In: R.A. Baker (ed.). *Contaminants and Sediments - Volume 1: Fate and Transport, Case Studies, Modelling, Toxicity*, Ann Arbor Science, Ann Arbor, MI. EPA-600/J-80-154. 576 pp.
- Pepin, P. and M. Paranjape. 1996. Summary of biological oceanographic variables in the Newfoundland region. *DFO Atlantic Fisheries Research Document*, No. 96/2: 8 pp. + Figures.
- Pereira, J.J., R. Goldberg, J.J. Ziskowski, P.L. Berrien, W.W. Morse and D.L. Johnson. 1999. Essential fish habitat source document: Winter flounder, *Pseudopleuronectes americanus*, life history and habitat characteristics. *NOAA Technical Memorandum*, NMFS-NE-138: v + 39 pp.
- Pérez-López, M., F. Cid, A.L. Oropesa, L.E. Fidalgo, A.L. Beceiro and F. Soler. 2006. Heavy metal and arsenic content in seabirds affected by the *Prestige* oil spill on the Galician Coast (NW Spain). *Science of the Total Environment*, 359: 209-220.
- Perkins, J. and H. Whitehead. 1977. Observations on three species of baleen whales off northern Newfoundland and adjacent waters. *Journal of the Fisheries Research Board of Canada*, 34: 1436-1440.
- Perrie, W., J. Jiang, Z. Long, B. Toulany and W. Zhang. 2004. *NW Atlantic Wave Estimates and Climate Change*. 8<sup>th</sup> International Workshop on Wave Hindcasting and Forecasting, November 14-19, North Shore, Oahu, HI.
- Petrie, B. 1991. Current meter and tide gauge observations from Avalon Channel, 1980-1981. *Canadian Data Report of Hydrography and Ocean Sciences*, 102: v + 89 pp.
- Petrie, B. and C. Anderson. 1983. Circulation on the Newfoundland Continental Shelf. *Atmosphere-Ocean*, 21(2): 206-207.
- Petro-Canada. 1995. Development Application – Terra Nova Development: Environmental Impact Statement. Terra Nova Proponents.
- Petro-Canada. 1997. *Development Application: Terra Nova Development. Environmental Impact Statement – Addendum*. Prepared by Jacques Whitford Environment Limited for Petro-Canada. St. John's, NL.
- Petro-Canada. 1998. *Terra Nova Baseline Characterization Data Report*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL. 17 pp + Appendices.
- Petro-Canada. 2001. *2000 Terra Nova Environmental Effects Monitoring Program*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL. 147 pp. + Appendices.
- Petro-Canada. 2002. *2001 Terra Nova Environmental Effects Monitoring Program*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL. 194 pp. + Appendices.

- Petro-Canada. 2003. 2002 *Terra Nova Environmental Effects Monitoring Program*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL. 235 pp. + Appendices.
- Petro-Canada. 2005. 2004 *Terra Nova Environmental Effects Monitoring Program*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL.
- Petro-Canada. 2007. 2006 *Terra Nova Environmental Effects Monitoring Program*. Prepared by Jacques Whitford Environment Limited for Petro-Canada, St. John's, NL.
- Piatt, J.F., C.J. Lensink, W. Butler, M. Kendziorek and D.R. Nysewander. 1990. Immediate impact of the *Exxon Valdez* oil spill on marine birds. *Auk*, 107: 387-397.
- Piatt, J.F., D.A. Methven, A.E. Burger, R.L. McLagan, V. Mercer and E. Creelman. 1989. Baleen whales and their prey in a coastal environment. *Canadian Journal of Zoology*, 67: 1523-1530.
- Piatt, J.F. and D.N. Nettleship. 1987. Incidental catch of marine birds and mammals in fishing nets off Newfoundland, Canada. *Marine Pollution Bulletin*, 18: 344-349.
- Pinsent, D. and D.A. Methven. 1997. Protracted spawning of Atlantic cod (*Gadus morhua*) in Newfoundland waters: Evidence from otolith microstructure. *Canadian Journal of Fisheries and Aquatic Sciences*, 54(Supplement 1): 19-24.
- Pitt, T.K. 1969. Migration of American plaice on the Grand Bank and in St. Mary's Bay, 1954, 1959 and 1961. *Journal of the Fisheries Research Board of Canada*, 26(5): 1301-1319.
- Pitt, T.K. 1973. Food of the American plaice (*Hippoglossoides platessoides*) from the Grand Bank, Newfoundland. *Journal of the Fisheries Research Board of Canada*, 30: 1261-1273.
- Plotkin, P.T. (Editor). 1995. National Marine Fisheries Service and US Fish and Wildlife Service Status Reviews for Sea Turtles Listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, MD. vi + 139 pp.
- Polar Gas Project. 1977. Application to National Energy Board. Volume 5, Part A. Environmental Statement. Prepared by Polar Gas Project, Toronto, ON.
- Poot, H., B.J. Ens, H. de Vries, M.A.H. Donners, M.R. Wernand and J.M. Marquenic. 2008. Green light for nocturnally migrating birds. *Ecology and Society*, 13(2): 47. Available at <http://www.ecologyandsociety.org/vol13/iss2/art47/>.
- Pople, A.R., R.D. Simpson and S.C. Cairns. 1990. An incident of Southern Ocean oil pollution: Effects of a spillage of diesel fuel on the rocky shore of Macquarie Island (Sub-Antarctic). *Australian Journal of Marine and Freshwater Research*, 41(5): 603-620.

- Pople, A.R., R.D. Simpson and S.D.A. Smith. 1995. The effects of a spillage of diesel fuel on a rocky shore in the sub-Antarctic region (Macquarie Island). *Marine Pollution Bulletin*, 31(4-12): 367-371.
- Prinsenbergh, S.J., J.S. Holladay and L.A. Lalumiere. 1993. Electromagnetic / radar ice and snow sounding project over the Newfoundland Shelf in 1992. *Canadian Technical Report of Hydrography and Ocean Sciences*, No. 144: vii + 59 pp.
- Proctor, N.S. and P.J. Lynch. 2005. A Field Guide to North Atlantic Wildlife: Marine Mammals, Seabirds, Fish, and Other Sea Life. Yale University Press, New Haven, CT. 256 pp.
- Querbach, K, G. Maillet, P.J. Cranford, C. Taggart, K. Lee and J. Grant. 2005. Potential effects of produced water discharges on the early life stages of three resource species. Pp. 343-371. In: S.L. Armworthy, P.J. Cranford and K. Lee (eds). *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*, Battelle Press, Columbus, OH. 631 pp.
- Rahmstorf, S. 2010. A new view on sea level rise. *Nature*, 4: 44-45. Available at URL: <http://www.nature.com/climate/2010/1004/pdf/climate.2010.29.pdf>
- Ramamurthy, V.D. 1991. Effects of oil pollution on bio-ecology and fisheries on certain enclosed coastal regions of the Arabian Sea. *Marine Pollution Bulletin*, 23: 239-245.
- Read, A.J. 1999. Harbour porpoise *Phocoena phocoena*. Pp. 323-355. In: S.H. Ridgway and R.J. Harrison (eds.). *Handbook of Marine Mammals. Volume 6: The Second Book of Dolphins and Porpoises*, Academic Press, San Diego, CA. 486 pp.
- Reeves, R.R., E. Mitchell and H. Whitehead. 1993. Status of the northern bottlenose whale, *Hyperoodon ampullatus*. *Canadian Field-Naturalist*, 107: 490-508.
- Reeves, R.R. and H. Whitehead. 1997. Status of the sperm whale, *Physeter macrocephalus*, in Canada. *Canadian Field-Naturalist*, 111: 293-307.
- Reyff, J.A., P.P. Donovan and C.R. Greene, Jr. 2002. Underwater Sound Levels Associated with Construction of the Benicia-Martinez Bridge: Preliminary Results based on Measurements made during the Driving of 2.4-m Steel-shell Piles. Report prepared by Illingworth and Rodkin, Inc.
- Rice, S.D. 1985. Effects of oil on fish. Pp: 157-182. In: F.R. Engelhardt (ed.). *Petroleum Effects in the Arctic Environment*, Elsevier Science Publishing Co., NY. xxiv + 282 pp.
- Rice, S.D., M.M. Babcock, C.C. Brodersen, M.G. Carls, J.A. Gharrett, S. Korn, A. Moles and J.W. Short. 1987. *Lethal and Sub-lethal Effects of the Water-soluble Fraction of Cook Inlet Crude on Pacific Herring (Clupea harengus pallasii) Reproduction*. Final Report, US Department of Commerce, NOAA Technical Memorandum, NMFS F/NWC-111: 63 pp.

- Richardson, W.J., R.A. Davis, C.R. Evans, D.K. Ljungblad and P. Norton. 1987. Summer distribution of bowhead whales, *Balaena mysticetus*, relative to oil industry activities in the Canadian Beaufort Sea, 1980-84. *Arctic*, 40(2): 93-104.
- Richardson, W.J., M.A. Fraker, B. Würsig and R.S. Wells. 1985a. Behaviour of bowhead whales *Balaena mysticetus* summering in the Beaufort Sea: Reactions to industrial activities. *Biology Conservation*, 32(3): 195-230.
- Richardson, W.J., C.R. Greene, Jr., C.I. Malme and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, San Diego, CA. 576 pp.
- Richardson, W.J., G.W. Miller and C.R. Greene, Jr. 1999. Displacement of migrating bowhead whales by sounds from seismic surveys in shallow waters of the Beaufort Sea. *Journal of the Acoustical Society of America*, 106(4, Pt. 2): 2281.
- Richardson, W.J., R.S. Wells and B. Würsig. 1985b. Disturbance responses of bowheads, 1980-84. Pp. 89-196. In: W.J. Richardson (ed.). *Behavior, Disturbance Responses and Distribution of Bowhead Whales Balaena mysticetus in the Eastern Beaufort Sea, 1980-84*. Report from LGL Ecological Research Associates, Inc., Bryan, TX, for US Minerals Management Service, Reston, VA. *OCS Study MMS, 85-0034*: 306 pp.
- Richardson, W.J. and M.T. Williams (Editors). 2004. *Monitoring of Industrial Sounds, Seals, and Bowhead Whales near BP's Northstar oil Development, Alaskan Beaufort Sea, 1999-2003*. Report from LGL Ltd. (King City, ON), Greeneridge Sciences Inc. (Santa Barbara, CA), and WEST Inc. (Cheyenne, WY), for BP Explor. (Alaska) Inc., Anchorage, AK, and US National Marine Fisheries Service, Anchorage, AK, and Silver Spring, MD.
- Richardson, W.J., B.W. Würsig and C.R. Greene, Jr. 1990. Reactions of bowhead whales, *Balaena mysticetus*, to drilling and dredging noise in the Canadian Beaufort Sea. *Marine Environmental Research*, 29(2): 135-160.
- Richter, C.F., S.M. Dawson and E. Slooten. 2003. Sperm whale watching off Kaikoura, New Zealand: Effects of current activities on surfacing and vocalisation patterns. Department of Conservation, Wellington. *Science for Conservation*, 219: 78 pp. Available at URL: <http://www.doc.govt.nz/Publications/004~Science-and-Research/Science-for-Conservation/PDF/SFC219.pdf>
- Ridgway, S.H., E.G. Wever, J.G. McCormick, J. Palin and J.H. Anderson. 1969. Hearing in the giant sea turtle, *Chelonia mydas*. *Proceedings of the National Academy of Science US*, 64: 884-890.
- Riffaut, L., K.D. McCoy, C. Tirard, V.L. Friesen and T. Boulinier. 2005. Population genetics of the Common Guillemot *Uria aalge* in the North Atlantic: Geographic impact of oil spills. *Marine Ecology Progress Series*, 291: 263-273.



- Robertson, G.J. 2002. Current status of the Manx Shearwater (*Puffinus puffinus*) colony on Middle Lawn Island, Newfoundland. *Northeastern Naturalist*, 9: 317-324.
- Robertson, G.J. and R.D. Elliot. 2002. Changes in seabird populations breeding on Small Island, Wadham Islands, Newfoundland. *Canadian Wildlife Service, Atlantic Region, Technical Report Series*, No. 381.
- Robertson, G.J., D. Fifield, M. Massaro and J.W. Chardine. 2001. Changes in nesting-habitat use of large gulls breeding in Witless Bay, Newfoundland. *Canadian Journal of Zoology*, 79: 2159-2167.
- Robertson, G.J., J. Russell and D. Fifield. 2002. Breeding population estimates for three Leach's Storm-Petrel colonies in southeastern Newfoundland, 2001. *Canadian Wildlife Service, Atlantic Region Technical, Report Series*, No. 380.
- Robertson, G.J., S.I. Wilhelm and P.A. Taylor. 2004. Population size and trends of seabirds breeding on Gull and Great Islands, Witless Bay Islands Ecological Reserve, Newfoundland, up to 2003. *Canadian Wildlife Service, Atlantic Region, Technical Report Series*, No. 418.
- Robinson, C.L.K. and I.D. Cuthbert. 1996. *The Impacts of Backshore Developments on Nearshore Biota and their Habitats*. (No. 2432/WP1192n). Triton Environmental Consultants Ltd., Nanaimo, BC.
- Rodway, M.S., H.M. Regehr and J.W. Chardine. 2003. Status of the largest breeding concentration of Atlantic Puffins, *Fratercula arctica*, in North America. *Canadian Field-Naturalist*, 117: 70-75.
- Rolls-Royce Marine. *Platform Supply Vessel, UT705 – Acadian Sea, 1991*. Available at URL: <http://www.secunda.com/ships/acadian.pdf>
- Royal Society of Canada. 2004. *Report of the Expert Panel on Science Issues Related to Oil and Gas Activities, Offshore British Columbia*. An Expert Panel Report prepared by The Royal Society of Canada at the request of Natural Resources Canada, Ottawa, ON. xx + 155 pp.
- Rudkin, P., T. King, F. Ralph and S.A. Stoermer. 2005. *Provincial Aerospace Limited (PAL) Investigations into the Increased Sightings of Ice Islands in the North Atlantic*. Port and Ocean Engineering under Arctic Conditions Conference (POAC '05), Potsdam, NY.
- Russell, J. 2008. Population Estimate for the Colony of Leach's Storm-Petrels (*Oceanodroma leucorhoa*) Breeding on Green Island, Fortune Bay, Southeastern Newfoundland in 2008. Fisheries and Oceans Canada internal report.
- Russell, R.W. (Editor). 2005. Interactions between migrating birds and offshore oil and gas platforms in the northern Gulf of Mexico: Final report. US Department of the Interior, Minerals Management Service, *OCS Study MMS, 2005-009*: 348 pp.
- Rutherford, R.J. and H. Breeze. 2002. The Gully ecosystem. *Canadian Manuscript Report of Fisheries and Aquatic Sciences*, 2615: vi + 28 pp.

- Sainte-Marie, B. 1993. Reproductive cycle and fecundity of primiparous and multiparous female snow crab, *Chionoecetes opilio*, in the Northwest Gulf of St. Lawrence. *Canadian Journal of Fisheries and Aquatic Sciences*, 50(10): 2147-2156.
- Sanders, H.L., J.F. Grassle, G.R. Hampson, L.S. Morse, S. Garner-Price and C.C. Jones. 1980. Anatomy of an oil spill: Long-term effects from the grounding of the barge Florida off West Falmouth, Massachusetts. *Journal of Marine Research*, 38: 265-380.
- SARA (*Species at Risk Act*). 2010. Species Profile: Basking Shark Atlantic Population. Available at URL: [http://www.sararegistry.goc.ca/species/SpeciesDetails\\_e.cfm?sid=976](http://www.sararegistry.goc.ca/species/SpeciesDetails_e.cfm?sid=976).
- Sardá, R., S. Pinedo, A. Gremare and S. Taboada. 2000. Changes in the dynamics of shallow sandy-bottom assemblages due to sand extraction in the Catalan Western Mediterranean Sea. *ICES Journal of Marine Science*, 57: 1446-1453.
- Sayle, S., M. Seymour and E. Hickey. 2001 *Assessment of Environmental Impacts from Drilling Muds and Cuttings Disposal, Offshore Brunei*. SPE International Conference on Health, Safety and Environment in Oil and Gas Exploration and Production, 20-22 March 2002, Kuala Lumpur, Malaysia. 13 pp.
- Scandpower A/S. 2000. *Blowout Frequencies 2000*. BlowFAM Edition. Report No. 27.20.01/R3.
- Schneider, D.C., J.-M. Gagnon and K.D. Gilkinson. 1987. Patchiness of epibenthic megafauna on the Outer Grand Banks of Newfoundland. *Marine Ecology Progress Series*, 36: 1-13.
- Schneider, D.C. and R.L. Haedrick. 1991. Post-mortem erosion of fine-scale spatial structure of epibenthic megafauna on the Outer Grand Bank of Newfoundland. *Continental Shelf Research*, 11: 8-10.
- Schwarz, A.L. and G.L. Greer. 1984. Responses of Pacific herring, *Clupea harengus pallasii* to some underwater sounds. *Canadian Journal of Fisheries and Aquatic Sciences*, 41: 1183-1192.
- Scott, W.B. and M.G. Scott. 1988. Atlantic Fishes of Canada. *Canadian Bulletin of Fishery and Aquatic Sciences*, 219: 731 pp.
- Seaconsult Ltd. 1988. *Physical Environmental Data for Production Systems at Terra Nova*. Prepared for Petro-Canada Inc., Calgary, AB.
- Seaconsult Ltd. 1991. Data Report: Current, Tide and Weather Data Collected in Bull Arm Between January 10 and March 19, 1991. Prepared for Newfoundland Offshore Development Constructors (NODECO).
- Sears, R., F. Wenzel and J.M. Williamson. 1987. *The Blue Whale: A Catalog of Individuals from the Western North Atlantic (Gulf of St. Lawrence)*. Mingan Island Cetacean Study, St. Lambert, QC. 27 pp.

- Sears, R., J.M. Williamson, F. Wenzel, M. Bérubé, D. Gendron and J. Jones. 1991. Photographic identification of the blue whale (*Balaenoptera musculus*) in the Gulf of St. Lawrence, Canada. *Report of the International Whaling Commission Special Issue*, 12: 335-342.
- Seiser, P.E., L.K. Duffy, A.D. McGuire, D.D. Roby, G.H. Golet and M.A. Litzow. 2000. Comparison of Pigeon Guillemot, *Cephus columba*, blood parameters from oiled and unoled areas of Alaska eight years after the *Exxon Valdez* oil spill. *Marine Pollution Bulletin*, 40: 52-164.
- Selzer, L.A. and P.M. Payne. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the Continental Shelf of the northeastern United States. *Marine Mammal Science*, 4: 141-153.
- Sergeant, D.E. 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. *Fisheries Research Board of Canada Circular*, No. 132: 1-82.
- Sergeant, D.E. 1963. Minke whales, *Balaenoptera acutorostrata* Lacepede, of the western North Atlantic. *Journal of the Fisheries Research Board of Canada*, 20: 1489-1504.
- Sergeant, D.E. 1991. Harp seals, man and ice. Canadian Special Publications of Fisheries and Aquatic Sciences, 114: 153 pp.
- Sergeant, D.E. and H.D. Fisher. 1957. The smaller cetacea of eastern Canadian waters. *Journal of the Fisheries Research Board of Canada*, 14(1): 83-115.
- Sergeant, D.E., A.W. Mansfield and B. Beck. 1970. Inshore records of cetacea for eastern Canada, 1949-68. *Journal of the Fisheries Research Board of Canada*, 27: 1903-1915.
- Shane, S.H., R.S. Wells and B. Würsig. 1986. Ecology, behavior and social organization of the bottlenose dolphin: A review. *Marine Mammal Science*, 2(1): 34-63.
- Sharp, B.E. 1996. Post-release survival of oiled, cleaned seabirds in North America. *Ibis*, 138: 222-228.
- Short, F.T., R.C. Davis, B.S. Kopp, C.A. Short and D.M. Burdick. 2002. Site-selection model for the optimal transportation of eelgrass, *Zostera marina*, in the northeastern US. *Marine Ecology Progress Series*, 227: 253-267.
- Sikorsky. 2007. Sikorsky S-76C++ Helicopter Executive Transport Technical Information.
- Simon, J.E., L.E. Harris and T.L. Johnson. 2003. Distribution and abundance of winter skate, *Leucoraja ocellata*, in the Canadian Atlantic. *Canadian Science Advisory Secretariat Research Document*, 2003/028: 67 pp.

- Simpson, M.R. and D.W. Kulka. 2002. Status of three wolffish species (*Anarhichus lupus*, *A. minor*, and *A. denticulatus*) in Newfoundland waters (NAFO Divisions 2GH3JKLNOP). *Canadian Science Advisory Secretariat Research Document*, 2002/078: 96 pp.
- Sjare, B., M. Lebeuf and G. Veinot. 2005a. Harbour seals in Newfoundland and Labrador: A preliminary summary of new data on aspects of biology, ecology and contaminant profiles. *Canadian Science Advisory Secretariat Resource Document*, 2005/030: 42 pp.
- Sjare, B., G.B. Stenson and S. Benjamins. 2005b. An update on harp seal (*Pagophilus groenlandicus*) by-catch estimates in the Newfoundland lumpfish fishery. *Canadian Science Advisory Secretariat Research Document*, 2005/049: 23 pp.
- Skalski, J.R., W.H. Pearson and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49(7): 1357-1365.
- Small, R.J., L.E. Lowry, J.M. Ver Hoef, K.J. Frost, R.L. DeLong and M.J. Rehberg. 2005. Differential movements by harbor seal pups in contrasting Alaska environments. *Marine Mammal Science*, 21(4): 671-694.
- Smith, S.C. 2001. Examination of Incidental Catch from the Canadian Atlantic Large Pelagic Longline Fishery. Prepared for Fisheries and Oceans Canada, Contract # F5238-000166.
- Smultea, M.A. and B. Würsig. 1995. Behavioral reactions of bottlenose dolphins to the *Mega Borg* oil spill, Gulf of Mexico 1990. *Aquatic Mammals*, 21: 171-181.
- Sommerville, H.J., D. Bennett, J.N. Davenport, M.S. Holt, A. Lynes, A. Mahieu, B. McCourt, J.G. Parker, R.R. Stephenson, R.J. Watkins and T.G. Wilkinson. 1987. Environmental effects of produced water from North Sea oil operations. *Marine Pollution Bulletin*, 18: 549-558.
- Sonnichsen, G.V. and E. Cumming. 1996. Shallow stratigraphy, sediment properties, and foundation stability in the Jeanne d'Arc Basin Discovery Areas. Pp. 181-188. In: 49<sup>th</sup> *Canadian Geotechnical Conference*, St. John's, NL.
- Sonnichsen, G.V. and E.L. King. 2005. Grand Bank seabed and shallow subsurface geology in relation to subsea engineering design. Pp. 11-27. In: R.N. Hiscott and A.J. Pulham (eds.). *Petroleum Resources and Reservoirs of the Grand Banks, Eastern Canadian Margin, Geological Association of Canada Special Paper*, 43: viii + 175 pp.
- Sonnichsen, G.V., K. Moran, C.F.M. Lewis and G.B.J. Fader. 1994. Regional seabed geology and engineering considerations for Hibernia and surrounding areas. *Energy Exploration and Exploitation*, 12(4): 325-345.

- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, Jr., D. Kastak, D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas and P.L. Tyack. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33: 411-521.
- Spotila, J.R. 2004. *Sea Turtles: A Complete Guide to their Biology, Behavior, and Conservation*. The Johns Hopkins University Press, Baltimore, MD. 227 pp.
- Spraker, T.R., L.F. Lowry and K.J. Frost. 1994. Gross necropsy and histopathological lesions found in harbor seals. Pp. 281-311. In: T.R. Loughlin (ed.). *Marine Mammals and the Exxon Valdez*, Academic Press, San Diego, CA. 395 pp.
- St. Aubin, D.J. 1990. Physiologic and toxic effects on polar bears. Pp. 235-239. In: J.R. Geraci and D.J. St. Aubin (eds.). *Sea Mammals and Oil: Confronting the Risks*, Academic Press, San Diego, CA. 282 pp.
- St. Aubin, D.J., J.R. Geraci, T.G. Smith and T.G. Friesen. 1985. How do bottlenose dolphins, *Tursiops truncatus*, react to oil films under different light conditions? *Canadian Journal of Fisheries and Aquatic Sciences*, 42: 430-436.
- Stanley, D.J. and N.P. James. 1971. Distribution of *Echinarachnius parma* (Lamarck) and associated fauna on Sable Island Bank, southeast Canada. *Smithsonian Contributions to Earth Science*, 6: 24 pp.
- Stantec Consulting Ltd. 2010a. *Bull Arm Marine Investigation - Geotechnical Report*. Report prepared for ExxonMobil Canada Properties, St. John's, NL.
- Stantec Consulting Ltd. 2010b. *Air Emissions and Air Dispersion Modelling Study, Hebron Project*. Prepared for ExxonMobil Canada Properties, St. John's, NL. iv + 31 pp. + Appendices. Stantec Consulting Ltd. 2011. *Bull Arm Marine Investigation Phase 2 - Geotechnical Report*. Report prepared for ExxonMobil Canada Properties, St. John's, NL.
- Stemp, R. 1985. Observations on the effects of seismic exploration on seabirds. Pp. 217-233 In: G.D. Greene, F.R. Engelhardt and R.J. Paterson (eds.). *Proceeding Workshop on Effects of Explosives Use in the Marine Environment, January, 1985, Halifax, NS*, Canadian Oil and Gas Lands Administration, Environmental Protection Branch, Ottawa, ON. *Technical Report*, 5: 398 pp.
- Stenhouse, I.J. 2004. *Canadian Management Plan for Ivory Gull (Pagophila eburnea)*. Canadian Wildlife Service, St. John's, NL. x + 22 pp.
- Stenhouse, I.J. and W.A. Montevecchi. 1999. Indirect effects of the availability of capelin and fishery discards: Gull predation on breeding storm-petrels. *Marine Ecology Progress Series*, 184: 303-307.

- Stenhouse, I.J., G.J. Robertson and W.A. Montevecchi. 2000. Herring Gull *Larus argentatus* predation on Leach's Storm-Petrels *Oceanodroma leucorhoa* breeding on Great Island, Newfoundland. *Atlantic Seabirds*, 2: 35-44.
- Stenson, G.B., M.O. Hammill, J.W. Lawson, J.F. Gosselin and T. Haug. 2005. 2004 pup production of harp seals, *Pagophilus groenlandicus*, in the Northwest Atlantic. *Canadian Science Advisory Secretariat Research Document*, 2005/037: 38 pp.
- Stenson, G.B. and D.J. Kavanagh. 1994. Distribution of harp and hooded seals in offshore waters of Newfoundland. *NAFO Science Council Studies*, 21: 121-142.
- Stenson, G.B. and B. Sjare. 1997. Seasonal distribution of harp seals, *Phoca groenlandica*, in the Northwest Atlantic. *ICES C.M.*: 10 pp.
- Stephenson, R. 1997. Effects of oil and other surface-active organic pollutants on aquatic birds. *Environmental Conservation*, 24: 121-129.
- Stevenson, D.K. and M.L. Scott. 2005. Essential fish habitat source document: Atlantic herring, *Clupea harengus*, life history and habitat characteristics, Second Edition. *NOAA Technical Memorandum*, NMFS-NE-192: vi + 84 pp.
- Stevick, P.T., J. Allen, P.J. Clapham, N.A. Friday, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsboll, J. Sigurjonsson, T.D. Smith, N. Oien and P.S. Hammond. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series*, 258: 263-273.
- Stevick, P.T., J. Allen, P.J. Clapham, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsboll, R. Sears, J. Sigurjonsson, T.D. Smith, G. Vikingsson, N. Oien and P.S. Hammond. 2006. Population spatial structuring on the feeding grounds in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology*, 270(2): 244-255.
- Stewart, B.S., W.E. Evans and F.T. Awbrey. 1982. *Effects of Man-made Waterborne Noise on Behavior of Beluga Whales (Delphinapterus leucas) in Bristol Bay, Alaska*. Report from Hubbs / Sea World Research Institute, San Diego, CA, for National Oceanic & Atmospheric Administration, Juneau, AK. *HSWRI Technical Report*, 82-145: 29 pp. + Figures + Tables.
- Stewart, B.S. and S. Leatherwood. 1985. Minke whale--*Balaenoptera acutorostrata*. Pp. 91-136. In: S.H. Ridgeway and R.J. Harrison (eds.). *Handbook of Marine Mammals, Volume 3: The Sirenians and Baleen Whales*, Academic Press. San Diego, CA. 330 pp.
- Stoffyn-Egli, P., G.V. Sonnichsen and A. Zawadski. 1992. Clay-size minerals and near-surface stratigraphy on the Northeastern Grand Banks, Newfoundland. Pp. 323-331. In: *Current Research, Part E. Geological Survey of Canada Paper*, 92-1E.

- Stone, C.J. and M.L. Tasker. 2006. The effects of seismic airguns on cetaceans in UK waters. *Journal of Cetacean Research and Management*, 8(3): 255-263.
- Stubblefield, W.A., G.A. Hancock, H.H. Prince and R.K. Ringer. 1995. Effects of naturally weathered *Exxon Valdez* crude oil on Mallard reproduction. *Environmental Toxicology and Chemistry*, 14: 1951-1960.
- Suncor Energy. No Date. Unpublished Seabird and Marine Mammals Observation Data.
- Sundt, R.C. and T. Baussant. 2003. Uptake, Tissue Distribution and Elimination of C4-C7 Alkylated Phenols in Cod: Dietary vs. Waterborne Exposure. RF-Akvamiljø-OLF, Report AM-2003/001: 27 pp.
- Swail, V.R., V.J. Cardone, M. Ferguson, D.J. Gummer, E.L. Harris, E.A. Orelup and A.T. Cox. 2006. *The MSC50 Wind and Wave Reanalysis*. 9th International Wind and Wave Workshop, September 25-29, Victoria, BC. 29 pp.
- Szaro, R.C., M.P. Dieter and G.H. Heinz. 1978. Effects of chronic ingestion of South Louisiana crude oil on Mallard ducklings. *Environmental Research*, 17: 426-436.
- Szaro, R.C., G. Hensler and G.H. Heinz. 1981. Effects of chronic ingestion of No. 2 fuel oil on Mallard ducklings. *Journal of Toxicology and Human Health*, 7: 789-799.
- Tasker, M.L., P.H. Jones, T.J. Dixon and B.F. Blake 1984. Counting seabirds at sea from ships: A review of methods employed and a suggestion for a standardized approach. *Auk*, 101: 567-577.
- Taylor, B.B., J.F. Lewis and R.W. Ingersoll. 1993. Comparison of interpreted seismic profiles to geotechnical borehole data at Hibernia. Pp. 685-708. In: *Proceedings of the 4<sup>th</sup> Canadian Conference on Marine Geotechnical Engineering*, St. John's, NL.
- Teilmann, J., J. Carstensen, R. Dietz, S.M.C. Edrén and S.M. Andersen. 2006. *Final Report on Aerial Monitoring of Seals near Nysted Offshore Wind Farm*. Technical report to Energi E2 A/S by Ministry of Environment, Denmark. 41 pp.
- Teilmann, J., J. Tougaard and J. Carstensen. 2008. Effects from offshore wind farms on harbour porpoises in Denmark. Pp. 50-59. In: P.G.H. Evans (ed.). *Proceedings of the ASCOBANS / ECS Workshop, ECS Special Publication Series*, No. 49: 68 pp.
- Terraquest Associates. 1995. *Structural Contour Maps of the Shallow Seismostratigraphy, Northeast Grand Bank, Newfoundland*. Geological Survey of Canada (Atlantic), Bedford Institute of Oceanography, Open File Report 3128: 18 pp.
- Thomas, L., M.O. Hammill and B.W. Bowen. 2007. Estimated size of the Northwest Atlantic grey seal population 1977-2007. *Canadian Science Advisory Secretariat Research Document*, 2007/082: 31 pp.

- Thompson, D., M. Sjöberg, E.B. Bryant, P. Lovell and A. Bjørge. 1998. Behavioural and physiological responses of harbour (*Phoca vitulina*) and grey (*Halichoerus grypus*) seals to seismic surveys. Pp. 134. In: *Abstracts of the 12th Biennial Conference and World Marine Mammal Science Conference*, 20-25 January, Monte Carlo, Monaco. 160 pp.
- Thomson, D.H., R.A. Davis and T. Hillis. 1991. *Effects of Operational Discharges from Ships on Marine Life*. Report by LGL Limited, King City, ON, for Government Consulting Group, Ottawa, ON, and Canadian Coast Guard, Ottawa, ON. 30 pp.
- Todd, S., P.T. Stevick, J. Lien, F. Marques and D. Ketten. 1996. Behavioural effects of exposure to underwater explosions in humpback whales (*Megaptera novaeangliae*). *Canadian Journal of Zoology*, 74: 1661-1672.
- Topside Engineering. 1992. *Project Environmental Specifications*. Hibernia Management and Development Co. Inc.
- Tougaard J., J. Carstensen, O.D. Henriksen, H. Skov and J. Teilmann. 2003. *Short-term Effects of the Construction of Wind Turbines on Harbour Porpoises at Horns Reef*. Technical report to Techwise A/S, HME/362-02662. Hedeselskabet, Roskilde, Denmark. 72 pp.
- Tougaard J., J. Carstensen, J. Teilmann, H. Skov and P. Rasmussen. 2009. Pile driving zone of responsiveness extends beyond 20 km for harbour porpoises (*Phocoena phocoena* (L.)). *Journal of the Acoustical Society of America*, 126(1): 11-14.
- Trivelpiece, W.Z., R.G. Butler, D.S. Miller and D.B. Peakall. 1984. Reduced survival of chicks of oil-dosed adult Leach's Storm-petrels. *Condor*, 86: 81-82.
- Troisi, G.M. and L. Borjesson. 2005. Development of an immunoassay for the determination of polyaromatic hydrocarbons in plasma samples from oiled seabirds. *Environmental Science and Technology*, 39: 3748-3755.
- Trzcinski, M.K., S.L. Armsworthy, S. Wilson, R.K. Mohn, M. Fowler and S.E. Campana. 2009. Atlantic halibut on the Scotian Shelf and Southern Grand Banks (NAFO Divisions 3NOPs4VWX5Zc) – Industry / DFO longline survey and tagging results to 2008. *Canadian Science Advisory Secretariat Research Document*, 2009/026: vi + 43 pp.
- Tupper, M. 1994. Settlement and Post-settlement Processes in the Population Regulation of a Temperature Reef Fish: The Role of Energy. Ph.D. thesis, Dalhousie University, Halifax, NS.
- Tupper, M. and R.G. Boutilier. 1995a. Size and priority at settlement determine growth and competitive success of newly settled Atlantic cod. *Marine Ecology Progress Series*, 118: 295-300.
- Tupper, M. and R.G. Boutilier. 1995b. Effects of habitat on settlement, growth, and postsettlement survival of Atlantic cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Sciences*, 52: 1834-1841.



- Tupper, M. and R.G. Boutilier 1997. Effects of habitat on settlement, growth, predation risk and survival of a temperate reef fish. *Marine Ecology Progress Services*, 151: 225-236.
- Turnpenney, A.W. and J.R. Nedwell. 1994. *The Effects on Marine Fish, Diving Mammals and Birds of Underwater Sounds Generated by Seismic Surveys*. Report by FAWLEY Aquatic Research Laboratory Ltd. 40 pp + Appendices.
- United States Geological Survey, Conservation Division. 1979. *OCS Platform Verification Program*. Reston, VI.
- Urbán-Ramirez, J., L. Rojas Bracho, H. Pérez Cortés, A. Gómez Gallardo, S.L. Swartz, S. Ludwig and R.L. Brownell, Jr. 2003. A review of gray whales (*Eschrichtius robustus*) on their wintering grounds in Mexican waters. *Journal of Cetacean Research and Management*, 5(3): 281-295.
- URS Corporation. 2006. Seismic Hazard Study, Hebron Facility, Offshore Newfoundland, Canada. Prepared for ExxonMobil.
- US EPA (US Environmental Protection Agency). 2000. *Stationary Internal Combustion Sources and Stationary Gas Turbines, Section 3.1 AP-42*. Available at URL: <http://www.epa.gov/ttn/chief/ap42/ch03/index.html>.
- Van Dalssen, J.A., K. Essink, H. Toxvig Madsen, J. Birklund, J. Romero and M. Manzanera. 2000. Differential response of macrozoobenthos to marine sand extraction in the North Sea and the western Mediterranean. *ICES Journal of Marine Science*, 57: 1439-1445.
- Van Guelpen, L. and C.C. Davis. 1979. Seasonal movements of the winter flounder *Pseudopleuronectes americanus*, in two contrasting inshore locations in Newfoundland. *Transactions of the American Fisheries Society*, 108: 26-37.
- Vanderlaan, A.S.M. and C.T. Taggart. 2007. Vessel collisions with whales: The probability of lethal injury based on vessel speed. *Marine Mammal Science*, 23(1): 144-156.
- Vangilder, L.D. and T.J. Peterle. 1980. South Louisiana crude oil and DDE in the diet of Mallard hens: Effects on reproduction and duckling survival. *Bulletin Environment Contamination and Toxicology*, 25: 23-28.
- Varela, M., A. Bode, J. Lorenzo, M.T.A. Ivarez-Ossorio, A. Miranda, T. Patrocinio, R. Anadón, L. Viesca, N. Rodríguez, L. Valdés, J. Cabal, A. Urrutia, C. García-Soto, M. Rodríguez, M.A. Ivarez-Salgado and S. Groom. 2006. The effect of the "Prestige" oil spill on the plankton of the N-NW Spanish coast. *Marine Pollution Bulletin*, 53: 272-286.
- Vargo, S., P. Lutz, D. Odell, E. VanVleet and G. Bossart. 1986. *Study of the Effects of Oil on Marine Turtles*. Final report to Minerals Management Service MMS Contract No. 14-12-0001-30063. 181 pp.

- Veil, J.A., M.G. Puder, D. Elcock and R.J. Redweik, Jr. 2004. *A White Paper Describing Produced Water from Production of Crude Oil, Natural Gas, and Coal Bed Methane*. US Department of Energy, National Energy Technology Laboratory, Pittsburgh, PA. 79 pp.
- Velando, A., I. Munilla and P. M. Leyenda. 2005a. Short-term indirect effects of the *Prestige* oil spill on European shags: Changes in availability of prey. *Marine Ecology Progress Series*, 302: 263-274.
- Velando, A., D. Lvarez, J. Mourin, F. Arcos and I. Barros. 2005b. Population trends and reproductive success of the European shag *Phalacrocorax aristotelis* on the Iberian Peninsula following the *Prestige* oil spill. *Journal of Ornithology*, 146: 116-120.
- Vermeer, M. and S. Rahmstorf. 2009. Global sea level linked to global temperature. *Proceedings of the National Academy of Science*. USA 106, 21527-21532. Available at URL: <http://www.pnas.org/content/early/2009/12/04/0907765106.full.pdf+html>
- Votier, S.C., B.J. Hatchwell, A. Beckerman, R.H. McCleery, F.M. Hunter, J. Pellatt, M. Trinder and T.R. Birkhead. 2005. Oil pollution and climate have wide-scale impacts on seabird demographics. *Ecology Letters*, 8: 1157-1164.
- Wahl, T.R. and D. Heinemann. 1979. Seabirds and fishing vessels: Co-occurrence and attraction. *Condor*, 81: 390-396.
- Wahle, R.A. and R.S. Steneck. 1992. Habitat restrictions in early benthic life: Experiments on habitat selection and in situ predation with the American lobster. *Journal of Experimental Marine Biology and Ecology*, 157: 91-114.
- Walsh, S.J. 1982. Distribution and abundance of pre-recruit and commercial-sized American plaice on the Grand Bank. *Journal of Northwest Atlantic Fishery Science*, 3: 149-157.
- Walsh, S.J. 1991. Juvenile American plaice on the Grand Bank, NAFO Divisions 3LNO. *NAFO Science Council Research Document*, 91/81: 18 pp.
- Walsh, S.J. 1992. Factors influencing distribution of juvenile yellowtail flounder (*Limanda ferruginea*) on the Grand Bank of Newfoundland. *Netherlands Journal of Sea Research*, 29(1-3): 193-203.
- Walsh, S.J., M.F. Veitch, W.B. Brodie and E. Colbourne. 2006. Distribution and Abundance of Yellowtail Flounder (*Limanda ferruginea*) on the Grand Bank, NAFO Divisions 3LNO from Canadian bottom trawl survey estimates from 1984-2006. *Northwest Atlantic Fisheries Organization Scientific Council Research Document*, 06/41: 50 pp.
- Walsh, S.J., M.J. Veitch, M.J. Morgan, W.R. Bowering and B. Brodie. 2000. Distribution and abundance of yellowtail flounder (*Limanda ferruginea*) on the Grand Bank, NAFO Divisions 3LNO, as derived from annual Canadian bottom trawl surveys. *NAFO Science Council Research Document*, 00/35: 54 pp.

- Walton, P., C.M.R. Turner, G. Austin, M.D. Burns and P. Monaghan. 1997. Sub-lethal effects of an oil pollution incident on breeding Kittiwakes *Rissa tridactyla*. *Marine Ecology Progress Series*, 155: 261-268.
- Wang, J.Y., D.E. Gaskin and B.N. White. 1996. Mitochondrial DNA analysis of harbour porpoise, *Phocoena phocoena*, subpopulations in North American waters. *Canadian Journal of Fisheries and Aquatic Sciences*, 53: 1632-1645.
- Wang, X.L. and V.R. Swail. 2001. Changes of extreme wave heights in Northern Hemisphere oceans and related atmospheric regimes. *Journal of Climate*, 14 (10): 2204-2221.
- Wang, X.L., F.W. Zwiens and V.R. Swail. 2004. North Atlantic Ocean wave climate change scenarios for the twenty-first century. *Journal of Climate*, 17: 2368-2383.
- Wardle, C.S., T.J. Carter, F.G. Urquhart, A.D.F. Johnstone, A.M. Kiolkowski, G. Hampson and D. Mackie. 2001. Effects of seismic air guns on marine fish. Continental Shelf Seabed Symposium, Dartmouth, NS, 2 October 1989. *Continental Shelf Research*, 21: 1005-1027.
- Waring, G.T., T. Hamazaki, D. Sheehan, G. Wood and S. Baker. 2001. Characterization of beaked whale (Ziphiidae) and sperm whale (*Physeter macrocephalus*) summer habitat in shelf-edge and deeper waters off the northeast US. *Marine Mammal Science*, 17: 703-717.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh and K. Maze-Foley. 2009. US Atlantic and Gulf of Mexico marine mammal stock assessments -- 2008. *NOAA Technical Memorandum*, NMFS-NE 210: 440 pp.
- Wartzok, D., A.N. Popper, J. Gordon and J. Merrill. 2004. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4): 6-15.
- Webb, C.L.F. and N.J. Kempf. 1998. The impact of shallow water seismic in sensitive areas. *Society of Petroleum Engineers Technical Paper*, SPE 46722: 6 pp.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology*, 20: 159-168.
- Weinrich, M.T., C.R. Belt and D. Morin. 2001. Behavior and ecology of the Atlantic white-sided dolphin (*Lagenorhynchus acutus*) in coastal New England waters. *Marine Mammal Science*, 17: 231-248.
- Westgate, A.J., A.J. Read, T.M. Cox, T.D. Schofield, B.R. Whitaker and K.E. Anderson. 1998. Monitoring a rehabilitated harbor porpoise using satellite telemetry. *Marine Mammal Science*, 14(3): 599-604.

- White, C.M., R.J. Ritchie and B.A. Cooper. 1995. Density and productivity of Bald Eagles in Prince William Sound, Alaska, after the *Exxon Valdez* oil spill. Pp. 762-779. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials, Philadelphia, PA. 965 pp.
- Whitehead, H. 1982. Populations of humpback whales in the Northwest Atlantic. *Report of the International Whaling Commission*, 32: 345-353.
- Whitehead, H. 2002. Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series*, 242: 295-304.
- Whitehead, H. 2003. *Sperm Whale Societies; Social Evolution in the Ocean*. University of Chicago Press, Chicago, IL. 431 pp.
- Whitehead, H., S. Brennan and D. Grover. 1992. Distribution and behaviour of male sperm whales on the Scotian Shelf, Canada. *Canadian Journal of Zoology*, 70: 912-918.
- Whitehead, H. and C.A. Carlson. 1988. Social behaviour of feeding finback whales off Newfoundland: Comparisons with the sympatric humpback whale. *Canadian Journal of Zoology*, 66: 217-221.
- Whitehead, H. and C. Glass. 1985. The significance of the Southeast Shoal of the Grand Bank to humpback whales and other cetacean species. *Canadian Journal of Zoology*, 63: 2617-2625.
- Whitehead, H., P. Harcourt, K. Ingham and H. Clark. 1980. The migration of humpback whales past the Bay de Verde Peninsula, Newfoundland, during June and July 1978. *Canadian Journal of Zoology*, 58(5): 687-692.
- Whitehead, H. and L.S. Weilgart. 2000. The sperm whale: Social females and roving males. Pp. 154-172. In: J. Mann, R. Connor, P.L. Tyack and H. Whitehead (eds.). *Cetacean Societies: Field Studies of Dolphins and Whales*, University of Chicago Press. Chicago, IL. viii + 433 pp.
- Whitehead, H. and T. Wimmer. 2005. Heterogeneity and the mark-recapture assessment of the Scotian Shelf population of northern bottlenose whales (*Hyperoodon ampullatus*). *Canadian Journal of Fisheries and Aquatic Sciences*, 62: 2573-2585.
- Wiens, J.A. 1995. Recovery of seabirds following the *Exxon Valdez* oil spill: An overview. Pp. 854-893 In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.). *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, American Society for Testing and Materials, Philadelphia, PA. 965 pp.
- Wiens, J.A. 1996. Oil, seabirds, and science - The effects of the *Exxon Valdez* oil spill. *BioScience*, 46: 587-597.

- Wiens, J.A., T.O. Crist, R.H. Day, S.M. Murphy and G.D. Hayward. 1996. Effects of the *Exxon Valdez* oil spill on marine bird communities in Prince William Sound, Alaska. *Ecological Applications*, 6: 828-841.
- Wiens, J.A., R.H. Day, S.M. Murphy and K.R. Parker. 2001. On drawing conclusions nine years after the *Exxon Valdez* oil spill. *Condor*, 103: 886-892.
- Wiese, F.K. and W.A. Montevecchi. 1999. *Marine Bird and Mammal Surveys on the Newfoundland Grand Bank from Offshore Supply Vessels*. Contract report prepared for Husky Oil Operations Limited, St. John's, NL. 23 pp.
- Wiese, F.K., W.A. Montevecchi, G.K. Davoren, F. Huettmann, A.W. Diamond and J. Linke. 2001. Seabirds at risk around offshore oil platforms in the North-west Atlantic. *Marine Pollution Bulletin*, 42: 1285-1290.
- Wiese, F.K. and G.J. Robertson. 2004. Assessing seabird mortality from chronic oil discharges at sea. *Journal of Wildlife Management*, 68: 627-638.
- Wiese, F.K., G.J. Robertson and A.J. Gaston. 2004. Impacts of chronic marine oil pollution and the murre hunt in Newfoundland on Thick-billed Murre *Uria lomvia* populations in the Eastern Canadian Arctic. *Biological Conservation*, 116: 205-216.
- Wiese, F.K. and P.C. Ryan. 1999. Trends of chronic oil pollution in southeast Newfoundland assessed through beached-bird surveys, 1984-1997. *Bird Trends*, 7: 36-40.
- Wiese, F.K. and P.C. Ryan. 2003. The extent of chronic marine oil pollution in southeastern Newfoundland waters assessed through beached bird surveys, 1984-1999. *Marine Pollution Bulletin*, 46: 1090-1101.
- Wilhelm, S.I., C. Gjerdrum and D.A. Fifield. In Preparation. Eastern Canada Seabirds at Sea (ECSAS) standardized protocol for pelagic seabird surveys from moving and stationary platforms. *Atlantic Region Canadian Wildlife Service Technical Report Series*.
- Wilhelm, S.I., G.J. Robertson, P.C. Ryan and D.C. Schneider. 2007. An assessment of the number of seabirds at risk during the November 2004 Terra Nova FPSO oil spill on the Grand Banks. *Canadian Wildlife Service Technical Report Series*, No. 461: 25 pp.
- Williams, A.S. 1985. Rehabilitating oiled seabirds. In: J. Burridge and M. Kane (eds.). *A Field Manual*, International Bird Rescue Research Center, Berkely, CA. 79 pp.
- Williams, R., D.E. Bain, J.C. Smith and D. Lusseau. 2009. Effects of vessels on behaviour patterns of individual southern resident killer whales, *Orcinus orca*. *Endangered Species Research*, 6: 199-209.
- Williams, U. and J. Chardine. 1999. Leach's Storm-petrel (*Oceanodroma leucorhoa*): A Handbook on Release Techniques Prepared for Workers on the Terra Nova Oil Field. 4 pp.

- Wilson, J., L. Rotterman and D. Epperson. 2006. Minerals Management Service overview of seismic survey mitigation and monitoring on the US Outer Continental Shelf. Paper SC/58/E8 presented to IWC Scientific Committee, IWC Annual Meeting, 1-13 June, St. Kitts and Nevis. *Zoology*, 74(9): 1661-1672.
- Wimmer, T. and H. Whitehead. 2004. Movements and distribution of northern bottlenose whales, *Hyperoodon ampullatus*, on the Scotian Slope and in adjacent waters. *Canadian Journal of Zoology*, 82: 1782-1794.
- Witt, M.J., A.C. Broderick, D.J. Johns, C. Martin, R. Penrose, M.S. Hoogmoed and B.J. Godley. 2007. Prey landscapes help identify potential foraging habitats for leatherback turtles in the NE Atlantic. *Marine Ecology Progress Series*, 337: 231-243.
- Witzell, W.N. 1999. Distribution and relative abundance of sea turtles caught incidentally by the US pelagic longline fleet in the western North Atlantic Ocean, 1992-1995. *Fisheries Bulletin*, 97: 200-211.
- Woodley, T.H. and D.E. Gaskin. 1996. Environmental characteristics of North Atlantic right and fin whale habitat in the lower Bay of Fundy. *Canadian Journal of Zoology*, 75: 75-84.
- Wormald, A.P. 1976. Effects of a spill of marine diesel oil on the meiofauna of sandy beach at Picnic Bay, Hong Kong. *Environmental Pollution*, 11(2): 117-130.
- Wright, D.G. 2002. Proposed guidelines to assist the geophysical exploration industry in meeting the requirements of Canada's *Fisheries Act*. *The Leading Edge*, (Jan.): 72-78.
- Wright, D.G. and G.E. Hopky. 1998. Guidelines for the use of explosives in or near Canadian fisheries waters. *Canadian Technical Report of Fisheries and Aquatic Sciences*, 2107: iv + 34 pp.
- Würsig, B. 1990. Cetaceans and oil: Ecologic perspectives. Pp. 129-165. In: J.R. Geraci and D.J. St. Aubin (eds.). *Sea Mammals and Oil: Confronting the Risks*, Academic Press, San Diego, CA. 282 pp.
- Würsig, B., C.R. Greene and T.A. Jefferson. 2000. Development of an air bubble curtain to reduce underwater noise of percussive piling. *Marine Environmental Research*, 49: 79-93.
- Yao, T. 1986. The response of currents in Trinity Bay, Newfoundland, to local wind forcing. *Atmosphere-Ocean*, 24: 235-252.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, S.K. Meier, H.R. Melton, M.W. Newcomer, R. Nielson, V.L. Vladimirov and P.W. Wainwright. 2007a. Distribution and abundance of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Assessment and Monitoring*, 34(1-3): 44-73.

- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, R. Nielson and P.W. Wainwright. 2007b. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Assessment and Monitoring*, 34(1-3): 93-106.
- Yelverton, J.T. 1981. *Underwater Explosion Damage Risk Criteria for Fish, Birds, and Mammals*. Unpublished Manuscript, presented at 102nd Meeting of the Acoustical Society of America, Miami Beach, FL, December 1981. 32 pp.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher and R.K. Jones. 1973. *Safe Distances from Underwater Explosions for Mammals and Birds*. Report from Lovelace Foundation for Medical Education Research, Albuquerque, NM, for Defence Nuclear Agency, Washington, DC. 67 pp.
- Yochem, P.K., B.S. Stewart, R.L. DeLong and D.P. DeMaster. 1987. Diel haulout patterns and site fidelity of harbor seals (*Phoca vitulina richardsi*) on San Miguel Island, California, in autumn. *Marine Mammal Science*, 3: 323-332.
- Yoder, J.A. 2002. *Declaration James A. Yoder in Opposition to Plaintiff's Motion for Temporary Restraining Order, 28 October 2002*. Civ. No. 02-05065-JL. US District Court, Northern District of California, San Francisco Division.
- Zawadski, A. 1991. *Geophysical Interpretation of the Hibernia Delta*. Work term report submitted to the Geological Survey of Canada (Atlantic Geoscience Centre) and the Faculty of Science, University of Waterloo, Waterloo, ON.
- Zhdanova, I.V. and S.G. Reeb. 2006. Circadian rhythms in fish. *Behaviour and Physiology of Fish*, 24: 197-238.